

with the linear edition

volume 1.1



fossLED | The Linear Edition

The fossLED Linear Edition features our specially manufactured LED Strip, Linear LED Flex, Rigid boards and associated products as well as our UK assembled custom Linear luminaires.

We pride ourselves in offering one of the most specialist and comprehensive ranges in this domain and strive in delivering quality at a value proposition.

Our aim is to transform your ideas and designs into a reality; our dedicated technical sales, lighting design and after sales teams are always on hand to consult you no matter the project size.

We strive for simplicity; our in-house workshop offers a fast bespoke service on almost all product ranges to aid your design needs and make installations quick and easy.









LED STRIP & RIGID BOARDS

| | |
|---|-------|
| Single Colour ECO, LINEAR & COB Strips..... | 7-16 |
| 30 - 50m LED Strip Drums..... | 23-28 |
| Ultra Run & Dim to Warm LED Strips..... | 29-32 |
| Nano LED Strip..... | 33-34 |
| High Power LED Strip & Rigid Boards..... | 35-40 |
| Tuneable White LED Strip..... | 41-42 |
| RGB, RGBW & RGB+CCT LED Strips..... | 43-52 |



LINEAR LED FLEX

| | |
|--|-------|
| Top View - Linear LED Flex..... | 61-64 |
| Side Bend - Linear LED Flex..... | 65-68 |
| Ultra Run Top View - Linear LED Flex..... | 69-70 |
| Ultra Run Side Bend - Linear LED Flex..... | 71-72 |
| Top View - Installation Accessories..... | 73-74 |
| Side Bend - Installation Accessories..... | 75-76 |
| LINEAR LED Flex Customisation Service..... | 77-78 |



ACCESSORIES & STRIP CUSTOMISATION

| | |
|--------------------------------------|-------|
| LED Strip Connectors..... | 53-55 |
| Wire Connectors & Wire Reels..... | 55-57 |
| LED Strip Customisation Service..... | 58 |



ALUMINIUM EXTRUSIONS

| | |
|----------------------------|---------|
| Surface Extrusions..... | 81-90 |
| Angled Extrusions..... | 91-92 |
| Nano Extrusions..... | 93-94 |
| Recessed Extrusions..... | 95-102 |
| Plaster In Extrusions..... | 103-106 |
| Suspended Extrusions..... | 108-110 |
| Wall Extrusions..... | 111-114 |



LED DRIVERS

| | |
|--|---------|
| Non Dimmable Drivers 10-60W..... | 117-118 |
| Non Dimmable Drivers 100-600W..... | 119-120 |
| Mains Dimmable Drivers 25-300W..... | 121-123 |
| DALI Dimmable Drivers 75-240W..... | 123-124 |
| Slim Non Dimmable Drivers 60-150W..... | 125 |
| Slim Mains Dimmable Drivers 30-100W..... | 126 |
| Slim DALI Dimmable Drivers 60-150W..... | 127-128 |



CONTROL GEAR

| | |
|---------------------------------|---------|
| Single Colour Controllers..... | 131-133 |
| Tuneable White Controllers..... | 134-135 |
| RGB Controllers..... | 136 |
| RGBW Controllers..... | 137-138 |
| RGB + CCT Controllers..... | 139 |
| WIFI - Smart Control..... | 140 |
| Receivers & Decoders..... | 141-142 |



CUSTOM LINEAR UNITS

| | |
|---|---------|
| INFINITY SURFACE - Remote Driver..... | 145-146 |
| INFINITY SURFACE - Internal Driver..... | 147-150 |
| INFINITY RECESSED - Remote Driver..... | 151-154 |
| INFINITY SUSPENDED - Remote Driver..... | 155-156 |
| INFINITY SUSPENDED - Internal Driver..... | 157-160 |
| INFINITY UP & DOWN..... | 161-164 |
| INFINITY WALL - Internal Driver..... | 165-168 |



CUSTOM LINEAR SYSTEM

| | |
|-------------------------------------|---------|
| Modular LINEAR Lighting System..... | 169-170 |
|-------------------------------------|---------|

LED STRIP & BOARD | SERIES

At fossLED we offer an extensive range of LED strip and rigid board products to suit a host of different applications. From standard strips to speciality Ultra Run models allowing for up to 25 metre continuous runs and Nano strips with a width of only 4mm for use in joinery, to high power strips and rigid boards offering up to 4180 lm per metre in high colour rendering.

All products are made from premium components to ensure only the highest quality finish; our LED strip units feature a minimum of CRI92+ to CRI97+, ensuring an extra clean light output and colour temperature. LED chips are then mounted onto a minimum 2 ounce to 5 ounce PCB backing providing durability and superior heat dissipation, ensuring all our products last longer; this is then backed up by our 5 year extended manufacturer's warranty.





SINGLE COLOUR STANDARD

| | |
|---|-------|
| 60 LEDs/m ECO - 5W/12W..... | 7-8 |
| 120 LEDs/m ECO - 5W/10W/15W/20W..... | 9-12 |
| 280 LEDs/m LINEAR - 5W/10W/15W/20W..... | 13-16 |
| COB 480 LEDs/m LINEAR - 5W/10W/15W..... | 18-22 |



30M-50M DRUMS

| | |
|-------------------------------|----|
| 60 LEDs/m ECO - 5W..... | 24 |
| 120 LEDs/m ECO - 10W..... | 24 |
| 480 LEDs/m COB - 10W/15W..... | 26 |
| 48 LEDs/m RGB ECO - 9W..... | 28 |
| 60 LEDs/m RGBW ECO - 20W..... | 28 |



ULTRA RUN & DIM TO WARM

| | |
|---------------------------------------|----|
| 60 LEDs/m ULTRA RUN - 5W..... | 30 |
| 120 LEDs/m ULTRA RUN - 10W..... | 30 |
| 224 LEDs/m DIM to WARM - 10W/18W..... | 32 |



NANO

| | |
|--------------------------|----|
| 240 LEDs/m - 10W..... | 34 |
| 120 LEDs/m RGB - 8W..... | 34 |



HIGH POWER & RIGID BOARDS

| | |
|------------------------------------|----|
| 192 LEDs/m CRI82 - 22W..... | 36 |
| 192 LEDs/m CRI92 - 22W..... | 36 |
| 192 LEDs/m CRI82 BOARDS - 22W..... | 38 |
| 192 LEDs/m CRI92 BOARDS - 22W..... | 38 |
| 217 LEDs/m CR82 BOARDS - 30W..... | 40 |
| 217 LEDs/m CR92 BOARDS - 30W..... | 40 |




TUNEABLE WHITE

| | |
|---------------------------------------|----|
| 120 LEDs/m Tuneable ECO - 10W..... | 42 |
| 240 LEDs/m Tuneable LINEAR - 20W..... | 42 |



RGB, RGBW & RGBW+CCT

| | |
|---|----|
| 48 LEDs/m RGB ECO - 9W..... | 44 |
| 60 LEDs/m RGB ECO - 12W..... | 44 |
| 120 LEDs/m RGB ECO - 12W..... | 46 |
| 240 LEDs/m RGB LINEAR - 24W..... | 46 |
| 420 / 840 LEDs/m COB LINEAR - 9W/15W..... | 48 |
| 60 LEDs/m RGBW ECO - 20W..... | 50 |
| 96 LEDs/m RGBW ECO - 30W..... | 50 |
| 60 LEDs/m RGB+CCT ECO - 20W..... | 52 |
| 96 LEDs/m RGB+CCT ECO - 30W..... | 52 |



ACCESSORIES & STRIP CUSTOMISATION

| | |
|---|-------|
| LED Strip - Connectors..... | 53-55 |
| Wire - Connectors..... | 55 |
| Plug Connectors & Distribution Boxes..... | 56 |
| LED Strip Wire..... | 57 |
| LED Strip Customisation Service..... | 58 |

LED STRIP | RIGID BOARDS | LINEAR LED FLEX | SPECIFICATIONS & THE LINEAR EFFECT

At fossLED we offer a comprehensive range of LED Strip, Rigid boards and LINEAR LED Flex products to suit almost any Linear lighting installation. The below table is to help guide users towards the best suited products for their application.

For a LINEAR no dotted effect where required, please note our "Linear in Extrusion depth of" column. Here we list the minimum Aluminium Extrusion depth required in order to achieve a Linear effect when used in conjunction with the applicable product. Please note that where listed as LINEAR; this product can achieve a LINEAR effect in any fossLED Aluminium Extrusion combination.



| Series | Wattage Per Metre | LEDs Per Metre | CRI | Colour Temperatures | Lumens Per Metre | Cut Points Every | Product Width IP20/IP65 | Light Source Model | LINEAR in Extrusion Depth of |
|-------------------------|-------------------|----------------|-----|---------------------|------------------|------------------|-------------------------|--------------------|------------------------------|
| ECO | 5W | 60 | 92+ | | 500lm | 100mm | 8/10mm | FLS1 | 20mm + |
| ECO | 5W | 120 | 92+ | | 520lm | 50mm | 8/10mm | FLS2 | 14mm + |
| ECO | 10W | 120 | 92+ | | 900lm | 50mm | 8/10mm | FLS3 | 14mm + |
| ECO | 12W | 60 | 92+ | | 1170lm | 100mm | 8/10mm | FLS4 | 20mm + |
| ECO | 15W | 120 | 92+ | | 1350lm | 50mm | 8/10mm | FLS5 | 14mm + |
| ECO | 20W | 120 | 92+ | | 1800lm | 50mm | 8/10mm | FLS6 | 14mm + |
| LINEAR | 5W | 280 | 97+ | | 545lm | 25mm | 10/12mm | FLSL1 | LINEAR |
| LINEAR | 10W | 280 | 97+ | | 1090lm | 25mm | 10/12mm | FLSL3 | LINEAR |
| LINEAR | 15W | 280 | 97+ | | 1640lm | 25mm | 10/12mm | FLSL5 | LINEAR |
| LINEAR | 20W | 280 | 97+ | | 2180lm | 25mm | 10/12mm | FLSL6 | LINEAR |
| COB | 5W | 480 | 92+ | | 500lm | 50mm | 8/10mm | FLSCB1 | LINEAR |
| COB | 10W | 480 | 92+ | | 1000lm | 50mm | 8/10mm | FLSCB3 | LINEAR |
| COB | 15W | 480 | 92+ | | 1500lm | 50mm | 8/10mm | FLSCB5 | LINEAR |
| ULTRA RUN | 5W | 60 | 92+ | | 450lm | 100mm | 10/12mm | FLSC1 | 20mm + |
| ULTRA RUN | 10W | 120 | 92+ | | 930lm | 50mm | 10/12mm | FLSC3 | 14mm + |
| NANO RGB | 8W | 120 | N/A | | 300lm | 50mm | 5mm/NA | FLSNR3 | 14mm+ |
| NANO | 10W | 240 | 97+ | | 1100lm | 25mm | 4mm/NA | FLSN3 | LINEAR |
| DRUM | 5W | 60 | 92+ | | 500lm | 100mm | 8/10mm | FLSDS1 | 20mm + |
| DRUM RGB | 9W | 48 | N/A | | 340lm | 125mm | 12mm | FLSDR2 | 20mm + |
| DRUM | 10W | 120 | 92+ | | 900lm | 50mm | 8/10mm | FLSDS3 | 14mm + |
| DRUM RGBW | 20W | 60 | N/A | | 730 + 420lm | 100mm | 12/14mm | FLSDY6 | 20mm + |
| RIGID BOARDS | 22W | 133 | 82+ | | 4180lm | 50mm | 10mm/NA | FLB6 | 14mm + |
| RIGID BOARDS | 22W | 133 | 92+ | | 2600lm | 50mm | 10mm/NA | FLB7 | 14mm + |
| HIGH POWER | 22W | 192 | 82+ | | 3700lm | 41.67mm | 10mm/NA | FLSH6 | LINEAR |
| HIGH POWER | 22W | 192 | 92+ | | 3000lm | 41.67mm | 10mm/NA | FLSH7 | LINEAR |
| TUNEABLE WHITE | 10W | 120 | 92+ | | 350 - 700lm | 100mm | 10/12mm | FLST3 | 14mm + |
| TUNEABLE WHITE | 20W | 240 | 97+ | | 850 - 1700lm | 50mm | 10/12mm | FLST6 | LINEAR |
| RGB ECO | 9W | 48 | N/A | | 340lm | 125mm | NA/12mm | FLSR2 | 20mm + |
| RGB ECO | 12W | 60 | N/A | | 460lm | 100mm | 10/12mm | FLSR4 | 20mm + |
| RGB ECO | 12W | 120 | N/A | | 480lm | 50mm | 8/10mm | FLSR5 | 14mm + |
| RGB LINEAR | 24W | 240 | N/A | | 960lm | 25mm | 12/14mm | FLSR7 | LINEAR |
| RGB COB | 9W | 420 | N/A | | 375lm | 50mm | 10/12mm | FLSCBR3 | LINEAR |
| RGB COB | 15W | 680 | N/A | | 680lm | 50mm | 10/12mm | FLSCBR5 | LINEAR |
| RGBW | 20W | 60 | N/A | | 730 + 420lm | 100mm | 12/14mm | FLSY6 | 20mm + |
| RGBW | 30W | 96 | N/A | | 1335 + 700lm | 62.50mm | 12mm/NA | FLSY8 | 14mm + |
| RGB + CCT | 20W | 60 | N/A | | 385 + 625lm | 100mm | 12mm/NA | FLSZ6 | 20mm + |
| RGB + CCT | 30W | 96 | N/A | | | 62.50mm | 12mm/NA | FLSZ8 | 14mm + |
| LINEAR LED FLEX TV | 10W | N/A | 92+ | | 670lm | 50mm | 12*12mm | FLO3 | LINEAR |
| LINEAR LED FLEX TV | 15W | N/A | 92+ | | 1200lm | 50mm | 12*12mm | FLO5 | LINEAR |
| LINEAR LED FLEX RGB TV | 10W | N/A | N/A | | 290lm | 62.50mm | 12*12mm | FLOR3 | LINEAR |
| LINEAR LED FLEX RGBW TV | 15W | N/A | N/A | | 510 + 230lm | 62.50mm | 16*15mm | FLOY5 | LINEAR |
| LINEAR LED FLEX NANO SB | 10W | N/A | 92+ | | 380lm | 50mm | 6*12mm | FLNSB3 | LINEAR |

LED DRIVER CHART | NON DIMMABLE (W) / MAINS DIMMABLE (W)

At fossLED we offer a comprehensive range of LED Drivers to suit a variety of installation requirements. The below LED Driver chart is to help guide you to find the correct driver based on your choice of LED product and the length in metres you wish to run. Please note this table illustrates options on our standard and Mains dimmable driver ranges only, please contact us if you require assistance with DALI & LINEAR driver ranges.

The max strip run column dictates the maximum length we recommend you run each specific model before being affected by voltage drop and light loss. All columns summarise metre lengths and the corresponding driver wattages from the fossLED Drivers range we recommend in Non dimmable | **Mains Dimmable** in bold.

| Max Strip Run | 2m Run | 3m Run | 4m Run | 5m Run | 6m Run | 7m Run | 8m Run | 9m Run | 10m Run | 11m Run | 12m Run | 13m Run | 15m Run | 20m Run | 25m Run |
|---------------|---------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| 13m | 12 25 | 20 25 | 30 25 | 30 40 | 45 40 | 45 50 | 60 50 | 60 75 | 60 75 | 100 75 | 100 75 | 100 75 | N/A | N/A | N/A |
| 13m | 12 25 | 20 25 | 30 25 | 30 40 | 45 40 | 45 50 | 60 50 | 60 75 | 60 75 | 100 75 | 100 75 | 100 75 | N/A | N/A | N/A |
| 12m | 30 25 | 45 40 | 60 50 | 60 75 | 100 75 | 100 100 | 100 100 | 150 150 | 150 150 | 150 150 | 150 150 | N/A | N/A | N/A | N/A |
| 12m | 30 40 | 45 50 | 60 75 | 100 75 | 100 100 | 100 100 | 150 150 | 150 150 | 150 150 | 200 200 | 200 200 | N/A | N/A | N/A | N/A |
| 12m | 45 40 | 60 75 | 100 75 | 100 100 | 150 150 | 150 150 | 150 150 | 200 200 | 200 200 | 200 200 | 240 300 | N/A | N/A | N/A | N/A |
| 10m | 60 50 | 100 75 | 100 100 | 150 150 | 150 150 | 200 200 | 200 200 | 240 300 | 240 300 | N/A | N/A | N/A | N/A | N/A | N/A |
| 12m | 12 25 | 20 25 | 30 25 | 30 40 | 45 40 | 45 50 | 60 50 | 60 75 | 60 75 | 100 75 | 100 75 | N/A | N/A | N/A | N/A |
| 12m | 30 25 | 45 40 | 60 50 | 60 75 | 100 75 | 100 100 | 100 100 | 150 150 | 150 150 | 150 150 | 150 150 | N/A | N/A | N/A | N/A |
| 11m | 45 40 | 60 75 | 100 75 | 100 100 | 150 150 | 150 150 | 150 150 | 200 200 | 200 200 | 200 200 | N/A | N/A | N/A | N/A | N/A |
| 10m | 60 50 | 100 75 | 100 100 | 150 150 | 150 150 | 200 200 | 200 200 | 240 300 | 240 300 | N/A | N/A | N/A | N/A | N/A | N/A |
| 13m | 12 25 | 20 25 | 30 25 | 30 40 | 45 40 | 45 50 | 60 50 | 60 75 | 60 75 | 100 75 | 100 75 | 100 75 | N/A | N/A | N/A |
| 12m | 30 25 | 45 40 | 60 50 | 60 75 | 100 75 | 100 100 | 100 100 | 150 150 | 150 150 | 150 150 | 150 150 | N/A | N/A | N/A | N/A |
| 12m | 45 40 | 60 75 | 100 75 | 100 100 | 150 150 | 150 150 | 150 150 | 200 200 | 200 200 | 200 200 | 240 300 | N/A | N/A | N/A | N/A |
| 25m | 12 25 | 20 25 | 30 25 | 30 40 | 45 40 | 45 50 | 60 50 | 60 75 | 60 75 | 100 75 | 100 75 | 100 75 | 100 100 | 150 150 | 150 150 |
| 20m | 30 25 | 45 40 | 60 50 | 60 75 | 100 75 | 100 100 | 100 100 | 150 150 | 150 150 | 150 150 | 150 150 | 150 150 | 200 200 | 240 300 | N/A |
| 12m | 20 | 30 | 45 | 60 | 60 | 100 | 100 | 100 | 100 | 150 | 150 | N/A | N/A | N/A | N/A |
| 12m | 30 25 | 45 40 | 60 50 | 60 75 | 100 75 | 100 100 | 100 100 | 150 150 | 150 150 | 150 150 | 150 150 | N/A | N/A | N/A | N/A |
| 13m | 12 25 | 20 25 | 30 25 | 30 40 | 45 40 | 45 50 | 60 50 | 60 75 | 60 75 | 100 75 | 100 75 | 100 75 | N/A | N/A | N/A |
| 12m | 30 | 45 | 45 | 60 | 100 | 100 | 100 | 100 | 150 | 150 | 150 | N/A | N/A | N/A | N/A |
| 12m | 30 25 | 45 40 | 60 50 | 60 75 | 100 75 | 100 100 | 100 100 | 150 150 | 150 150 | 150 150 | 150 150 | N/A | N/A | N/A | N/A |
| 10m | 60 | 100 | 100 | 150 | 150 | 200 | 200 | 240 | 240 | N/A | N/A | N/A | N/A | N/A | N/A |
| 5m | 60 75 | 100 100 | 100 100 | 150 150 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| 5m | 60 75 | 100 100 | 100 100 | 150 150 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| 8m | 60 75 | 100 100 | 150 150 | 150 150 | 200 200 | 200 200 | 240 300 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| 8m | 60 75 | 100 100 | 150 150 | 150 150 | 200 200 | 200 200 | 240 300 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| 12m | 30 | 45 | 60 | 60 | 100 | 100 | 100 | 150 | 150 | 150 | 150 | N/A | N/A | N/A | N/A |
| 10m | 60 | 100 | 100 | 150 | 150 | 200 | 200 | 240 | 240 | N/A | N/A | N/A | N/A | N/A | N/A |
| 12m | 30 | 45 | 45 | 60 | 100 | 100 | 100 | 100 | 150 | 150 | 150 | N/A | N/A | N/A | N/A |
| 12m | 30 | 45 | 60 | 100 | 100 | 100 | 150 | 150 | 150 | 200 | 200 | N/A | N/A | N/A | N/A |
| 10m | 30 | 45 | 60 | 100 | 100 | 100 | 150 | 150 | 150 | N/A | N/A | N/A | N/A | N/A | N/A |
| 8m | 60 | 100 | 150 | 150 | 200 | 200 | 240 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| 12m | 30 | 45 | 45 | 60 | 100 | 100 | 100 | 100 | 150 | 150 | 150 | N/A | N/A | N/A | N/A |
| 12m | 45 | 60 | 100 | 100 | 150 | 150 | 150 | 200 | 200 | 200 | 240 | N/A | N/A | N/A | N/A |
| 10m | 60 | 100 | 100 | 150 | 150 | 200 | 200 | 240 | 240 | N/A | N/A | N/A | N/A | N/A | N/A |
| 8m | 100 | 150 | 150 | 200 | 240 | 320 | 320 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| 10m | 60 | 100 | 100 | 150 | 150 | 200 | 200 | 240 | 240 | N/A | N/A | N/A | N/A | N/A | N/A |
| 8m | 100 | 150 | 150 | 200 | 240 | 320 | 320 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| 12m | 30 25 | 45 40 | 60 50 | 60 75 | 100 75 | 100 100 | 100 100 | 150 150 | 150 150 | 150 150 | 150 150 | N/A | N/A | N/A | N/A |
| 12m | 45 40 | 60 75 | 100 75 | 100 100 | 150 150 | 150 150 | 150 150 | 200 200 | 200 200 | 200 200 | 240 300 | N/A | N/A | N/A | N/A |
| 10m | 30 | 45 | 60 | 100 | 100 | 100 | 150 | 150 | 150 | N/A | N/A | N/A | N/A | N/A | N/A |
| 10m | 45 | 60 | 100 | 100 | 150 | 150 | 150 | 200 | 200 | N/A | N/A | N/A | N/A | N/A | N/A |
| 12m | 30 25 | 45 40 | 60 50 | 60 75 | 100 75 | 100 100 | 100 100 | 150 150 | 150 150 | 150 150 | 150 150 | N/A | N/A | N/A | N/A |






5W | 60 LEDs Per Metre ECO

Our ECO SERIES 5W per metre LED Strip features branded high efficiency 2835 SMD LEDs on a 2oz PCB board for a durable finish

Easy mounting thanks to added strength (3M 300LSE) self adhesive and backed up by a 3 year standard and 5 year Extended Manufacturer's Warranty.



IP20
IP65
DC 24V
LM 80
CRI 92+
Single Binning
3 Step
5 EXT


| Product Code - 5m Reel | Product Code - 10m Reel | Colour Temperature | Lm Per Metre / CRI | IP Rating | RRP |
|------------------------|-------------------------|--------------------|-----------------------|-----------|-----------------|
| FLS1-0G1S11 | FLS1-0G1S12 | 2700K | 420lm / CRI92+ | IP20 | £31.00 / £62.00 |
| FLS1-0C1S11 | FLS1-0C1S12 | 3000K | 440lm / CRI92+ | IP20 | £31.00 / £62.00 |
| FLS1-0N1S11 | FLS1-0N1S12 | 4000K | 500lm / CRI92+ | IP20 | £31.00 / £62.00 |
| FLS1-0D1S11 | FLS1-0D1S12 | 6500K | 480lm / CRI92+ | IP20 | £31.00 / £62.00 |
| FLS1-5G1S11 | FLS1-5G1S12 | 2700K | 420lm / CRI92+ | IP65 | £39.00 / £78.00 |
| FLS1-5C1S11 | FLS1-5C1S12 | 3000K | 440lm / CRI92+ | IP65 | £39.00 / £78.00 |
| FLS1-5N1S11 | FLS1-5N1S12 | 4000K | 500lm / CRI92+ | IP65 | £39.00 / £78.00 |
| FLS1-5D1S11 | FLS1-5D1S12 | 6500K | 480lm / CRI92+ | IP65 | £39.00 / £78.00 |
| FLS1-5B1S11 | FLS1-5B1S12 | Blue | 80lm / MCD Conversion | IP65 | £46.50 / £93.00 |



12W | 60 LEDs Per Metre ECO

Our ECO SERIES 12W per metre LED Strip features branded high efficiency 2835 SMD LEDs on a 2oz PCB board for a durable finish.

Easy mounting thanks to added strength (3M 300LSE) self adhesive and backed up by a 3 year standard and 5 year Extended Manufacturer's Warranty.



IP20
IP65
DC 24V
LM 80
CRI 92+
Single Binning
3 Step
5 EXT

| Product Code - 5m Reel | Product Code - 10m Reel | Colour Temperature | Lm Per Metre / CRI | IP Rating | RRP |
|------------------------|-------------------------|--------------------|------------------------|-----------|------------------|
| FLS4-0G1S41 | FLS4-0G1S42 | 2700K | 1020lm / CRI92+ | IP20 | £46.00 / £92.00 |
| FLS4-0C1S41 | FLS4-0C1S42 | 3000K | 1060lm / CRI92+ | IP20 | £46.00 / £92.00 |
| FLS4-0N1S41 | FLS4-0N1S42 | 4000K | 1170lm / CRI92+ | IP20 | £46.00 / £92.00 |
| FLS4-0D1S41 | FLS4-0D1S42 | 6500K | 1150lm / CRI92+ | IP20 | £46.00 / £92.00 |
| FLS4-5G1S41 | FLS4-5G1S42 | 2700K | 1020lm / CRI92+ | IP65 | £52.50 / £105.00 |
| FLS4-5C1S41 | FLS4-5C1S42 | 3000K | 1060lm / CRI92+ | IP65 | £52.50 / £105.00 |
| FLS4-5N1S41 | FLS4-5N1S42 | 4000K | 1170lm / CRI92+ | IP65 | £52.50 / £105.00 |
| FLS4-5D1S41 | FLS4-5D1S42 | 6500K | 1150lm / CRI92+ | IP65 | £52.50 / £105.00 |
| FLS4-5B1S41 | FLS4-5B1S42 | Blue | 260lm / MCD Conversion | IP65 | £57.50 / £115.00 |






5W | 120 LEDs Per Metre ECO

Our ECO SERIES 5W per metre LED Strip features branded high efficiency 2835 SMD LEDs on a 2oz PCB board for a durable finish.

Easy mounting thanks to added strength (3M 300LSE) self adhesive and backed up by a 3 year standard and 5 year Extended Manufacturer's Warranty.



IP20
IP65
DC 24V
☾
LM 80
CRI 92+
Single Binning
3 Step
5 EXT


| Product Code - 5m Reel | Product Code - 10m Reel | Colour Temperature | Lm Per Metre / CRI | IP Rating | RRP |
|------------------------|-------------------------|--------------------|--------------------|-----------|------------------|
| FLS2-OG1S21 | FLS2-OG1S22 | 2700K | 430lm / CRI92+ | IP20 | £52.50 / £105.00 |
| FLS2-OC1S21 | FLS2-OC1S22 | 3000K | 450lm / CRI92+ | IP20 | £52.50 / £105.00 |
| FLS2-ON1S21 | FLS2-ON1S22 | 4000K | 520lm / CRI92+ | IP20 | £52.50 / £105.00 |
| FLS2-OD1S21 | FLS2-OD1S22 | 6500K | 500lm / CRI92+ | IP20 | £52.50 / £105.00 |
| FLS2-5G1S21 | FLS2-5G1S22 | 2700K | 430lm / CRI92+ | IP65 | £59.00 / £118.00 |
| FLS2-5C1S21 | FLS2-5C1S22 | 3000K | 450lm / CRI92+ | IP65 | £59.00 / £118.00 |
| FLS2-5N1S21 | FLS2-5N1S22 | 4000K | 520lm / CRI92+ | IP65 | £59.00 / £118.00 |
| FLS2-5D1S21 | FLS2-5D1S22 | 6500K | 500lm / CRI92+ | IP65 | £59.00 / £118.00 |



10W | 120 LEDs Per Metre ECO

Our ECO SERIES 10W per metre LED Strip features branded high efficiency 2835 SMD LEDs on a 2oz PCB board for a durable finish.

Easy mounting thanks to added strength (3M 300LSE) self adhesive and backed up by a 3 year standard and 5 year Extended Manufacturer's Warranty.



IP20
IP65
DC 24V
☾
LM 80
CRI 92+
Single Binning
3 Step
5 EXT

| Product Code - 5m Reel | Product Code - 10m Reel | Colour Temperature | Lm Per Metre / CRI | IP Rating | RRP |
|------------------------|-------------------------|--------------------|------------------------|-----------|------------------|
| FLS3-OG1S31 | FLS3-OG1S32 | 2700K | 780lm / CRI92+ | IP20 | £55.00 / £110.00 |
| FLS3-OC1S31 | FLS3-OC1S32 | 3000K | 820lm / CRI92+ | IP20 | £55.00 / £110.00 |
| FLS3-ON1S31 | FLS3-ON1S32 | 4000K | 900lm / CRI92+ | IP20 | £55.00 / £110.00 |
| FLS3-OD1S31 | FLS3-OD1S32 | 6500K | 880lm / CRI92+ | IP20 | £55.00 / £110.00 |
| FLS3-OB1S31 | FLS3-OB1S32 | Blue | 165lm / MCD Conversion | IP20 | £65.00 / £130.00 |
| FLS3-5G1S31 | FLS3-5G1S32 | 2700K | 780lm / CRI92+ | IP65 | £61.00 / £122.00 |
| FLS3-5C1S31 | FLS3-5C1S32 | 3000K | 850lm / CRI92+ | IP65 | £61.00 / £122.00 |
| FLS3-5N1S31 | FLS3-5N1S32 | 4000K | 900lm / CRI92+ | IP65 | £61.00 / £122.00 |
| FLS3-5D1S31 | FLS3-5D1S32 | 6500K | 880lm / CRI92+ | IP65 | £61.00 / £122.00 |
| FLS3-5B1S31 | FLS3-5B1S32 | Blue | 165lm / MCD Conversion | IP65 | £71.00 / £142.00 |






15W | 120 LEDs Per Metre ECO

Our ECO SERIES 15W per metre LED Strip features branded high efficiency 2835 SMD LEDs on a 2oz PCB board for a durable finish.

Easy mounting thanks to added strength (3M 300LSE) self adhesive and backed up by a 3 year standard and 5 year Extended Manufacturer's Warranty.



- IP20
- IP65
- DC 24V
-
- LM 80
- CRI 92+
- Single Binning
- 3 Step
-


| Product Code - 5m Reel | Product Code - 10m Reel | Colour Temperature | Lm Per Metre / CRI | IP Rating | RRP |
|------------------------|-------------------------|--------------------|--------------------|-----------|------------------|
| FLS5-OG1S51 | FLS5-OG1S52 | 2700K | 1200lm / CRI92+ | IP20 | £75.00 / £150.00 |
| FLS5-OC1S51 | FLS5-OC1S52 | 3000K | 1250lm / CRI92+ | IP20 | £75.00 / £150.00 |
| FLS5-ON1S51 | FLS5-ON1S52 | 4000K | 1350lm / CRI92+ | IP20 | £75.00 / £150.00 |
| FLS5-OD1S51 | FLS5-OD1S52 | 6500K | 1300lm / CRI92+ | IP20 | £75.00 / £150.00 |
| FLS5-5G1S51 | FLS5-5G1S52 | 2700K | 1200lm / CRI92+ | IP65 | £86.00 / £172.00 |
| FLS5-5C1S51 | FLS5-5C1S52 | 3000K | 1250lm / CRI92+ | IP65 | £86.00 / £172.00 |
| FLS5-5N1S51 | FLS5-5N1S52 | 4000K | 1350lm / CRI92+ | IP65 | £86.00 / £172.00 |
| FLS5-5D1S51 | FLS5-5D1S52 | 6500K | 1300lm / CRI92+ | IP65 | £86.00 / £172.00 |



20W | 120 LEDs Per Metre ECO

Our ECO SERIES 20W per metre LED Strip features branded high efficiency 2835 SMD LEDs on a 2oz PCB board for a durable finish.

Easy mounting thanks to added strength (3M 300LSE) self adhesive and backed up by a 3 year standard and 5 year Extended Manufacturer's Warranty.



- IP20
- IP65
- DC 24V
-
- LM 80
- CRI 92+
- Single Binning
- 3 Step
-

| Product Code - 5m Reel | Product Code - 10m Reel | Colour Temperature | Lm Per Metre / CRI | IP Rating | RRP |
|------------------------|-------------------------|--------------------|--------------------|-----------|-------------------|
| FLS6-OG1S61 | FLS6-OG1S62 | 2700K | 1620lm / CRI92+ | IP20 | £92.50 / £185.00 |
| FLS6-OC1S61 | FLS6-OC1S62 | 3000K | 1700lm / CRI92+ | IP20 | £92.50 / £185.00 |
| FLS6-ON1S61 | FLS6-ON1S62 | 4000K | 1800lm / CRI92+ | IP20 | £92.50 / £185.00 |
| FLS6-OD1S61 | FLS6-OD1S62 | 6500K | 1760lm / CRI92+ | IP20 | £92.50 / £185.00 |
| FLS6-5G1S61 | FLS6-5G1S62 | 2700K | 1620lm / CRI92+ | IP65 | £106.00 / £212.00 |
| FLS6-5C1S61 | FLS6-5C1S62 | 3000K | 1700lm / CRI92+ | IP65 | £106.00 / £212.00 |
| FLS6-5N1S61 | FLS6-5N1S62 | 4000K | 1800lm / CRI92+ | IP65 | £106.00 / £212.00 |
| FLS6-5D1S61 | FLS6-5D1S62 | 6500K | 1760lm / CRI92+ | IP65 | £106.00 / £212.00 |






5W | 280 LEDs Per Metre LINEAR

Our LINEAR SERIES strips produce a dotless linear light finish when combined with any fossLED aluminium extrusion. This 5W per metre model features branded high efficiency 1808 SMD LEDs placed on a 2oz PCB board for a durable finish.

Easy mounting thanks to added strength (3M 300LSE) self adhesive and backed up by a 3 year standard and 5 year Extended Manufacturer's Warranty.



IP20
IP65
DC 24V
LM 80
CRI 97+
Single Binning
3 Step
5 EXT


| Product Code - 5m Reel | Product Code - 10m Reel | Colour Temperature | Lm Per Metre / CRI | IP Rating | RRP |
|------------------------|-------------------------|--------------------|--------------------|-----------|-------------------|
| FLSL1-0W1L11 | FLSL1-0W1L12 | 2200K | 445lm / CRI97+ | IP20 | £99.00 / £198.00 |
| FLSL1-0G1L11 | FLSL1-0G1L12 | 2700K | 470lm / CRI97+ | IP20 | £99.00 / £198.00 |
| FLSL1-0C1L11 | FLSL1-0C1L12 | 3000K | 510lm / CRI97+ | IP20 | £99.00 / £198.00 |
| FLSL1-0N1L11 | FLSL1-0N1L12 | 4000K | 545lm / CRI97+ | IP20 | £99.00 / £198.00 |
| FLSL1-5W1L11 | FLSL1-5W1L12 | 2200K | 445lm / CRI97+ | IP65 | £109.00 / £218.00 |
| FLSL1-5G1L11 | FLSL1-5G1L12 | 2700K | 470lm / CRI97+ | IP65 | £109.00 / £218.00 |
| FLSL1-5C1L11 | FLSL1-5C1L12 | 3000K | 510lm / CRI97+ | IP65 | £109.00 / £218.00 |
| FLSL1-5N1L11 | FLSL1-5N1L12 | 4000K | 545lm / CRI97+ | IP65 | £109.00 / £218.00 |



10W | 280 LEDs Per Metre LINEAR

Our LINEAR SERIES strips produce a dotless linear light finish when combined with any fossLED aluminium extrusion. This 10w per metre model features branded high efficiency 1808 SMD LEDs placed on a 2oz PCB board for a durable finish.

Easy mounting thanks to added strength (3M 300LSE) self adhesive and backed up by a 3 year standard and 5 year Extended Manufacturer's Warranty.



IP20
IP65
DC 24V
LM 80
CRI 97+
Single Binning
3 Step
5 EXT

| Product Code - 5m Reel | Product Code - 10m Reel | Colour Temperature | Lm Per Metre / CRI | IP Rating | RRP |
|------------------------|-------------------------|--------------------|--------------------|-----------|-------------------|
| FLSL3-0W1L31 | FLSL3-0W1L32 | 2200K | 890lm / CRI97+ | IP20 | £110.00 / £220.00 |
| FLSL3-0G1L31 | FLSL3-0G1L32 | 2700K | 940lm / CRI97+ | IP20 | £110.00 / £220.00 |
| FLSL3-0C1L31 | FLSL3-0C1L32 | 3000K | 1020lm / CRI97+ | IP20 | £110.00 / £220.00 |
| FLSL3-0N1L31 | FLSL3-0N1L32 | 4000K | 1090lm / CRI97+ | IP20 | £110.00 / £220.00 |
| FLSL3-5W1L31 | FLSL3-5W1L32 | 2200K | 890lm / CRI97+ | IP65 | £117.00 / £234.00 |
| FLSL3-5G1L31 | FLSL3-5G1L32 | 2700K | 940lm / CRI97+ | IP65 | £117.00 / £234.00 |
| FLSL3-5C1L31 | FLSL3-5C1L32 | 3000K | 1020lm / CRI97+ | IP65 | £117.00 / £234.00 |
| FLSL3-5N1L31 | FLSL3-5N1L32 | 4000K | 1090lm / CRI97+ | IP65 | £117.00 / £234.00 |






15W | 280 LEDs Per Metre LINEAR

Our LINEAR SERIES strips produce a dotless linear light finish when combined with any fossLED aluminium extrusion. This 15V per metre model features branded high efficiency 1808 SMD LEDs placed on a 2oz PCB board for a durable finish.

Easy mounting thanks to added strength (3M 300LSE) self adhesive and backed up by a 3 year standard and 5 year Extended Manufacturer's Warranty.



IP20
IP65
DC 24V
LM 80
CRI 97+
Single Binning
3 Step
5 EXT


| Product Code - 5m Reel | Product Code - 10m Reel | Colour Temperature | Lm Per Metre / CRI | IP Rating | RRP |
|------------------------|-------------------------|--------------------|--------------------|-----------|---------|
| FLSL5-0G1L51 | POA | 2700K | 1410lm / CRI97+ | IP20 | £120.00 |
| FLSL5-0C1L51 | POA | 3000K | 1530lm / CRI97+ | IP20 | £120.00 |
| FLSL5-0N1L51 | POA | 4000K | 1640lm / CRI97+ | IP20 | £120.00 |
| FLSL5-5G1L51 | POA | 2700K | 1410lm / CRI97+ | IP65 | £127.50 |
| FLSL5-5C1L51 | POA | 3000K | 1530lm / CRI97+ | IP65 | £127.50 |
| FLSL5-5N1L51 | POA | 4000K | 1640lm / CRI97+ | IP65 | £127.50 |



20W | 280 LEDs Per Metre LINEAR

Our LINEAR SERIES strips produce a dotless linear light finish when combined with any fossLED aluminium extrusion. This 20V per metre model features branded high efficiency 1808 SMD LEDs placed on a 2oz PCB board for a durable finish.

Easy mounting thanks to added strength (3M 300LSE) self adhesive and backed up by a 3 year standard and 5 year Extended Manufacturer's Warranty.



IP20
IP65
DC 24V
LM 80
CRI 97+
Single Binning
3 Step
5 EXT


| Product Code - 5m Reel | Product Code - 10m Reel | Colour Temperature | Lm Per Metre / CRI | IP Rating | RRP |
|------------------------|-------------------------|--------------------|--------------------|-----------|---------|
| FLSL6-0G1L61 | POA | 2700K | 1880lm / CRI97+ | IP20 | £125.00 |
| FLSL6-0C1L61 | POA | 3000K | 2040lm / CRI97+ | IP20 | £125.00 |
| FLSL6-0N1L61 | POA | 4000K | 2180lm / CRI97+ | IP20 | £125.00 |
| FLSL6-5G1L61 | POA | 2700K | 1880lm / CRI97+ | IP65 | £135.00 |
| FLSL6-5C1L61 | POA | 3000K | 2040lm / CRI97+ | IP65 | £135.00 |
| FLSL6-5N1L61 | POA | 4000K | 2180lm / CRI97+ | IP65 | £135.00 |





5W | 480 LEDs Per Metre COB LINEAR

Our COB Series Strips are designed to offer a dotless LINEAR finish in all applications, this 5W per metre model features 480 SMD LEDs on a 2oz PCB board for a durable finish. Easy mounting thanks to added strength (3M 300LSE) self adhesive and backed up by a 3 year standard and 5 year Extended Manufacturer's Warranty.



NEW

IP20
IP65
DC 24V
☾
LM 80
CRI 92+
Single Binning
3 Step
5 EXT

| Product Code - 5m Reel | Product Code - 10m Reel | Colour Temperature | Lm Per Metre / CRI | IP Rating | RRP |
|------------------------|-------------------------|--------------------|--------------------|-----------|------------------|
| FLSCB1-0G1CB11 | FLSCB1-0G1CB12 | 2700K | 470lm / CRI92+ | IP20 | £77.50 / £155.00 |
| FLSCB1-0C1CB11 | FLSCB1-0C1CB12 | 3000K | 485lm / CRI92+ | IP20 | £77.50 / £155.00 |
| FLSCB1-0N1CB11 | FLSCB1-0N1CB12 | 4000K | 500lm / CRI92+ | IP20 | £77.50 / £155.00 |
| FLSCB1-5G1CB11 | FLSCB1-5G1CB12 | 2700K | 470lm / CRI92+ | IP65 | £87.50 / £175.00 |
| FLSCB1-5C1CB11 | FLSCB1-5C1CB12 | 3000K | 485lm / CRI92+ | IP65 | £87.50 / £175.00 |
| FLSCB1-5N1CB11 | FLSCB1-5N1CB12 | 4000K | 500lm / CRI92+ | IP65 | £87.50 / £175.00 |

COB | Sections



L - 0.25W

Dimensions - 25*25mm

| Product Code | Colour Temperature | Lm / CRI | IP Rating | RRP |
|--------------|--------------------|---------------|-----------|-------|
| CB1L-0G | 2700K | 24lm / CRI92+ | IP20 | £6.20 |
| CB1L-0C | 3000K | 25lm / CRI92+ | IP20 | £6.20 |
| CB1L-0N | 4000K | 25lm / CRI92+ | IP20 | £6.20 |



T - 0.375W

Dimensions - 50*25mm

| | | | | |
|---------|-------|---------------|------|-------|
| CB1T-0G | 2700K | 36lm / CRI92+ | IP20 | £7.00 |
| CB1T-0C | 3000K | 37lm / CRI92+ | IP20 | £7.00 |
| CB1T-0N | 4000K | 38lm / CRI92+ | IP20 | £7.00 |



X - 0.5W

Dimensions - 50*50mm

| | | | | |
|---------|-------|---------------|------|-------|
| CB1X-0G | 2700K | 47lm / CRI92+ | IP20 | £8.80 |
| CB1X-0C | 3000K | 49lm / CRI92+ | IP20 | £8.80 |
| CB1X-0N | 4000K | 50lm / CRI92+ | IP20 | £8.80 |






10W | 480 LEDs Per Metre COB LINEAR

Our COB Series Strips are designed to offer a dotless LINEAR finish in all applications, this 10W per metre model features 480 SMD LEDs on a 2oz PCB board for a durable finish.

Easy mounting thanks to added strength (3M 300LSE) self adhesive and backed up by a 3 year standard and 5 year Extended Manufacturer's Warranty.



NEW

IP20 IP65 DC 24V LM 80 CRI 92+ Single Binning 3 Step 5 EXT

| Product Code - 5m Reel | Product Code - 10m Reel | Colour Temperature | Lm Per Metre / CRI | IP Rating | RRP |
|------------------------|-------------------------|--------------------|--------------------|-----------|------------------|
| FLSCB3-0H1CB31 | FLSCB3-0H1CB32 | 2400K | 880lm / CRI92+ | IP20 | £82.50 / £165.00 |
| FLSCB3-0G1CB31 | FLSCB3-0G1CB32 | 2700K | 950lm / CRI92+ | IP20 | £82.50 / £165.00 |
| FLSCB3-0C1CB31 | FLSCB3-0C1CB32 | 3000K | 980lm / CRI92+ | IP20 | £82.50 / £165.00 |
| FLSCB3-0N1CB31 | FLSCB3-0N1CB32 | 4000K | 1000lm / CRI92+ | IP20 | £82.50 / £165.00 |
| FLSCB3-0D1CB31 | FLSCB3-0D1CB32 | 6500K | 990lm / CRI92+ | IP20 | £82.50 / £165.00 |
| FLSCB3-5H1CB31 | FLSCB3-5H1CB32 | 2400K | 880lm / CRI92+ | IP65 | £92.50 / £185.00 |
| FLSCB3-5G1CB31 | FLSCB3-5G1CB32 | 2700K | 950lm / CRI92+ | IP65 | £92.50 / £185.00 |
| FLSCB3-5C1CB31 | FLSCB3-5C1CB32 | 3000K | 980lm / CRI92+ | IP65 | £92.50 / £185.00 |
| FLSCB3-5N1CB31 | FLSCB3-5N1CB32 | 4000K | 1000lm / CRI92+ | IP65 | £92.50 / £185.00 |
| FLSCB3-5D1CB31 | FLSCB3-5D1CB32 | 6500K | 990lm / CRI92+ | IP65 | £92.50 / £185.00 |

COB | Sections



L - 0.50W

Dimensions - 25*25mm

| Product Code | Colour Temperature | Lm / CRI | IP Rating | RRP |
|--------------|--------------------|---------------|-----------|-------|
| CB3L-0H | 2400K | 44lm / CRI92+ | IP20 | £6.20 |
| CB3L-0G | 2700K | 48lm / CRI92+ | IP20 | £6.20 |
| CB3L-0C | 3000K | 49lm / CRI92+ | IP20 | £6.20 |
| CB3L-0N | 4000K | 50lm / CRI92+ | IP20 | £6.20 |



T - 0.75W

Dimensions - 50*25mm


| | | | | |
|---------|-------|---------------|------|-------|
| CB3T-0H | 2400K | 66lm / CRI92+ | IP20 | £7.00 |
| CB3T-0G | 2700K | 72lm / CRI92+ | IP20 | £7.00 |
| CB3T-0C | 3000K | 74lm / CRI92+ | IP20 | £7.00 |
| CB3T-0N | 4000K | 75lm / CRI92+ | IP20 | £7.00 |




X - 1W

Dimensions - 50*50mm

| | | | | |
|---------|-------|----------------|------|-------|
| CB3X-0H | 2400K | 88lm / CRI92+ | IP20 | £8.80 |
| CB3X-0G | 2700K | 95lm / CRI92+ | IP20 | £8.80 |
| CB3X-0C | 3000K | 98lm / CRI92+ | IP20 | £8.80 |
| CB3X-0N | 4000K | 100lm / CRI92+ | IP20 | £8.80 |






15W | 480 LEDs Per Metre COB LINEAR

Our COB Series Strips are designed to offer a dotless linear finish in all applications, this 15W per metre model features 480 SMD LEDs on a 2oz PCB board for a durable finish.

Easy mounting thanks to added strength (3M 300LSE) self adhesive and backed up by a 3 year standard and 5 year Extended Manufacturer's Warranty.



NEW

IP20

IP65

DC 24V

LM 80

CRI 92+

Single Binning

3 Step

| Product Code - 5m Reel | Product Code - 10m Reel | Colour Temperature | Lm Per Metre / CRI | IP Rating | RRP |
|------------------------|-------------------------|--------------------|--------------------|-----------|-------------------|
| FLSCB5-0G1CB51 | FLSCB5-0G1CB52 | 2700K | 1400lm / CRI92+ | IP20 | £90.00 / £180.00 |
| FLSCB5-0C1CB51 | FLSCB5-0C1CB52 | 3000K | 1450lm / CRI92+ | IP20 | £90.00 / £180.00 |
| FLSCB5-0N1CB51 | FLSCB5-0N1CB52 | 4000K | 1500lm / CRI92+ | IP20 | £90.00 / £180.00 |
| FLSCB5-5G1CB51 | FLSCB5-5G1CB52 | 2700K | 1400lm / CRI92+ | IP65 | £100.00 / £200.00 |
| FLSCB5-5C1CB51 | FLSCB5-5C1CB52 | 3000K | 1450lm / CRI92+ | IP65 | £100.00 / £200.00 |
| FLSCB5-5N1CB51 | FLSCB5-5N1CB52 | 4000K | 1500lm / CRI92+ | IP65 | £100.00 / £200.00 |

COB | Sections



L - 0.75W

Dimensions - 25*25mm

| Product Code | Colour Temperature | Lm / CRI | IP Rating | RRP |
|--------------|--------------------|---------------|-----------|-------|
| CB5L-0G | 2700K | 70lm / CRI92+ | IP20 | £7.20 |
| CB5L-0C | 3000K | 73lm / CRI92+ | IP20 | £7.20 |
| CB5L-0N | 4000K | 75lm / CRI92+ | IP20 | £7.20 |



T - 1.13W

Dimensions - 50*25mm


| | | | | |
|---------|-------|----------------|------|-------|
| CB5T-0G | 2700K | 105lm / CRI92+ | IP20 | £8.00 |
| CB5T-0C | 3000K | 109lm / CRI92+ | IP20 | £8.00 |
| CB5T-0N | 4000K | 113lm / CRI92+ | IP20 | £8.00 |



X - 1.5W

Dimensions - 50*50mm


| | | | | |
|---------|-------|----------------|------|-------|
| CB5X-0G | 2700K | 140lm / CRI92+ | IP20 | £9.80 |
| CB5X-0C | 3000K | 145lm / CRI92+ | IP20 | £9.80 |
| CB5X-0N | 4000K | 150lm / CRI92+ | IP20 | £9.80 |





5W | 60 LEDs Per Metre DRUM

Our DRUM single colour series is supplied in 30 and 50 metre reels and designed to give re-sellers the ability to cut and offer shorter bespoke lengths using solder free connectors. This 5W per metre model features branded high efficiency 2835 SMD LEDs on a 2oz PCB board for a durable finish. Easy mounting thanks to added strength (3M 300LSE) self adhesive and backed up by a 3 year standard and 5 year Extended Manufacturer's Warranty.




IP20
IP65
DC 24V
LM 80
CRI 92+
Single Binning
3 Step
5 EXT

| Product Code - 30m Drum | Product Code - 50m Drum | Colour Temperature | Lm Per Metre / CRI | IP Rating | RRP |
|-------------------------|-------------------------|--------------------|--------------------|-----------|---------|
| N/A | FLSDS1-0G1S19 | 2700K | 420lm / CRI92+ | IP20 | £310.00 |
| N/A | FLSDS1-0C1S19 | 3000K | 440lm / CRI92+ | IP20 | £310.00 |
| N/A | FLSDS1-0N1S19 | 4000K | 500lm / CRI92+ | IP20 | £310.00 |
| N/A | FLSDS1-0D1S19 | 6500K | 480lm / CRI92+ | IP20 | £310.00 |
| FLSDS1-5G1S16 | N/A | 2700K | 420lm / CRI92+ | IP65 | £264.00 |
| FLSDS1-5C1S16 | N/A | 3000K | 440lm / CRI92+ | IP65 | £264.00 |
| FLSDS1-5N1S16 | N/A | 4000K | 500lm / CRI92+ | IP65 | £264.00 |
| FLSDS1-5D1S16 | N/A | 6500K | 480lm / CRI92+ | IP65 | £264.00 |



10W | 120 LEDs Per Metre DRUM

Our DRUM single colour series is supplied in 30 and 50 metre reels and designed to give re-sellers the ability to cut and offer shorter bespoke lengths using solder free connectors. This 10W per metre model features branded high efficiency 2835 SMD LEDs on a 2oz PCB board for a durable finish. Easy mounting thanks to added strength (3M 300LSE) self adhesive and backed up by a 3 year standard and 5 year Extended Manufacturer's Warranty.



IP20
IP65
DC 24V
LM 80
CRI 92+
Single Binning
3 Step
5 EXT

| Product Code - 30m Drum | Product Code - 50m Drum | Colour Temperature | Lm Per Metre / CRI | IP Rating | RRP |
|-------------------------|-------------------------|--------------------|--------------------|-----------|---------|
| N/A | FLSDS3-0G1S39 | 2700K | 780lm / CRI92+ | IP20 | £550.00 |
| N/A | FLSDS3-0C1S39 | 3000K | 820lm / CRI92+ | IP20 | £550.00 |
| N/A | FLSDS3-0N1S39 | 4000K | 900lm / CRI92+ | IP20 | £550.00 |
| N/A | FLSDS3-0D1S39 | 6500K | 880lm / CRI92+ | IP20 | £550.00 |
| FLSDS3-5G1S36 | N/A | 2700K | 780lm / CRI92+ | IP65 | £402.00 |
| FLSDS3-5C1S36 | N/A | 3000K | 820lm / CRI92+ | IP65 | £402.00 |
| FLSDS3-5N1S36 | N/A | 4000K | 900lm / CRI92+ | IP65 | £402.00 |
| FLSDS3-5D1S36 | N/A | 6500K | 880lm / CRI92+ | IP65 | £402.00 |






NEW

10W | 480 LEDs Per Metre COB LINEAR DRUM

Our DRUM single colour series is supplied in 30 and 50 metre reels and designed to give re-sellers the ability to cut and offer shorter bespoke lengths using solder free connectors. Our COB Series Strips are designed to offer a dotless linear finish in a all applications, this 10W per metre model features 480 SMD LEDs on a 2oz PCB board for a durable finish. Easy mounting thanks to added strength (3M 300LSE) self adhesive and backed up by a 3 year standard and 5 year Extended Manufacturer's Warranty.



IP20 IP65 DC 24V LM 80 CRI 92+ Single Binning 3 Step 5 EXT


| Product Code - 30m Drum | Product Code - 50m Drum | Colour Temperature | Lm Per Metre / CRI | IP Rating | RRP |
|-------------------------|-------------------------|--------------------|--------------------|-----------|---------|
| N/A | FLSDCB3-OGCB39 | 2700K | 950lm / CRI92+ | IP20 | £825.00 |
| N/A | FLSDCB3-OCCB39 | 3000K | 980lm / CRI92+ | IP20 | £825.00 |
| N/A | FLSDCB3-ONCB39 | 4000K | 1000lm / CRI92+ | IP20 | £825.00 |
| N/A | FLSDCB3-ODCB39 | 6500K | 990lm / CRI92+ | IP20 | £825.00 |
| FLSDCB3-5GCB36 | N/A | 2700K | 950lm / CRI92+ | IP65 | £585.00 |
| FLSDCB3-5CCB36 | N/A | 3000K | 980lm / CRI92+ | IP65 | £585.00 |
| FLSDCB3-5NCB36 | N/A | 4000K | 1000lm / CRI92+ | IP65 | £585.00 |
| FLSDCB3-5DCB36 | N/A | 6500K | 990lm / CRI92+ | IP65 | £585.00 |



NEW

15W | 480 LEDs Per Metre COB LINEAR DRUM

Our DRUM single colour series is supplied in 30 and 50 metre reels and designed to give re-sellers the ability to cut and offer shorter bespoke lengths using solder free connectors. Our COB Series Strips are designed to offer a dotless linear finish in a all applications, this 10W per metre model features 480 SMD LEDs on a 2oz PCB board for a durable finish. Easy mounting thanks to added strength (3M 300LSE) self adhesive and backed up by a 3 year standard and 5 year Extended Manufacturer's Warranty.



IP20 IP65 DC 24V LM 80 CRI 92+ Single Binning 3 Step 5 EXT


| Product Code - 30m Drum | Product Code - 50m Drum | Colour Temperature | Lm Per Metre / CRI | IP Rating | RRP |
|-------------------------|-------------------------|--------------------|--------------------|-----------|---------|
| N/A | FLSDCB5-OG1S59 | 2700K | 1400lm / CRI92+ | IP20 | £900.00 |
| N/A | FLSDCB5-OC1S59 | 3000K | 1450lm / CRI92+ | IP20 | £900.00 |
| N/A | FLSDCB5-ON1S59 | 4000K | 1500lm / CRI92+ | IP20 | £900.00 |
| FLSDCB5-5G1S56 | N/A | 2700K | 1400lm / CRI92+ | IP65 | £630.00 |
| FLSDCB5-5C1S56 | N/A | 3000K | 1450lm / CRI92+ | IP65 | £630.00 |
| FLSDCB5-5N1S56 | N/A | 4000K | 1500lm / CRI92+ | IP65 | £630.00 |





9W | 48 LEDs Per Metre RGB DRUM

Our RGB DRUM series is supplied in 30 metre reels and is designed to give re-sellers the ability to cut and offer shorter bespoke lengths to end users. This 9W per metre model features branded high efficiency 5050 (3 in 1) LEDs on a 2oz PCB board for a durable finish. Easy mounting thanks to added strength (3M 300LSE) self adhesive and backed up by a 3 year standard and 5 year Extended Manufacturer's Warranty.




IP65
DC 24V
LM 80
Single Binning
5 EXT

| Product Code - 30m Drum | Product Code - 50m Drum | Colour Temperature | Lm Per Metre RGB | IP Rating | RRP |
|-------------------------|-------------------------|--------------------|------------------|-----------|---------|
| FLSDR2-5R1R26 | N/A | RGB | 340lm / CRI92+ | IP65 | £420.00 |



20W | 60 LEDs Per Metre RGBW DRUM

Our DRUM RGBW series is supplied in 30 and 50 metre reels and designed to give re-sellers the ability to cut and offer shorter bespoke lengths to end users. This 20W per metre model features branded high efficiency 5050 SMD (4 in 1) LEDs on a 2oz PCB board for a durable finish. Easy mounting thanks to added strength (3M 300LSE) self adhesive and backed up by a 3 year standard and 5 year Extended Manufacturer's Warranty.



IP20
IP65
DC 24V
LM 80
Single Binning
5 EXT


| Product Code - 30m Drum | Product Code - 50m Drum | Colour Temperature | Lm Per Metre RGB / W | IP Rating | RRP |
|-------------------------|-------------------------|--------------------|----------------------|-----------|----------|
| N/A | FLSDY6-0Y1Y69 | RGB + 3000K | 730lm RGB / 380lm W | IP20 | £1025.00 |
| FLSDY6-5Y1Y66 | | RGB + 3000K | 730lm RGB / 380lm W | IP65 | £660.00 |
| N/A | FLSDY6-0Y11Y69 | RGB + 4000K | 730lm RGB / 420lm W | IP20 | £1025.00 |
| FLSDY6-5Y11Y66 | | RGB + 4000K | 730lm RGB / 420lm W | IP65 | £660.00 |





5W | 60 LEDs Per Metre ULTRA RUN

Our ULTRA RUN Series is specially designed for applications which require extra long lighting runs but are constrained by limited power outlets. Our 5W per metre model features branded high efficiency 2835 SMD LEDs, self regulating IC resistors and an extra thick 3oz PCB board for a durable finish. Easy mounting thanks to added strength (3M 300LSE) self adhesive and backed up by a 3 year standard and 5 year Extended Manufacturer's Warranty.




IP20
IP65
DC 24V
LM 80
CRI 92+
Single Binning
3 Step
5 EXT

| Product Code - 25m Reel | Product Code - 50m Reel | Colour Temperature | Lm Per Metre / CRI | IP Rating | RRP |
|-------------------------|-------------------------|--------------------|--------------------|-----------|---------|
| FLSC1-0G1C15 | POA | 2700K | 415lm / CRI92+ | IP20 | £325.00 |
| FLSC1-0C1C15 | POA | 3000K | 435lm/ CRI92+ | IP20 | £325.00 |
| FLSC1-0N1C15 | POA | 4000K | 450lm / CRI92+ | IP20 | £325.00 |
| FLSC1-5G1C15 | POA | 2700K | 415lm / CRI92+ | IP65 | £437.50 |
| FLSC1-5C1C15 | POA | 3000K | 435lm/ CRI92+ | IP65 | £437.50 |
| FLSC1-5N1C15 | POA | 4000K | 450lm / CRI92+ | IP65 | £437.50 |



10W | 120 LEDs Per Metre ULTRA RUN

Our ULTRA RUN Series is specially designed for applications which require extra long lighting runs but are constrained by limited power outlets. Our 10W per metre model features branded high efficiency 2835 SMD LEDs, self regulating IC resistors and an extra thick 3oz PCB board for a durable finish. Easy mounting thanks to added strength (3M 300LSE) self adhesive and backed up by a 3 year standard and 5 year Extended Manufacturer's Warranty.



IP20
IP65
DC 24V
LM 80
CRI 92+
Single Binning
3 Step
5 EXT

| Product Code - 20m Reel | Product Code - 40m Reel | Colour Temperature | Lm Per Metre / CRI | IP Rating | RRP |
|-------------------------|-------------------------|--------------------|--------------------|-----------|---------|
| FLSC3-0G1C34 | POA | 2700K | 900lm / CRI92+ | IP20 | £390.00 |
| FLSC3-0C1C34 | POA | 3000K | 910lm/ CRI92+ | IP20 | £390.00 |
| FLSC3-0N1C34 | POA | 4000K | 930lm / CRI92+ | IP20 | £390.00 |
| FLSC3-5G1C34 | POA | 2700K | 900lm / CRI92+ | IP65 | £470.00 |
| FLSC3-5C1C34 | POA | 3000K | 910lm/ CRI92+ | IP65 | £470.00 |
| FLSC3-5N1C34 | POA | 4000K | 930lm / CRI92+ | IP65 | £470.00 |






NEW

10W | 224 LEDs Per Metre DIM to WARM

Our DIM to WARM Series Strip is designed to create a dynamic cosy light aesthetic, the more it is dimmed the warmer it becomes to recreate that old halogen colour effect. This 10W per metre model features high efficiency 2216 SMD LEDs on a 2oz PCB board for a durable finish. Easy mounting thanks to added strength (3M 300LSE) self adhesive and backed up by a 3 year standard and 5 year Extended Manufacturer's Warranty.




- IP20
- IP65
- DC 24V
-
- LM 80
- CRI 92+
- Single Binning
- 3 Step
- 5 EXT

| Product Code - 5m Reel | Product Code - 10m Reel | Colour Temperature | Lm Per Metre / CRI | IP Rating | RRP |
|------------------------|-------------------------|--------------------|--------------------|-----------|---------|
| FLSW3-0W1W31 | POA | 1800K - 3000K | 850lm / CRI92+ | IP20 | £162.50 |
| FLSW3-5W1W31 | POA | 1800K - 3000K | 850lm / CRI92+ | IP65 | £172.50 |



18W | 224 LEDs Per Metre DIM to WARM

Our DIM to WARM Series Strip is designed to create a dynamic cosy light aesthetic, the more it is dimmed the warmer it becomes to recreate that old halogen colour effect. This 18W per metre model features high efficiency 2216 SMD LEDs on a 2oz PCB board for a durable finish. Easy mounting thanks to added strength (3M 300LSE) self adhesive and backed up by a 3 year standard and 5 year Extended Manufacturer's Warranty.



- IP20
- IP65
- DC 24V
-
- LM 80
- CRI 92+
- Single Binning
- 3 Step
- 5 EXT

| Product Code - 5m Reel | Product Code - 10m Reel | Colour Temperature | Lm Per Metre / CRI | IP Rating | RRP |
|------------------------|-------------------------|--------------------|--------------------|-----------|---------|
| FLSW6-0W1W61 | POA | 1800K - 3000K | 1460lm / CRI92+ | IP20 | £172.50 |
| FLSW6-5W1W61 | POA | 1800K - 3000K | 1460lm / CRI92+ | IP65 | £182.50 |






10W | 240 LEDs Per Metre NANO

Our NANO LINEAR SERIES Strips are designed to be concealed and light up even the tightest of spaces. This 10W per metre model features a width of only 4mm whilst equipped with high efficiency 1808 SMD LEDs on a 2oz PCB board for a durable finish.

Easy mounting thanks to added strength (3M 300LSE) self adhesive and backed up by a 3 year standard and 5 year Extended Manufacturer's Warranty.



- IP20
- DC 24V
-
- LM 80
- CRI 97+
- Single Binning
- 3 Step
- 5 EXT


| Product Code - 5m Reel | Product Code - 10m Reel | Colour Temperature | Lm Per Metre / CRI | IP Rating | RRP |
|------------------------|-------------------------|--------------------|--------------------|-----------|---------|
| FLSNL3-0W1L31 | POA | 2200K | 890lm / CRI97+ | IP20 | £105.00 |
| FLSNL3-0G1L31 | POA | 2700K | 940lm / CRI97+ | IP20 | £105.00 |
| FLSNL3-0C1L31 | POA | 3000K | 1020lm / CRI97+ | IP20 | £105.00 |
| FLSNL3-0N1L31 | POA | 4000K | 1100lm / CRI97+ | IP20 | £105.00 |



8W | 120 LEDs Per Metre RGB NANO

Our NANO SERIES RGB Strips are designed to be concealed and light up even the tightest of spaces. This 8W per metre model features a width of only 5mm whilst equipped with high efficiency (3 in 1) SMD LEDs on a 2oz PCB board for a durable finish.

Easy mounting thanks to added strength (3M 300LSE) self adhesive and backed up by a 3 year standard and 5 year Extended Manufacturer's Warranty.



- IP20
- DC 24V
-
- LM 80
- Single Binning
- 5 EXT

| Product Code - 5m Reel | Product Code - 10m Reel | Colour Temperature | Lm Per Metre | IP Rating | RRP |
|------------------------|-------------------------|--------------------|--------------|-----------|---------|
| FLSNR2-OR1R21 | POA | RGB | 293lm | IP20 | £130.00 |






22W | 192 LEDs Per Metre HIGH POWER CRI82+

Our HIGH POWER SERIES 22W per metre LED Strip feature ultra high efficiency 2835 SMD LEDs on an extra thick 3oz PCB board for a durable finish.

Easy mounting thanks to added strength (3M 300LSE) self adhesive and backed up by a 3 year standard and 5 year Extended Manufacturer's Warranty.



IP20 DC 24V LM 80 CRI 82+ Single Binning 3 Step 5 EXT


| Product Code - 5m Reel | Product Code - 10m Reel | Colour Temperature | Lm Per Metre / CRI | IP Rating | RRP |
|------------------------|-------------------------|--------------------|--------------------|-----------|---------|
| FLSH6-0C1H6I | N/A | 3000K | 3520lm / CRI82+ | IP20 | £162.50 |
| FLSH6-0N1H6I | N/A | 4000K | 3700lm / CRI82+ | IP20 | £162.50 |



22W | 192 LEDs Per Metre HIGH POWER CRI92+

Our HIGH POWER SERIES 22W per metre LED Strip feature ultra high efficiency 2835 SMD LEDs on an extra thick 3oz PCB board for a durable finish.

Easy mounting thanks to added strength (3M 300LSE) self adhesive and backed up by a 3 year standard and 5 year Extended Manufacturer's Warranty.



IP20 DC 24V LM 80 CRI 92+ Single Binning 3 Step 5 EXT

| Product Code - 5m Reel | Product Code - 10m Reel | Colour Temperature | Lm Per Metre / CRI | IP Rating | RRP |
|------------------------|-------------------------|--------------------|--------------------|-----------|---------|
| FLSH7-0C1H7I | N/A | 3000K | 2880lm / CRI92+ | IP20 | £162.50 |
| FLSH7-0N1H7I | N/A | 4000K | 3000lm / CRI92+ | IP20 | £162.50 |






22W | 192 LEDs Per 1.2m CRI82+ RIGID BOARD

Our 22W per metre RIGID BOARD features high efficiency 2835 SMD LEDs on a 1mm Rigid board.

Easy mounting thanks to added strength (3M 300LSE) self adhesive and backed up by a 3 year standard and 5 year Extended Manufacturer's Warranty.



- IP20
- DC 24V
-
- LM 80
- CRI 82+
- Single Binning
- 3 Step
- 5 EXT


| Product Code - 1.2m Board | Product Code - 1.5m Board | Colour Temperature | Lm Per Metre / CRI | IP Rating | RRP |
|---------------------------|---------------------------|--------------------|--------------------|-----------|--------|
| FLB6-0G1B6I2M | N/A | 2700K | 4050 lm / CRI82+ | IP20 | £45.00 |
| FLB6-0C1B6I2M | N/A | 3000K | 4100 lm / CRI82+ | IP20 | £45.00 |
| FLB6-0N1B6I2M | N/A | 4000K | 4180 lm / CRI82+ | IP20 | £45.00 |



22W | 192 LEDs Per 1.2m CRI92+ RIGID BOARD

Our 22W per metre RIGID BOARD features high efficiency 2835 SMD LEDs on a 1mm Rigid board.

Easy mounting thanks to added strength (3M 300LSE) self adhesive and backed up by a 3 year standard and 5 year Extended Manufacturer's Warranty.



- IP20
- DC 24V
-
- LM 80
- CRI 92+
- Single Binning
- 3 Step
- 5 EXT

| Product Code - 1.2m Board | Product Code - 1.5m Board | Colour Temperature | Lm Per Metre / CRI | IP Rating | RRP |
|---------------------------|---------------------------|--------------------|--------------------|-----------|--------|
| FLB7-0G1B7I2M | N/A | 2700K | 2450lm / CRI92+ | IP20 | £45.00 |
| FLB7-0C1B7I2M | N/A | 3000K | 2530lm / CRI92+ | IP20 | £45.00 |
| FLB7-0N1B7I2M | N/A | 4000K | 2600lm / CRI92+ | IP20 | £45.00 |






30W | 217 LEDs Per 1.2m CRI82+ RIGID BOARD

Our 30W per metre RIGID BOARD features high efficiency 2835 OSRAM SMD LEDs on a 1mm Rigid board.

Easy mounting thanks to added strength (3M 300LSE) self adhesive and backed up by a 3 year standard and 5 year Extended Manufacturer's Warranty.



IP20
DC 24V
LM 80
CRI 82+
Single Binning
3 Step
5 EXT


| Product Code - 1.2m Board | Product Code - 1.5m Board | Colour Temperature | Lm Per Metre / CRI | IP Rating | RRP |
|---------------------------|---------------------------|--------------------|--------------------|-----------|--------|
| FLB8-OC1B812M | N/A | 3000K | 4552 lm / CRI82+ | IP20 | £56.00 |
| FLB8-ON1B812M | N/A | 4000K | 4625 lm / CRI82+ | IP20 | £56.00 |



30W | 217 LEDs Per 1.2m CRI92+ RIGID BOARD

Our 30W per metre RIGID BOARD features high efficiency 2835 SMD LEDs on a 1mm Rigid board.

Easy mounting thanks to added strength (3M 300LSE) self adhesive and backed up by a 3 year standard and 5 year Extended Manufacturer's Warranty.



IP20
DC 24V
LM 80
CRI 92+
Single Binning
3 Step
5 EXT

| Product Code - 1.2m Board | Product Code - 1.5m Board | Colour Temperature | Lm Per Metre / CRI | IP Rating | RRP |
|---------------------------|---------------------------|--------------------|--------------------|-----------|--------|
| FLB9-OC1B912M | N/A | 3000K | 3894lm / CRI92+ | IP20 | £56.00 |
| FLB9-ON1B912M | N/A | 4000K | 4054lm / CRI92+ | IP20 | £56.00 |






10W | 120 LEDs Per Metre TUNEABLE WHITE

Our ECO TUNEABLE WHITE SERIES 10W per metre LED Strip features branded high efficiency 2835 SMD LEDs on a 2oz PCB board for a durable finish.

Easy mounting thanks to added strength (3M 300LSE) self adhesive and backed up by a 3 year standard and 5 year Extended Manufacturer's Warranty.



- IP20
- IP65
- DC 24V
- LM 80
- CRI 92+
- Single Binning
- 3 Step
- 5 EXT


| Product Code - 5m Reel | Product Code - 10m Reel | Colour Temperature | Lm Per Metre / CRI | IP Rating | RRP |
|------------------------|-------------------------|--------------------|----------------------|-----------|------------------|
| FLST3-0T1T31 | FLST3-0T1T32 | 2700K - 6500K | 475 - 940lm / CRI92+ | IP20 | £64.50 / £129.00 |
| FLST3-5T1T31 | FLST3-5T1T32 | 2700K - 6500K | 475 - 940lm / CRI92+ | IP65 | £76.00 / £152.00 |



20W | 240 LEDs Per Metre TUNEABLE WHITE

Our LINEAR TUNEABLE WHITE SERIES strips produce a no dotted linear light finish when combined with any fossLED aluminium extrusion, this 20W per metre model features branded high efficiency 1808 SMD LEDs on a 2oz PCB board for a durable finish.

Easy mounting thanks to added strength (3M 300LSE) self adhesive and backed up by a 3 year standard and 5 year Extended Manufacturer's Warranty.



- IP20
- IP65
- DC 24V
- LM 80
- CRI 97+
- Single Binning
- 3 Step
- 5 EXT

| Product Code - 5m Reel | Product Code - 10m Reel | Colour Temperature | Lm Per Metre / CRI | IP Rating | RRP |
|------------------------|-------------------------|--------------------|-----------------------|-----------|-------------------|
| FLST6-0T1T61 | FLST6-0T1T62 | 2700K - 6500K | 850 - 1700lm / CRI97+ | IP20 | £157.50 / £315.00 |
| FLST6-5T1T61 | FLST6-5T1T62 | 2700K - 6500K | 850 - 1700lm / CRI97+ | IP65 | £170.00 / £340.00 |






9W | 48 LEDs Per Metre RGB

Our ECO RGB SERIES 9W per metre LED Strip features branded high efficiency 5050 SMD (3 in 1) LEDs on a 2oz PCB board for a durable finish.

Easy mounting thanks to added strength (3M 300LSE) self adhesive and backed up by a 3 year standard and 5 year Extended Manufacturer's Warranty.



- IP65
- DC 24V
- LM 80
- Single Binning
- 5 EXT


| Product Code - 5m Reel | Product Code - 10m Reel | Colour Temperature | Lm Per Metre | IP Rating | RRP |
|------------------------|-------------------------|--------------------|--------------|-----------|------------------|
| FLSR2-5R1R21 | FLSR2-5R1R22 | RGB | 340lm | IP65 | £75.00 / £150.00 |



12W | 60 LEDs Per Metre RGB

Our ECO RGB SERIES 12W per metre LED Strip features branded high efficiency (3 in 1) SMD LEDs on a 2oz PCB board for a durable finish.

Easy mounting thanks to added strength (3M 300LSE) self adhesive and backed up by a 3 year standard and 5 year Extended Manufacturer's Warranty.



- IP20
- IP65
- DC 24V
- LM 80
- Single Binning
- 5 EXT

| Product Code - 5m Reel | Product Code - 10m Reel | Colour Temperature | Lm Per Metre | IP Rating | RRP |
|------------------------|-------------------------|--------------------|--------------|-----------|------------------|
| FLSR4-OR1R41 | FLSR4-OR1R42 | RGB | 460lm | IP20 | £80.00 / £160.00 |
| FLSR4-5R1R41 | FLSR4-5R1R42 | RGB | 460lm | IP65 | £95.00 / £190.00 |






12W | 120 LEDs Per Metre RGB

Our ECO RGB SERIES 12W per metre LED Strip features branded high efficiency (3 in 1) SMD LEDs on a 2oz PCB board for a durable finish.

Easy mounting thanks to added strength (3M 300LSE) self adhesive and backed up by a 3 year standard and 5 year Extended Manufacturer's Warranty.



IP20
IP65
DC 24V
LM 80
Single Binning
5 EXT


| Product Code - 5m Reel | Product Code - 10m Reel | Colour Temperature | Lm Per Metre | IP Rating | RRP |
|------------------------|-------------------------|--------------------|--------------|-----------|-------------------|
| FLSR5-OR1R51 | FLSR5-OR1R52 | RGB | 480lm | IP20 | £140.00 / £280.00 |
| FLSR5-5R1R51 | FLSR5-5R1R52 | RGB | 480lm | IP65 | £150.00 / £300.00 |



24W | 240 LEDs Per Metre RGB LINEAR

Our LINEAR SERIES RGB strips produce a no dotted LINEAR light finish when combined with any fossLED aluminium extrusion. This 24W per metre model features branded high efficiency (3 in 1) SMD LEDs on a 2oz PCB board for a durable finish.

Easy mounting thanks to added strength (3M 300LSE) self adhesive and backed up by a 3 year standard and 5 year Extended Manufacturer's Warranty.



IP20
IP65
DC 24V
LM 80
Single Binning
5 EXT

| Product Code - 5m Reel | Product Code - 10m Reel | Colour Temperature | Lm Per Metre | IP Rating | RRP |
|------------------------|-------------------------|--------------------|--------------|-----------|---------|
| FLSR7-OR1R71 | POA | RGB | 960lm | IP20 | £210.00 |
| FLSR7-5R1R71 | POA | RGB | 960lm | IP65 | £220.00 |






NEW

9W | 420 LEDs Per Metre RGB COB

Our COB LINEAR RGB strips produce a no dotted LINEAR effect when combined with any fossLED aluminium extrusion. This 9W per metre model features 420 high efficiency COB LEDs on a 2oz PCB board for a durable finish.

Easy mounting thanks to added strength (3M 300LSE) self adhesive and backed up by a 3 year standard and 5 year Extended Manufacturer's Warranty.



IP20 IP65 DC 24V LM 80 Single Binning 5 EXT

| Product Code - 5m Reel | Product Code - 10m Reel | Colour Temperature | Lm Per Metre | IP Rating | RRP |
|------------------------|-------------------------|--------------------|--------------|-----------|-------------------|
| FLSCBR3-OR1R31 | FLSCBR3-OR1R32 | RGB | 375lm | IP20 | £170.00 / £340.00 |
| FLSCBR3-5R1R31 | FLSCBR3-5R1R32 | RGB | 375lm | IP65 | £185.00 / £370.00 |




NEW

15W | 840 LEDs Per Metre RGB COB

Our COB LINEAR RGB strips produce a no dotted LINEAR effect when combined with any fossLED aluminium extrusion. This 15W per metre model features 840 high efficiency COB LEDs on a 2oz PCB board for a durable finish.

Easy mounting thanks to added strength (3M 300LSE) self adhesive and backed up by a 3 year standard and 5 year Extended Manufacturer's Warranty.



IP20 IP65 DC 24V LM 80 Single Binning 5 EXT

| Product Code - 5m Reel | Product Code - 10m Reel | Colour Temperature | Lm Per Metre | IP Rating | RRP |
|------------------------|-------------------------|--------------------|--------------|-----------|-------------------|
| FLSCBR5-OR1R51 | FLSCBR5-OR1R52 | RGB | 680lm | IP20 | £300.00 / £600.00 |
| FLSCBR5-5R1R51 | FLSCBR5-5R1R52 | RGB | 680lm | IP65 | £315.00 / £630.00 |






20W | 60 LEDs Per Metre RGBW

Our RGBW SERIES 20W per metre LED Strip features branded high efficiency (4 in 1) SMD LEDs on a 2oz PCB board for a durable finish.

Easy mounting thanks to added strength (3M 300LSE) self adhesive and backed up by a 3 year standard and 5 year Extended Manufacturer's Warranty.



- IP20
- IP65
- DC 24V
- LM 80
- Single Binning
- 5 EXT


| Product Code - 5m Reel | Product Code - 10m Reel | Colour Temperature | Lm Per Metre RGB/W | IP Rating | RRP |
|------------------------|-------------------------|--------------------|---------------------|-----------|------------------|
| FLSY6-0Y1Y61 | FLSY6-0Y1Y62 | RGB + W (3000K) | 730lm RGB / 380lm W | IP20 | £94.50 / £189.00 |
| FLSY6-0Y11Y61 | FLSY6-0Y11Y62 | RGB + W (4000K) | 730lm RGB / 420lm W | IP20 | £94.50 / £189.00 |
| FLSY6-5Y1Y61 | FLSY6-5Y1Y62 | RGB + W (3000K) | 730lm RGB / 380lm W | IP65 | £97.00 / £194.00 |
| FLSY6-5Y11Y61 | FLSY6-5Y11Y62 | RGB + W (4000K) | 730lm RGB / 420lm W | IP65 | £97.00 / £194.00 |



30W | 96 LEDs Per Metre RGBW

Our RGBW SERIES 30W per metre LED Strip features branded high efficiency (4 in 1) SMD LEDs on a 3oz PCB board for a durable finish.

Easy mounting thanks to added strength (3M 300LSE) self adhesive and backed up by a 3 year standard and 5 year Extended Manufacturer's Warranty.



- IP65
- DC 24V
- LM 80
- Single Binning
- 5 EXT


| Product Code - 5m Reel | Product Code - 10m Reel | Colour Temperature | Lm Per Metre | IP Rating | RRP |
|------------------------|-------------------------|--------------------|----------------------|-----------|---------|
| FLSY8-0Y1Y81 | POA | RGB + W (3000K) | 1335lm RGB / 680lm W | IP20 | £160.00 |
| FLSY8-0Y11Y81 | POA | RGB + W (4000K) | 1335lm RGB / 700lm W | IP20 | £160.00 |





20W | 60 LEDs Per Metre RGB + CCT

Our RGB + CCT SERIES 20W per metre LED Strip features branded high efficiency (5 in 1) SMD LEDs on a 2oz PCB board, giving users control of a multitude of RGB colours as well as Tuneable White colour temperatures within a range of 2700K to 6500k. Easy mounting thanks to added strength (3M 300LSE) self adhesive and backed up by a 3 year standard and 5 year Extended Manufacturer's Warranty.




- IP20
- IP65
- DC 24V
- LM 80
- Single Binning
- 5 EXT

| Product Code - 5m Reel | Product Code - 10m Reel | Colour Temperature | Lm Per Metre RGB/CCT | IP Rating | RRP |
|------------------------|-------------------------|--------------------|-------------------------|-----------|-------------------|
| FLSZ6-0Y1Z61 | FLSZ6-0Y1Z62 | RGB + CCT | 520 lm RGB / 1020lm CCT | IP20 | £200.00 / £400.00 |
| FLSZ6-5Y1Z61 | FLSZ6-5Y1Z62 | RGB + CCT | 520 lm RGB / 1020lm CCT | IP65 | £205.00 / £405.00 |



30W | 96 LEDs Per Metre RGB + CCT


Our RGB + CCT SERIES 20W per metre LED Strip features branded high efficiency (5 in 1) SMD LEDs on a 2oz PCB board, giving users control of a multitude of RGB colours as well as Tuneable White colour temperatures within a range of 2700K to 6500k. Easy mounting thanks to added strength (3M 300LSE) self adhesive and backed up by a 3 year standard and 5 year Extended Manufacturer's Warranty.



- IP65
- DC 24V
- LM 80
- Single Binning
- 5 EXT

| Product Code - 5m Reel | Product Code - 10m Reel | Colour Temperature | Lm Per Metre RGB/CCT | IP Rating | RRP |
|------------------------|-------------------------|--------------------|----------------------|-----------|---------|
| FLSZ8-0Y1Z81 | POA | RGB + CCT | 750lm RGB / 1473lm W | IP20 | £300.00 |

LED STRIP ACCESSORIES | SINGLE COLOUR CONNECTORS


**MINI Connectors | Fit In All fossLED Extrusions**

Our MINI Connectors are designed to make installations quick and easy, replacing the need for conventional soldering. fossLED connectors pierce wire and PCB components for a fully secure and reliable connection.

Strip to Wire Connectors - Cut LED Strip to your desired length and simply clip on, choose from our pre-flexed units or custom lead models.

Strip to Strip Connectors - Connect two pieces of LED Strip together to increase your run length.

Corner Connectors - Connect two LED Strip runs together for use in corners.

SINGLE COLOUR - STRIP TO WIRE CONNECTORS**FOR ECO STRIPS | MINI 8mm PCB - Custom Lead**

Item: Strip to Wire
Product Code: FLSW8SM
Dimensions: L15.4*W9.5*H4.3mm
IP Rating: IP20
Compatible Strip: ECO SERIES

RRP: £2.20

FOR ULTRA RUN STRIPS | MINI 10mm PCB - Custom Lead

Item: Strip to Wire
Product Code: FLSW10SM
Dimensions: L24.3*W14.6*H7.7mm
IP Rating: IP20
Compatible Strip: ULTRA RUN SERIES

RRP: £2.40

FOR ECO STRIPS | MINI 8mm PCB - 1M Lead

Item: Strip to Wire - 1M Lead
Product Code: FLSW8SML
Dimensions: L15.6*W9.6*H3.3mm
IP Rating: IP20
Compatible Strip: ECO SERIES

RRP: £4.50

NEW

FOR LINEAR STRIPS | MINI 10mm PCB - 1M Lead

Item: Strip to wire - 1M Lead
Product Code: FLSW10SML
Dimensions: L15.6*W11.6*H3.3mm
IP Rating: IP20
Compatible Strip: LINEAR SERIES

RRP: £4.70

NEW

FOR COB STRIPS | MINI 8mm PCB - 1M Lead

Item: Strip to Wire
Product Code: FLSW8SML
Dimensions: L15.6*W9.6*H3.3mm
IP Rating: IP20
Compatible Strip: COB SERIES

RRP: £4.50

NEW


FOR DRUM STRIPS IP65 | 8mm PCB - 0.5M Lead

Item: Strip to Wire
Product Code: SWC10SIP
Dimensions: L28*W15.5*H8.5mm
IP Rating: IP20
Compatible Strip: DRUM SERIES

RRP: £6.50

SINGLE COLOUR - STRIP TO STRIP CONNECTORS


FOR ECO STRIPS | MINI 8mm PCB



Item: Strip to Strip
 Product Code: FLSS8SM
 Dimensions: L21.6*W9.5*H4.3mm
 IP Rating: IP20
 Compatible Strip: ECO SERIES

RRP: £2.20

FOR ULTRA RUN STRIPS | MINI 10mm PCB



Item: Strip to Strip
 Product Code: FLSS10SM
 Dimensions: L21.6*W11.5*H4.3mm
 IP Rating: IP20
 Compatible Strip: ULTRA RUN SERIES

RRP: £2.40

FOR ECO STRIPS | MINI 8mm PCB



Item: Strip to Strip
 Product Code: FLSS8SML
 Dimensions: L15.6*W9.6*H3.3mm
 IP Rating: IP20
 Compatible Strip: ECO SERIES

RRP: £2.40

NEW

FOR LINEAR STRIPS | MINI 10mm PCB



Item: Strip to Strip
 Product Code: FLSS10SML
 Dimensions: L15.6*W11.6*H3.3mm
 IP Rating: IP20
 Compatible Strip: LINEAR SERIES

RRP: £2.60

NEW

FOR COB STRIPS | MINI 8mm PCB




Item: Strip to Wire
 Product Code: FLSS8SML
 Dimensions: L15.6*W9.6*H3.3mm
 IP Rating: IP20
 Compatible Strip: COB SERIES

RRP: £2.40

NEW

FOR DRUM STRIPS IP65 | 8mm PCB



Item: Strip to Strip
 Product Code: SSC10SIP
 Dimensions: L40*W15.5*H8.5mm
 IP Rating: IP65
 Compatible Strip: DRUM SERIES

RRP: £4.80

SINGLE COLOUR - CORNER CONNECTORS

FOR ECO STRIPS | MINI 8mm PCB - 15cm Cable



Item: Corner Feed - 15cm Cable
 Product Code: FLSC8SML
 Dimensions: L15.6*W9.6*H3.3mm
 IP Rating: IP20
 Compatible Strip: ECO SERIES

RRP: £5.00

NEW

FOR LINEAR STRIPS | MINI 10mm PCB - 15cm Cable



Item: Corner Feed - 15cm Cable
 Product Code: FLSC10SML
 Dimensions: L15.6*W11.6*H3.3mm
 IP Rating: IP20
 Compatible Strip: LINEAR SERIES

RRP: £5.20

NEW

FOR COB STRIPS | MINI 8mm PCB - 15cm Cable



Item: Corner Feed - 15cm Cable
 Product Code: FLSC8SML
 Dimensions: L15.6*W9.6*H3.3mm
 IP Rating: IP20
 Compatible Strip: COB SERIES

RRP: £5.00

NEW

FOR DRUM STRIPS IP65 | 8mm PCB - 20cm Cable



Item: Corner Feed - 20cm Cable
 Product Code: SCC10SIP
 Dimensions: L28*W15.5*H8.5mm
 IP Rating: IP65
 Compatible Strip: DRUM SERIES

RRP: £6.50

RGB - STRIP TO WIRE CONNECTORS

FOR ECO STRIPS | MINI - 10mm PCB - Custom Lead



Item: Strip to Wire
 Product Code: FLSW10SR
 Dimensions: L19.5*W14.6*H7.7mm
 IP Rating: IP20
 Compatible Strip: ECO RGB SERIES

RRP: £2.20

FOR COB STRIPS | MINI - 10mm PCB - 1M Lead



Item: Strip to Wire
 Product Code: FLSW10RL
 Dimensions: L15.6*W11.6*H3.3mm
 IP Rating: IP20
 Compatible Strip: COB RGB SERIES

RRP: £7.70

RGB DRUM SERIES | 10mm PCB Connectors



Item: Strip to Wire - 500mm
 Product Code: SW12RIP
 Dimensions: L500*W17.5*H8.5mm
 IP Rating: IP65
 Compatible Strip: DRUM RGB SERIES

RRP: £6.50

RGB - STRIP TO STRIP CONNECTORS + CORNER CONNECTORS

FOR ECO STRIPS | MINI 10mm PCB



Item: Strip to Strip
 Product Code: FLSS10R
 Dimensions: L19.5*W14.6*H7.7mm
 IP Rating: IP20
 Compatible Strip: ECO RGB

RRP: £2.20


FOR COB STRIPS | MINI 10mm PCB



Item: Strip to Strip
 Product Code: FLSS10RL
 Dimensions: L15.6*W11.6*H3.3mm
 IP Rating: IP20
 Compatible Strip: COB RGB SERIES

RRP: £3.00

FOR DRUM STRIPS IP65 | 8mm PCB



Item: Strip to Strip
 Product Code: SSC10SIP
 Dimensions: L40*W15.5*H8.5mm
 IP Rating: IP65
 Compatible Strip: DRUM SERIES

RRP: £4.80

FOR DRUM STRIPS IP65 | 12mm PCB - 20cm Lead



Item: Corner Feed - 200mm
 Product Code: SCC12RIP
 Dimensions: L200*W17.5*H8.5mm
 IP Rating: IP65
 Compatible Strip: DRUM RGB

RRP: £7.50

FOR COB STRIPS | 12mm PCB - 15cm Lead



Item: Corner Feed
 Product Code: FLSC10RL
 Dimensions: L15.6*W11.6*H3.3mm
 IP Rating: IP20
 Compatible Strip: COB RGB

RRP: £8.20



RGBW - STRIP TO WIRE + STRIP TO STRIP CONNECTORS

RGBW | 12mm PCB Connectors



Item: **Strip to Wire**
 Product Code: **FLSW12Y**
 Dimensions: **L24.3*W17*H7.8mm**
 IP Rating: **IP20**
 Compatible Strip: **ECO RGBW**

RRP: **£2.40**



Item: **Strip to Strip**
 Product Code: **FLSS12Y**
 Dimensions: **L19.5*W17*H7.8mm**
 IP Rating: **IP20**
 Compatible Strip: **ECO RGBW**

RRP: **£2.40**

WIRE CONNECTORS | Plug Connectors & Distribution Boxes



Item: **Plug Connector**
 Product Code: **FLWC-PC**
 Dimensions: **L34.4*W9.5*H6mm**
 IP Rating: **IP20**
 Compatible Wire: **2 Core**
 Max Wire Gauge: **0.5 mm**

RRP: **£1.50**



Item: **2 Way Distribution Box**
 Product Code: **FLDB-2W**
 Dimensions: **L30.7*W28*H9.2mm**
 IP Rating: **IP20**
 Compatible Plug Connector: **2 Core**

RRP: **£5.50**



Item: **3 Way Distribution Box**
 Product Code: **FLDB-3W**
 Dimensions: **L42.5*W28*H9.2mm**
 IP Rating: **IP20**
 Compatible Plug Connector: **2 Core**

RRP: **£6.50**



Item: **4 Way Distribution Box**
 Product Code: **FLDB-4W**
 Dimensions: **L57*W28*H9.2mm**
 IP Rating: **IP20**
 Compatible Wire: **2 Core**

RRP: **£7.50**

Single Colour | 2 Core Wire



Item: 2 Core wire with White Sheath
 Product Code: FLSC-2CWH
 Gauge: 2*0.5mm
 Outer Diameter: 4.9mm
 Length: Per metre
 Compatible with: Single Colour Strips
 RRP: £1.00



Item: 2 Core wire with White Sheath
 Product Code: FLSC-2CWH100
 Gauge: 2*0.5mm
 Outer Diameter: 4.9mm
 Length: 100 metres
 Compatible with: Single Colour Strips
 RRP: £52.50

Tuneable White | 3 Core Wire



Item: 3 Core wire with White Sheath
 Product Code: FLSC-3CWH
 Gauge: 3*0.5mm
 Outer Diameter: 5.2mm
 Length: Per metre
 Compatible with: Tuneable White Strips
 RRP: £1.70



Item: 3 Core wire with White Sheath
 Product Code: FLSC-3CWH100
 Gauge: 3*0.5mm
 Outer Diameter: 5.2mm
 Length: 100 metres
 Compatible with: Tuneable White Strips
 RRP: £89.50

RGB | 4 Core Wire



Item: 4 Core wire with White Sheath
 Product Code: FLSC-4CWH
 Gauge: 4*0.3mm
 Outer Diameter: 5.2mm
 Length: Per metre
 Compatible with: RGB Strips
 RRP: £1.50



Item: 4 Core wire with White Sheath
 Product Code: FLSC-4CWH100
 Gauge: 4*0.3mm
 Outer Diameter: 5.2mm
 Length: 100 metres
 Compatible with: RGB Strips
 RRP: £74.50

RGBW | 5 Core Wire



Item: 5 Core wire with White Sheath
 Product Code: FLSC-5CWH
 Gauge: 5*0.3mm
 Outer Diameter: 5.8mm
 Length: Per metre
 Compatible with: RGBW Strips
 RRP: £2.00



Item: 5 Core wire with White Sheath
 Product Code: FLSC-5CWH100
 Gauge: 5*0.3mm
 Outer Diameter: 5.8mm
 Length: 100 metres
 Compatible with: RGBW Strips
 RRP: £94.50

RGB + CCT | 6 Core Wire



Item: 6 Core wire with White Sheath
 Product Code: FLSC-6CWH
 Gauge: 6*0.3mm
 Outer Diameter: 6.2mm
 Length: Per metre
 Compatible with: RGB + CCT Strips
 RRP: £2.50



Item: 6 Core wire with White Sheath
 Product Code: FLSC-6CWH100
 Gauge: 6*0.3mm
 Outer Diameter: 6.2mm
 Length: 100 metres
 Compatible with: RGB + CCT Strips
 RRP: £115.00



MADE TO MEASURE | LED STRIP CUSTOMISATION

At fossLED we offer a completely bespoke customisation service on all our LED Strip products, please send us your project plans and requirements for a free consultation service; we pride ourselves on offering a professional service and fast production time no matter the project size.




New Feed

| Code - IP20 | Code - IP65 | Wire Type | LED Strip | RRP |
|-------------|-------------|-------------|----------------|-------------------------------|
| FLSC-2 | FLSC-2IP | 2 Core Wire | Single Colour | IP20 - £13.15 / IP65 - £15.80 |
| FLSC-3 | FLSC-3IP | 3 Core Wire | Tuneable White | IP20 - £14.50 / IP65 - £17.10 |
| FLSC-4 | FLSC-4IP | 4 Core Wire | RGB | IP20 - £14.50 / IP65 - £17.10 |
| FLSC-5 | FLSC-5IP | 5 Core Wire | RGBW | IP20 - £15.80 / IP65 - £18.40 |
| FLSC-6 | FLSC-6IP | 6 Core Wire | RGB + CCT | IP20 - £17.00 / IP65 - £22.00 |



Join

| Code - IP20 | Code - IP65 | Wire Type | LED Strip | RRP |
|-------------|-------------|-------------|----------------|-------------------------------|
| FLSC-2J | FLSC-2JIP | 2 Core Wire | Single Colour | IP20 - £13.15 / IP65 - £15.80 |
| FLSC-3J | FLSC-3JIP | 3 Core Wire | Tuneable White | IP20 - £14.50 / IP65 - £17.10 |
| FLSC-4J | FLSC-4JIP | 4 Core Wire | RGB | IP20 - £14.50 / IP65 - £17.10 |
| FLSC-5J | FLSC-5JIP | 5 Core Wire | RGBW | IP20 - £15.80 / IP65 - £18.40 |
| FLSC-6 | FLSC-6IP | 6 Core Wire | RGB + CCT | IP20 - £17.00 / IP65 - £22.00 |




Corner

| Code - IP20 | Code - IP65 | Wire Type | LED Strip | RRP |
|-------------|-------------|-------------|----------------|-------------------------------|
| FLSC-2C | FLSC-2CIP | 2 Core Wire | Single Colour | IP20 - £23.65 / IP65 - £31.60 |
| FLSC-3C | FLSC-3CIP | 3 Core Wire | Tuneable White | IP20 - £28.95 / IP65 - £34.20 |
| FLSC-4C | FLSC-4CIP | 4 Core Wire | RGB | IP20 - £28.95 / IP65 - £34.20 |
| FLSC-5C | FLSC-5CIP | 5 Core Wire | RGBW | IP20 - £31.60 / IP65 - £36.85 |
| FLSC-6C | FLSC-6CIP | 6 Core Wire | RGB + CCT | IP20 - £34.00 / IP65 - £44.00 |

LINEAR LED FLEX | SERIES


At fossLED we offer an extensive range of LINEAR LED FLEX products to suit a variety of different applications. This new specialist range is available in a Top view, Side bend, and Ultra Run series allowing you to create vertical and horizontal lighting effects and cater for extra long runs.

fossLED LINEAR LED FLEX products are unique in the way they can be set and manipulated and feature anti corrosive, UV and salt water resistant properties making them the perfect solution for outdoor facade, marine, feature, and signage lighting. We offer this range in a multitude of different wattages, sizes, colours and reel lengths to cater for almost any project and design demands, please also view our accessories and customisation sections for further helpful related installation products and services.




TOP VIEW SINGLE COLOUR

LINEAR LED FLEX TV - 10W..... 62
 LINEAR LED FLEX TV - 15W..... 62




TOP VIEW RGB / RGBW

LINEAR LED FLEX TV RGB - 10W..... 64
 LINEAR LED FLEX TV RGBW - 15W..... 64




SIDE BEND SINGLE COLOUR

LINEAR LED FLEX SB NANO - 10W..... 66
 LINEAR LED FLEX SB - 10W..... 66




SIDE BEND RGB / RGBW

LINEAR LED FLEX SB RGB NANO - 10W..... 68
 LINEAR LED FLEX SB RGBW - 15W..... 68




TOP VIEW ULTRA RUN

LINEAR LED FLEX TV ULTRA RUN - 10W.....70
 LINEAR LED FLEX TV ULTRA RUN RGB - 11W... 70



SIDE BEND ULTRA RUN

LINEAR LED FLEX SB ULTRA RUN - 10W.....72
 LINEAR LED FLEX SB ULTRA RUN RGB - 11W...72




LINEAR LED FLEX ACCESSORIES


LINEAR LED FLEX TOP VIEW ACCESSORIES..... 73
 LINEAR LED FLEX SIDE BEND ACCESSORIES..... 75



LINEAR LED FLEX CUSTOMISATION


CUSTOM NEW FEEDS.....77
 CUSTOM BENDS.....78





10W | LINEAR Top View

Our LINEAR LED FLEX Top View 10w per metre features high efficiency 2835 LEDs on a 2oz PCB board. Housed in a solvent, salt water and UV resistant extruded silicone tube, this product does not require mounting onto a heat sink and offers a LINEAR output in all applications. Top View Flex units can be manipulated vertically up to a 200mm radius with the light source encapsulated along the bottom / top of each run.



IP67
DC 24V


LM 80
CRI 92+
Single Binning
3 Step

| Product Code - 10m Reel | Product Code - 20m Reel | Colour Temperature | Lm Per Metre / CRI | IP Rating | RRP |
|-------------------------|-------------------------|--------------------|--------------------|-----------|--------------------|
| FLO3-7G6O32 | FLO3-7G6O34 | 2700K | 650lm / CRI92+ | IP67 | £500.00 / £1000.00 |
| FLO3-7C6O32 | FLO3-7C6O34 | 3000K | 660lm / CRI92+ | IP67 | £500.00 / £1000.00 |
| FLO3-7N6O32 | FLO3-7N6O34 | 4000K | 680lm / CRI92+ | IP67 | £500.00 / £1000.00 |



15W | LINEAR Top View

Our LINEAR LED FLEX Top View 15w per metre features high efficiency 2835 LEDs on a 3oz PCB board. Housed in a solvent, salt water and UV resistant extruded silicone tube, this product does not require mounting onto a heat sink and offers a LINEAR output in all applications. Top View Flex units can be manipulated vertically up to a 100mm radius with the light source encapsulated along the bottom / top of each run.




IP67
DC 24V

LM 80
CRI 92+
Single Binning
3 Step


| Product Code - 10m Reel | Product Code - 20m Reel | Colour Temperature | Lm Per Metre / CRI | IP Rating | RRP |
|-------------------------|-------------------------|--------------------|--------------------|-----------|-------------------|
| FLO5-7W6O52 | FLO5-7W6O54 | 2200K | 900lm / CRI92+ | IP67 | £495.00 / £990.00 |
| FLO5-7G6O52 | FLO5-7G6O54 | 2700K | 1000lm / CRI92+ | IP67 | £495.00 / £990.00 |
| FLO5-7C6O52 | FLO5-7C6O54 | 3000K | 1100lm / CRI92+ | IP67 | £495.00 / £990.00 |
| FLO5-7N6O52 | FLO5-7N6O54 | 4000K | 1200lm / CRI92+ | IP67 | £495.00 / £990.00 |
| FLO5-7D6O52 | FLO5-7D6O54 | 6500K | 1100lm / CRI92+ | IP67 | £495.00 / £990.00 |






10W | LINEAR RGB Top View

Our LINEAR LED FLEX Top View 10w per metre features high efficiency (3 in 1) LEDs on a 2oz PCB board. Housed in a solvent, salt water and UV resistant extruded silicone tube, this product does not require mounting onto a heat sink and offers a LINEAR output in all applications. Top View Flex units can be manipulated vertically up to a 200mm radius with the light source encapsulated along the bottom / top of each run.




| Product Code - 10m Reel | Product Code - 20m Reel | Colour Temperature | Lm Per Metre | IP Rating | RRP |
|-------------------------|-------------------------|--------------------|--------------|-----------|--------------------|
| FLO3-7R6R32 | FLO3-7R6R34 | RGB | 290lm | IP67 | £650.00 / £1300.00 |




15W | LINEAR RGBW Top View

Our LINEAR LED FLEX Top View 15w per metre features high efficiency (4 in 1) LEDs on a 2oz PCB board. Housed in a solvent, salt water and UV resistant extruded silicone tube, this product does not require mounting onto a heat sink and offers a LINEAR output in all applications. Top View Flex units can be manipulated vertically up to a 200mm radius with the light source encapsulated along the bottom / top of each run.




| Product Code - 10m Reel | Product Code - 20m Reel | Colour Temperature | Lm Per Metre | IP Rating | RRP |
|-------------------------|-------------------------|--------------------|----------------------------|-----------|--------------------|
| FLOY5-7Y6Y52 | FLOY5-7Y6Y54 | RGB + W (3000K) | 510lm RGB+ 210lm W (3000k) | IP67 | £825.00 / £1650.00 |
| FLOY5-7Y16Y52 | FLOY5-7Y16Y54 | RGB + W (4000K) | 510lm RGB+ 230lm W (4000k) | IP67 | £825.00 / £1650.00 |






10W | LINEAR NANO Side Bend

Our LINEAR NANO SIDE BEND 10w per metre features high efficiency 2835 LEDs on a 2oz PCB board. Housed in a solvent, salt water and UV resistant extruded silicone tube, this product does not require mounting onto a heat sink and offers a LINEAR output in all applications. Side Bend Nano Flex units can be manipulated horizontally up to a 50mm radius with the light source encapsulated along the bottom / top of each run.




IP67 DC 24V Single Binning 3 Step 5 EXT LM 80 CRI 92+

| Product Code - 10m Reel | Product Code - 20m Reel | Colour Temperature | Lm Per Metre / CRI | IP Rating | RRP |
|-------------------------|-------------------------|--------------------|--------------------|-----------|-------------------|
| FLNSB3-7G6B32 | FLNSB3-7G6B34 | 2700K | 340lm / CRI92+ | IP67 | £420.00 / £840.00 |
| FLNSB3-7C6B32 | FLNSB3-7C6B34 | 3000K | 360lm / CRI92+ | IP67 | £420.00 / £840.00 |
| FLNSB3-7N6B32 | FLNSB3-7N6B34 | 4000K | 380lm / CRI92+ | IP67 | £420.00 / £840.00 |




10W | LINEAR Side Bend


Our LINEAR FLEX SIDE BEND 10w per metre features high efficiency 2835 LEDs on a 2oz PCB board. Housed in a solvent, salt water and UV resistant extruded silicone tube, this product does not require mounting onto a heat sink and offers a LINEAR output in all applications. Side Bend Flex units can be manipulated horizontally up to a 200mm radius with the light source encapsulated along the bottom / top of each run.



IP67 DC 24V Single Binning 3 Step 5 EXT LM 80 CRI 92+


| Product Code - 10m Reel | Product Code - 20m Reel | Colour Temperature | Lm Per Metre / CRI | IP Rating | RRP |
|-------------------------|-------------------------|--------------------|--------------------|-----------|--------------------|
| FLSB3-7G6B32 | FLSB3-7G6B34 | 2700K | 310lm / CRI92+ | IP67 | £600.00 / £1200.00 |
| FLSB3-7C6B32 | FLSB3-7C6B34 | 3000K | 330lm / CRI92+ | IP67 | £600.00 / £1200.00 |
| FLSB3-7N6B32 | FLSB3-7N6B34 | 4000K | 350lm / CRI92+ | IP67 | £600.00 / £1200.00 |






10W | RGB NANO

Our LINEAR LED FLEX Side Bend Nano 10w per metre RGB features high efficiency (3 in 1) LEDs on a 2oz PCB board. Housed in a solvent, salt water and UV resistant extruded silicone tube, this product does not require mounting onto a heat sink and offers a LINEAR output in all applications. Side Bend Flex units can be manipulated horizontally up to a 50mm radius with the light source encapsulated along the bottom / top of each run.




IP67
DC 24V
◡
LM 80
Single Binning
5 EXT

| Product Code - 10m Reel | Product Code - 20m Reel | Colour Temperature | Lm Per Metre | IP Rating | RRP |
|-------------------------|-------------------------|--------------------|--------------|-----------|--------------------|
| FLNSBR3-7R6R32 | FLNSBR3-7R6R34 | RGB | 130lm | IP67 | £600.00 / £1200.00 |



15W | LINEAR RGBW Side Bend


Our LINEAR LED FLEX Top View 15w per metre features high efficiency 4 in 1 LEDs on a 2oz PCB board. Housed in a solvent, salt water and UV resistant extruded silicone tube, this product does not require mounting onto a heat sink and offers a LINEAR output in all applications. Side Bend Flex unit can be manipulated horizontally up to a 200mm radius with the light source encapsulated along the bottom / top of each run.



IP67
DC 24V
◡
LM 80
Single Binning
5 EXT


| Product Code - 10m Reel | Product Code - 20m Reel | Colour Temperature | Lm Per Metre | IP Rating | RRP |
|-------------------------|-------------------------|--------------------|-------------------------|-----------|--------------------|
| FLSBY5-7Y6Y52 | FLSBY5-7Y6Y54 | RGB + W (3000K) | 310lm RGB + 125lm 3000k | IP67 | £825.00 / £1650.00 |
| FLSBY5-7Y16Y52 | FLSBY5-7Y16Y54 | RGB + W (4000K) | 310lm RGB + 135lm 4000k | IP67 | £825.00 / £1650.00 |






10W | LINEAR Top View Ultra Run

Our LINEAR LED FLEX Top View 10w per metre features high efficiency 2835 LEDs on a 2oz PCB board. Housed in a solvent, salt water and UV resistant extruded silicone tube, this product does not require mounting onto a heat sink and offers a LINEAR output in all applications. Top View Flex units can be manipulated vertically up to a 200mm radius with the light source encapsulated along the bottom / top of each run.




- IP67
- DC 24V
-
-
- LM 80
- CRI 92+
- Single Binning
- 3 Step
-

| Product Code - 20m Reel | Product Code - 30m Reel | Colour Temperature | Lm Per Metre / CRI | IP Rating | RRP |
|-------------------------|-------------------------|--------------------|--------------------|-----------|-----------|
| FLO3C-7G6O34 | POA | 2700K | 540lm / CRI92+ | IP67 | £ 1400.00 |
| FLO3C-7C6O34 | POA | 3000K | 565lm / CRI92+ | IP67 | £ 1400.00 |
| FLO3C-7N6O34 | POA | 4000K | 590lm / CRI92+ | IP67 | £ 1400.00 |



11W | LINEAR RGB Top View Ultra Run


Our LINEAR LED FLEX Top View 11w per metre features high efficiency (3 in 1) LEDs on a 2oz PCB board. Housed in a solvent, salt water and UV resistant extruded silicone tube, this product does not require mounting onto a heat sink and offers a LINEAR output in all applications. Top View Flex units can be manipulated vertically up to a 200mm radius with the lightsource encapsulated along the bottom / top of each run.



- IP67
- DC 24V
-
-
- LM 80
- Single Binning
-


| Product Code - 15m Reel | Product Code -30m Reel | Colour Temperature | Lm Per Metre | IP Rating | RRP |
|-------------------------|------------------------|--------------------|--------------|-----------|-----------|
| FLO3C-7R6R33 | POA | RGB | 320lm RGB | IP67 | £ 1125.00 |






10W | LINEAR Ultra Run Side Bend

Our LINEAR FLEX SIDE BEND 10w per metre features high efficiency 2835 SMD LEDs on a 2oz PCB board. Housed in a solvent, salt water and UV resistant extruded silicone tube, this product does not require mounting onto a heat sink and offers a LINEAR output in all applications. Side Bend Flex units can be manipulated horizontally up to a 200mm radius with the light source encapsulated along the bottom / top of each run.




- IP67
- DC 24V
-
-
- LM 80
- CRI 92+
- Single Binning
- 3 Step
-

| Product Code - 20m Reel | Product Code - 30m Reel | Colour Temperature | Lm Per Metre / CRI | IP Rating | RRP |
|-------------------------|-------------------------|--------------------|--------------------|-----------|-----------|
| FLSB3C-7G6B34 | POA | 2700K | 310lm / CRI92+ | IP67 | £ 1440.00 |
| FLSB3C-7C6B34 | POA | 3000K | 330lm / CRI92+ | IP67 | £ 1440.00 |
| FLSB3C-7N6B34 | POA | 4000K | 350lm / CRI92+ | IP67 | £ 1440.00 |



11W | LINEAR RGB Ultra Run Side Bend

Our LINEAR LED FLEX Side Bend 11w per metre features high efficiency (3 in 1) LEDs on a 2oz PCB board. Housed in a solvent, salt water and UV resistant extruded silicone tube, this product does not require mounting onto a heat sink and offers a LINEAR output in all applications. Side Bend Flex unit can be manipulated horizontally up to a 200mm radius with the light source encapsulated along the bottom / top of each run.



- IP67
- DC 24V
-
-
- LM 80
- Single Binning
-

| Product Code - 15m Reel | Product Code - 30m Reel | Colour Temperature | Lm Per Metre | IP Rating | RRP |
|-------------------------|-------------------------|--------------------|--------------|-----------|-----------|
| FLSBR3C-7R6R33 | POA | RGB | 210lm RGB | IP67 | £ 1125.00 |

LINEAR LED FLEX ACCESSORIES | TOP VIEW CONNECTORS

Single Colour | FLO3 Connectors NEW



Item: **Straight Feed Connector**
 Product Code: O3C-SF
 Dimensions: L26.5*W17*H16mm
 IP Rating: IP67
 Compatible Strip: FLO3

RRP: £6.50




Item: **Bottom Feed Connector**
 Product Code: O3C-BF
 Dimensions: L26.5*W17*H16mm
 IP Rating: IP67
 Compatible Strip: FLO3

RRP: £6.50



Item: **Left Feed Connector**
 Product Code: O3C-LF
 Dimensions: L26.5*W17*H16mm
 IP Rating: IP67
 Compatible Strip: FLO3

RRP: £6.50



Item: **Right Feed Connector**
 Product Code: O3C-RF
 Dimensions: L26.5*W17*H16mm
 IP Rating: IP67
 Compatible Strip: FLO3

RRP: £6.50

RGB | FLOR3 Connectors NEW



Item: **Straight Feed Connector**
 Product Code: OR3C-SF
 Dimensions: L26.5*W17*H16mm
 IP Rating: IP67
 Compatible Strip: FLOR3

RRP: £7.00



Item: **Bottom Feed Connector**
 Product Code: OR3C-BF
 Dimensions: L26.5*W17*H16mm
 IP Rating: IP67
 Compatible Strip: FLOR3

RRP: £7.00



Item: **Left Feed Connector**
 Product Code: OR3C-LF
 Dimensions: L26.5*W17*H16mm
 IP Rating: IP67
 Compatible Strip: FLOR3

RRP: £7.00



Item: **Right Feed Connector**
 Product Code: OR3C-RF
 Dimensions: L26.5*W17*H16mm
 IP Rating: IP67
 Compatible Strip: FLOR3

RRP: £7.00

RGBW | FLOY5 Connectors NEW



Item: **Straight Feed Connector**
 Product Code: OY5C-SF
 Dimensions: L27.9*W20.5*H19.5mm
 IP Rating: IP67
 Compatible Strip: FLOY5

RRP: £8.00



Item: **Bottom Feed Connector**
 Product Code: OY5C-BF
 Dimensions: L27.9*W20.5*H19.5mm
 IP Rating: IP67
 Compatible Strip: FLOY5

RRP: £8.00

LINEAR LED FLEX ACCESSORIES | TOP VIEW CONNECTORS

RGBW | FLOY5 Connectors NEW



Item: **Left Feed Connector**
 Product Code: OY5C-LF
 Dimensions: L27.9*W20.5*H19.5mm
 IP Rating: IP67
 Compatible Strip: FLOY5

RRP: £8.00



Item: **Right Feed Connector**
 Product Code: OY5C-RF
 Dimensions: L27.9*W20.5*H19.5mm
 IP Rating: IP67
 Compatible Strip: FLOY5

RRP: £8.00

End Caps | Single Colour / RGB / RGBW NEW



Item: **Single Colour & RGB End Cap**
 Product Code: O3C-EC
 Dimensions: L26.5*W17*H16mm
 IP Rating: IP67
 Compatible Strip: FLO3 | OR3


RRP: £4.50



Item: **RGBW End Cap**
 Product Code: OY5C-EC
 Dimensions: L27.9*W20.5*H19.5mm
 IP Rating: IP67
 Compatible Strip: FLOY5 | O3C

RRP: £4.50

Mounting Accessories | Single Colour & RGB NEW




Item: **Mounting Clip + Screw**
 Product Code: MCO3-8
 Dimensions: L20*W17.2*H14mm
 Material: Aluminium
 Compatible Strip: FLO3 | OR3

RRP: £1.80



Item: **Mounting Profile + Screw**
 Product Code: MPO3-81M
 Dimensions: L1000*W17.2*H14mm
 Material: Aluminium
 Compatible Strip: FLO3 | OR3


RRP: £8.00



Item: **Mounting Clip + Screw**
 Product Code: MCO5-8
 Dimensions: L20*W12.3*H12.6mm
 Material: Aluminium
 Compatible Strip: FLO5

RRP: £1.50

Mounting Accessories | RGBW NEW



Item: **Mounting Clip + Screw**
 Product Code: MCOY5-8
 Dimensions: L20*W20.5*H17.6mm
 Material: Aluminium
 Compatible Strip: FLOY5|O3C|OR3C

RRP: £2.00



Item: **Mounting Profile + Screw**
 Product Code: MPOY5-81M
 Dimensions: L1000*W20.5*H17.6mm
 Material: Aluminium
 Compatible Strip: FLOY5|O3C|OR3C

RRP: £12.50

LINEAR LED FLEX ACCESSORIES | SIDE BEND CONNECTORS

75

Single Colour | FLSB3 Connectors NEW



Item: **Straight Feed Connector**
Product Code: SB3C-SF
Dimensions: L26.5*W17*H24mm
IP Rating: IP67
Compatible Strip: FLSB3

RRP: £6.50



Item: **Bottom Feed Connector**
Product Code: SB3C-BF
Dimensions: L26.5*W17*H24mm
IP Rating: IP67
Compatible Strip: FLSB3

RRP: £6.50



Item: **Left Feed Connector**
Product Code: SB3C-LF
Dimensions: L26.5*W17*H24mm
IP Rating: IP67
Compatible Strip: FLSB3

RRP: £6.50



Item: **Right Feed Connector**
Product Code: SB3C-RF
Dimensions: L26.5*W17*H24mm
IP Rating: IP67
Compatible Strip: FLSB3

RRP: £6.50

RGBW | FLSBY5 Connectors NEW



Item: **Straight Feed Connector**
Product Code: SBY5C-SF
Dimensions: L26.5*W17*H24mm
IP Rating: IP67
Compatible Strip: FLSBY5

RRP: £8.00




Item: **Bottom Feed Connector**
Product Code: SBY5C-BF
Dimensions: L26.5*W17*H24mm
IP Rating: IP67
Compatible Strip: FLSBY5

RRP: £8.00



Item: **Left Feed Connector**
Product Code: SBY5C-LF
Dimensions: L26.5*W17*H24mm
IP Rating: IP67
Compatible Strip: FLSBY5

RRP: £8.00



Item: **Right Feed Connector**
Product Code: SBY5C-RF
Dimensions: L26.5*W17*H24mm
IP Rating: IP67
Compatible Strip: FLSBY5

RRP: £8.00

End Caps | Single Colour / RGBW NEW




Item: **Single Colour & RGBW End Cap**
Product Code: SB3C-EC
Dimensions: L26.5*W17*H24mm
IP Rating: IP67
Compatible Strip: FLSB3 | FLSBY5

RRP: £4.50


LED STRIP ACCESSORIES | SIDE BEND CONNECTORS

Mounting Accessories | NANO Single Colour & RGB NEW




Item: Mounting Clip + Screw
Product Code: MCNSB3-8
Dimensions: L15*W8*H15mm
Material: Aluminium
Compatible Strip: FLNSB3 | FLNSBR3

RRP: £1.80



Item: Mounting Profile + Screws
Product Code: MPNSB3-81M
Dimensions: L1000*W8*H13mm
Material: Aluminium
Compatible Strip: FLNSB3 | FLNSBR3


RRP: £5.00



Item: Flexible Profile + Screws
Product Code: FPNSB3-005M
Dimensions: L500*W20.5*H12mm
Material: White Aluminium
Compatible Strip: FLNSB3 | FLNSBR3

RRP: £7.00

Mounting Accessories | Single Colour / RGB / RGBW NEW



Item: Mounting Clip + Screw
Product Code: MCSB3-8
Dimensions: L20*W17.3*H21mm
Material: Aluminium
Compatible Strip: FLSB3 | SB3C
SBR3 | SBR3C | SBY5

RRP: £1.80



Item: Mounting Profile + Screw
Product Code: MPSB3-81M
Dimensions: L1000*W17.3*H21mm
Material: Aluminium
Compatible Strip: FLSB3 | SB3C
SBR3 | SBR3C | SBY5

RRP: £10.00



Item: Flexible Profile + Screws
Product Code: FPSB3-005M
Dimensions: L500*W26.4*H18mm
Material: White Aluminium
Compatible Strip: FLSB3 | SB3C
SBR3 | SBR3C | SBY5

RRP: £7.00

Cutting Tool | LINEAR LED FLEX NEW




Item: LINEAR LED FLEX Scissors
Product Code: LFCS
Dimensions: N/A
Material: Steel + Plastic
Compatible Strip: All LINEAR LED FLEX

RRP: £45.00




MADE TO MEASURE | LINEAR LED FLEX CUSTOMISATION

At fossLED we offer a completely bespoke customisation service on all our LINEAR LED FLEX products, please send us your project plans and requirements for a free consultation; we pride ourselves on offering a professional service and fast production time no matter the project size.



New Feed | Single Colour

| Code | Feed Type | Wire Type | LINEAR LED FLEX | RRP |
|------------|---------------|-------------|-----------------|--------|
| FLLC2-SFIP | Straight Feed | 2 Core Wire | Single Colour | £15.80 |
| FLLC2-LFIP | Left Feed | 2 Core Wire | Single Colour | £15.80 |
| FLLC2-RFIP | Right Feed | 2 Core Wire | Single Colour | £15.80 |
| FLLC2-BFIP | Bottom Feed | 2 Core Wire | Single Colour | £15.80 |




New Feed | RGB

| Code | Feed Type | Wire Type | LINEAR LED FLEX | RRP |
|------------|---------------|-------------|-----------------|--------|
| FLLC4-SFIP | Straight Feed | 4 Core Wire | RGB | £17.50 |
| FLLC4-LFIP | Left Feed | 4 Core Wire | RGB | £17.50 |
| FLLC4-RFIP | Right Feed | 4 Core Wire | RGB | £17.50 |
| FLLC4-BFIP | Bottom Feed | 4 Core Wire | RGB | £17.50 |



New Feed | RGBW

| Code | Feed Type | Wire Type | LINEAR LED FLEX | RRP |
|------------|---------------|-------------|-----------------|--------|
| FLLC5-SFIP | Straight Feed | 5 Core Wire | RGBW | £18.50 |
| FLLC5-LFIP | Left Feed | 5 Core Wire | RGBW | £18.50 |
| FLLC5-RFIP | Right Feed | 5 Core Wire | RGBW | £18.50 |
| FLLC5-BFIP | Bottom Feed | 5 Core Wire | RGBW | £18.50 |



Corner | Single Colour

| Code | Feed Type | Wire Type | LINEAR LED FLEX | RRP |
|------------|-----------|-------------|-----------------|--------|
| FLLC2-CBIP | Straight | 2 Core Wire | Single Colour | £28.90 |



Corner | RGB

| Code | Feed Type | Wire Type | LINEAR LED FLEX | RRP |
|------------|-----------|-------------|-----------------|--------|
| FLLC4-CBIP | Straight | 4 Core Wire | RGB | £32.90 |



Corner | RGBW

| Code | Feed Type | Wire Type | LINEAR LED FLEX | RRP |
|------------|-----------|-------------|-----------------|--------|
| FLLC5-CBIP | Straight | 5 Core Wire | RGBW | £34.20 |

ALUMINIUM EXTRUSION | SERIES

Aluminium Extrusions are a vital element to any LED Strip installation, offering aesthetical benefits with an improved diffusion of light, and most vitally acting as a heat sink backing to your LED light source, thus ensuring a prolonged component and product life.

At foss LED we offer a wide selection of extrusions for a host of different applications. All models are made from premium 6063 grade aluminium; designed to an optimum thickness and heat tested to ensure they offer the best performance when paired with foss LED strip.

We also offer a number of our extrusions in White and Black finishes as well as lengths of up to 2.5 metres, and our new unique black diffusers. We strive to offer a comprehensive range in this series and are continually launching new models. Please feel free to enquire with us for any special requests.





SURFACE MOUNTED

| | |
|-----------------------------------|-------|
| Heat Sink Pro 15x2..... | 82 |
| Surface 17x7..... | 82-83 |
| Surface Deep 17x14..... | 84-85 |
| Surface Deep Double 23x20..... | 85 |
| Surface 20x20 SQ / Circ Diff..... | 86 |
| Surface Double 23x10..... | 87 |
| Surface LINEAR 35x35..... | 88-89 |
| Surface LINEAR 50x75..... | 89-90 |



ANGLED

| | |
|-------------------------|----|
| Angled 18x18..... | 91 |
| Angled Large 30x30..... | 92 |



NANO

| | |
|------------------------------|----|
| Nano Surface 8x9..... | 93 |
| Nano Angled 8x8..... | 93 |
| Nano Angled SQ Diff 8x8..... | 94 |
| Nano Recessed 11x9..... | 94 |



RECESSED

| | |
|---------------------------------|---------|
| Recessed 25x7..... | 95-96 |
| Recessed Deep 25x14..... | 96-97 |
| Recessed Deep Double 30x20..... | 98 |
| Recessed Double 31x10..... | 98 |
| Recessed LINEAR 50x35..... | 99-100 |
| Recessed LINEAR 65x35..... | 100-101 |
| Shallow Walkover 27x11..... | 102 |
| Deep Walkover 22x26..... | 102 |



PLASTER IN

| | |
|-----------------------------------|-----|
| Plaster In Deep Narrow 52x13..... | 104 |
| Plaster in Deep 57x14..... | 104 |
| Plaster in Deep Double 63x20..... | 105 |
| Plaster in Double 60x14..... | 105 |
| Plaster in LINEAR 75x35..... | 106 |
| Plaster in Edge 32x13..... | 106 |



SUSPENDED

| | |
|-----------------------------|---------|
| Suspended LINEAR 35x35..... | 107-109 |
| Suspended LINEAR 50x75..... | 109-110 |



WALL PROFILES

| | |
|---------------------------|---------|
| Wall Up & Down 49x17..... | 112-113 |
| Wall Cove 42x16..... | 113-114 |



WHITE & BLACK | RAL 9003 / RAL 9004

We now offer an extensive range of Aluminium Extrusions in White and Black finishes, for custom RALs please consult a member of our sales team.




BLACK DIFFUSER | RAL 9003 / RAL 9004

Our new Black diffusers are available with a number of different extrusion models; these units allow your Lighting installation to discretely blend into your chosen environment and offer a warm tint to each lighting output.



15x2 | Heat Sink Pro

Anodised Aluminium Finish
 Compatible with all foss LED Strips
 High heat dissipation, 2.5mm thick
 6063 Extruded High Strength Aluminium




| Product Code | Finish | Diffuser | Length | RRP |
|--------------|-------------------|----------|---------|-------|
| PRO0-81M | Aluminium | N/A | 1 metre | £4.40 |
| PRO0-82M | Aluminium | N/A | 2 metre | £8.80 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |



17x7 | Surface Alu

Anodised Aluminium Finish
 6063 Extruded High Strength Aluminium
 Choice of Clear, Opal & Black Polycarbonate Diffusers
 Each Metre includes two End Caps & Mounting Accessories
 Compatible with all foss LED Strips apart from RGBWV IP65
 LINEAR finish when combined with 196+ LEDs Per Metre Strips




| Product Code | Description | Diffuser | Length | RRP |
|--------------|------------------------|----------|---------|--------|
| PRO1-81MC | Aluminium | Clear | 1 metre | £7.20 |
| PRO1-82MC | Aluminium | Clear | 2 metre | £14.40 |
| PRO1-81MO | Aluminium | Opal | 1 metre | £7.20 |
| PRO1-82MO | Aluminium | Opal | 2 metre | £14.40 |
| PRO1-81MB | Aluminium | Black | 1 metre | £9.60 |
| PRO1-82MB | Aluminium | Black | 2 metre | £19.20 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO1-8AC | Extra Accessories Pack | N/A | N/A | £2.00 |



17x7 | Surface White

White RAL 9003 Finish
 6063 Extruded High Strength Aluminium
 Choice of Clear, Opal & Black Polycarbonate Diffusers
 Each Metre includes two End Caps & Mounting Accessories
 Compatible with all foss LED Strips apart from RGBW in IP65.
 LINEAR finish when combined with 196+ LEDs per metre Strips




| Product Code | Finish | Diffuser | Length | RRP |
|--------------|------------------------|----------|---------|--------|
| PRO1-01MC | White | Clear | 1 metre | £9.75 |
| PRO1-02MC | White | Clear | 2 metre | £19.50 |
| PRO1-01MO | White | Opal | 1 metre | £9.75 |
| PRO1-02MO | White | Opal | 2 metre | £19.50 |
| PRO1-01MB | White | Black | 1 metre | £12.15 |
| PRO1-02MB | White | Black | 2 metre | £24.30 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO1-0AC | Extra Accessories Pack | N/A | N/A | £2.00 |



17x7 | Surface Black

Black RAL 9004 Finish
 6063 Extruded High Strength Aluminium
 Choice of Clear, Opal & Black Polycarbonate Diffusers
 Each Metre includes two End Caps & Mounting Accessories
 Compatible with all foss LED Strips apart from RGBW in IP65.
 LINEAR finish when combined with 196+ LEDs per metre Strips




| Product Code | Description | Diffuser | Length | RRP |
|--------------|------------------------|----------|---------|--------|
| PRO1-11MC | Black | Clear | 1 metre | £11.25 |
| PRO1-12MC | Black | Clear | 2 metre | £22.50 |
| PRO1-11MO | Black | Opal | 1 metre | £11.25 |
| PRO1-12MO | Black | Opal | 2 metre | £22.50 |
| PRO1-11MB | Black | Black | 1 metre | £13.65 |
| PRO1-12MB | Black | Black | 2 metre | £27.30 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO1-1AC | Extra Accessories Pack | N/A | N/A | £2.00 |



17x14 | Surface Deep Alu

Anodised Aluminium Finish
 6063 Extruded High Strength Aluminium
 Choice of Clear, Opal & Black Polycarbonate Diffusers
 Each Metre includes two End Caps & Mounting Accessories
 Compatible with all foss LED Strips apart from RGBW in IP65
 LINEAR finish when combined with 120+ LEDs per metre Strips




| Product Code | Finish | Diffuser | Length | RRP |
|--------------|------------------------|----------|---------|--------|
| PRO2-81MC | Aluminium | Clear | 1 metre | £8.40 |
| PRO2-82MC | Aluminium | Clear | 2 metre | £16.80 |
| PRO2-81MO | Aluminium | Opal | 1 metre | £8.40 |
| PRO2-82MO | Aluminium | Opal | 2 metre | £16.80 |
| PRO2-81MB | Aluminium | Black | 1 metre | £10.80 |
| PRO2-82MB | Aluminium | Black | 2 metre | £21.60 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO2-8AC | Extra Accessories Pack | N/A | N/A | £2.00 |



17x14 | Surface Deep White

White RAL 9003 Finish
 6063 Extruded High Strength Aluminium
 Choice of Clear, Opal & Black Polycarbonate Diffusers
 Each Metre includes two End Caps & Mounting Accessories
 Compatible with all foss LED Strips apart from RGBW in IP65.
 LINEAR finish when combined with 120+ LEDs per metre Strips




| Product Code | Description | Diffuser | Length | RRP |
|--------------|------------------------|----------|---------|--------|
| PRO2-01MC | White | Clear | 1 metre | £12.00 |
| PRO2-02MC | White | Clear | 2 metre | £24.00 |
| PRO2-01MO | White | Opal | 1 metre | £12.00 |
| PRO2-02MO | White | Opal | 2 metre | £24.00 |
| PRO2-01MB | White | Black | 1 metre | £14.40 |
| PRO2-02MB | White | Black | 2 metre | £28.80 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO2-0AC | Extra Accessories Pack | N/A | N/A | £2.00 |



17x14 | Surface Deep Black

Black RAL 9004 Finish
 6063 Extruded High Strength Aluminium
 Choice of Clear, Opal & Black Polycarbonate Diffusers
 Each Metre includes two End Caps & Mounting Accessories
 Compatible with all foss LED Strips apart from RGBW in IP65.
 LINEAR finish when combined with 120+ LEDs per metre Strips




| Product Code | Description | Diffuser | Length | RRP |
|--------------|------------------------|----------|---------|--------|
| PRO2-11MC | Black | Clear | 1 metre | £13.00 |
| PRO2-12MC | Black | Clear | 2 metre | £26.00 |
| PRO2-11MO | Black | Opal | 1 metre | £13.00 |
| PRO2-12MO | Black | Opal | 2 metre | £26.00 |
| PRO2-11MB | Black | Black | 1 metre | £15.40 |
| PRO2-12MB | Black | Black | 2 metre | £30.80 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO2-1AC | Extra Accessories Pack | N/A | N/A | £2.00 |




23x20 | Deep Double Alu

Anodised Aluminium Finish
 Compatible with all foss LED Strips
 6063 Extruded High Strength Aluminium
 Choice of Clear, Opal & Black Polycarbonate Diffusers
 Each Metre includes two End Caps & Mounting Accessories
 LINEAR finish when combined with 60+ LEDs per metre Strips




| Product Code | Description | Diffuser | Length | RRP |
|--------------|------------------------|----------|---------|--------|
| PRO3-81MC | Aluminium | Clear | 1 metre | £12.00 |
| PRO3-82MC | Aluminium | Clear | 2 metre | £24.00 |
| PRO3-81MO | Aluminium | Opal | 1 metre | £12.00 |
| PRO3-82MO | Aluminium | Opal | 2 metre | £24.00 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO3-8AC | Extra Accessories Pack | N/A | N/A | £2.00 |



20x20 | Surface Square Alu

- Anodised Aluminium Finish
- Compatible with all foss LED Strips
- 6063 Extruded High Strength Aluminium
- Available with an Opal Polycarbonate Diffuser
- Each Metre includes two End Caps & Mounting Accessories
- LINEAR finish when combined with 60+ LEDs per metre Strips




| Product Code | Finish | Diffuser | Length | RRP |
|--------------|------------------------|----------|---------|--------|
| PRO4-81MO | Aluminium | Opal | 1 metre | £9.70 |
| PRO4-82MO | Aluminium | Opal | 2 metre | £19.40 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO4-8AC | Extra Accessories Pack | N/A | N/A | £2.00 |




20x20 | Surface Circular Alu

- Anodised Aluminium Finish
- Compatible with all foss LED Strips
- 6063 Extruded High Strength Aluminium
- Available with an Opal Polycarbonate Diffuser
- Each Metre includes two End Caps & Mounting Accessories
- LINEAR finish when combined with 60+ LEDs per metre Strips




| Product Code | Description | Diffuser | Length | RRP |
|--------------|------------------------|----------|---------|--------|
| PRO4C-81MO | Aluminium | Opal | 1 metre | £9.70 |
| PRO4C-82MO | Aluminium | Opal | 2 metre | £19.40 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO4C-8AC | Extra Accessories Pack | N/A | N/A | £2.00 |



23x10 | Surface Double Alu

- Anodised Aluminium Finish
- Compatible with all foss LED Strips
- 6063 Extruded High Strength Aluminium
- Choice of Clear and Opal Polycarbonate Diffusers
- Each Metre includes two End Caps & Mounting Accessories
- LINEAR finish when combined with 196+ LEDs per metre Strips




| Product Code | Description | Diffuser | Length | RRP |
|--------------|------------------------|----------|---------|--------|
| PRO5-81MC | Aluminium | Clear | 1 metre | £9.90 |
| PRO5-82MC | Aluminium | Clear | 2 metre | £19.80 |
| PRO5-81MO | Aluminium | Opal | 1 metre | £9.90 |
| PRO5-82MO | Aluminium | Opal | 2 metre | £19.80 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO5-8AC | Extra Accessories Pack | N/A | N/A | £2.00 |



23x10 | Surface Double White

- White RAL 9003 Finish
- Compatible with all foss LED Strips
- 6063 Extruded High Strength Aluminium
- Choice of Clear and Opal Polycarbonate Diffusers
- Each Metre includes two End Caps & Mounting Accessories
- LINEAR finish when combined with 196+ LEDs per metre Strips




| Product Code | Description | Diffuser | Length | RRP |
|--------------|------------------------|----------|---------|--------|
| PRO5-01MC | White | Clear | 1 metre | £12.50 |
| PRO5-02MC | White | Clear | 2 metre | £25.00 |
| PRO5-01MO | White | Opal | 1 metre | £12.50 |
| PRO5-02MO | White | Opal | 2 metre | £25.00 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO5-0AC | Extra Accessories Pack | N/A | N/A | £2.00 |



35x35 | Surface LINEAR Alu

Anodised Aluminium Finish
 Compatible with all foss LED Strips
 6063 Extruded High Strength Aluminium
 Available with an Opal Polycarbonate Diffuser
 Each Metre includes two End Caps & Mounting Accessories
 LINEAR finish when combined with 60+ LEDs per metre Strips




| Product Code | Finish | Diffuser | Length | RRP |
|--------------|------------------------|----------|---------|--------|
| PRO35-81MO | Aluminium | Opal | 1 metre | £32.50 |
| PRO35-82MO | Aluminium | Opal | 2 metre | £65.00 |
| PRO-90D | Corner Coupler | N/A | N/A | £5.00 |
| PRO-180D | Straight Coupler | N/A | N/A | £4.00 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO35-8AC | Extra Accessories Pack | N/A | N/A | £3.00 |



35x35 | Surface LINEAR White

White RAL 9003 Finish
 Compatible with all foss LED Strips
 6063 Extruded High Strength Aluminium
 Available with an Opal Polycarbonate Diffuser
 Each Metre includes two End Caps & Mounting Accessories
 LINEAR finish when combined with 60+ LEDs per metre Strips




| Product Code | Finish | Diffuser | Length | RRP |
|--------------|------------------------|----------|---------|--------|
| PRO35-01MO | White | Opal | 1 metre | £39.00 |
| PRO35-02MO | White | Opal | 2 metre | £78.00 |
| PRO-90D | Corner Coupler | N/A | N/A | £5.00 |
| PRO-180D | Straight Coupler | N/A | N/A | £4.00 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO35-OAC | Extra Accessories Pack | N/A | N/A | £3.00 |




35x35 | Surface LINEAR Black

Black RAL 9004 Finish
 Compatible with all foss LED Strips
 6063 Extruded High Strength Aluminium
 Available with an Opal Polycarbonate Diffuser
 Each Metre includes two End Caps & Mounting Accessories
 LINEAR finish when combined with 60+ LEDs per metre Strips




| Product Code | Finish | Diffuser | Length | RRP |
|--------------|------------------------|----------|---------|--------|
| PRO35-11MO | Black | Opal | 1 metre | £39.00 |
| PRO35-12MO | Black | Opal | 2 metre | £78.00 |
| PRO-90D | Corner Coupler | N/A | N/A | £5.00 |
| PRO-180D | Straight Coupler | N/A | N/A | £4.00 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO35-1AC | Extra Accessories Pack | N/A | N/A | £3.00 |




50x75 | Surface LINEAR Alu

Anodised Aluminium Finish
 Compatible with all foss LED Strips
 6063 Extruded High Strength Aluminium
 Drop Down Gear Tray & Internal Driver options
 Available with an Opal Polycarbonate Diffuser
 Each Metre includes two End Caps & Mounting Accessories
 LINEAR finish when combined with 60+ LEDs per metre Strips




| Product Code | Description | Diffuser | Length | RRP |
|--------------|------------------------|----------|-----------|---------|
| PRO50-82MO | Aluminium | Opal | 2 metre | £115.20 |
| PRO50-825MO | Aluminium | Opal | 2.5 metre | £144.00 |
| PRO-90D-XL | Corner Coupler | N/A | N/A | £6.00 |
| PRO-180D-XL | Straight Coupler | N/A | N/A | £8.50 |
| ALU-CUT2 | Custom Cut Length | N/A | N/A | £9.20 |
| PRO50-8AC | Extra Accessories Pack | N/A | N/A | £5.00 |




50x75 | Surface LINEAR White

- White RAL 9003 Finish
- Compatible with all foss LED Strips
- 6063 Extruded High Strength Aluminium
- Drop Down Gear Tray & Internal Driver options
- Available with an Opal Polycarbonate Diffuser
- Each Metre includes two End Caps & Mounting Accessories
- LINEAR finish when combined with 60+ LEDs per metre Strips




| Product Code | Description | Diffuser | Length | RRP |
|--------------|------------------------|----------|-----------|---------|
| PRO50-02MO | White | Opal | 2 metre | £132.00 |
| PRO50-025MO | White | Opal | 2.5 metre | £165.00 |
| PRO-90D-XL | Corner Coupler | N/A | N/A | £6.00 |
| PRO-180D-XL | Straight Coupler | N/A | N/A | £8.50 |
| ALU-CUT2 | Custom Cut Length | N/A | N/A | £9.20 |
| PRO50-0AC | Extra Accessories Pack | N/A | N/A | £5.00 |



50x75 | Surface LINEAR Black

- Black RAL 9004 Finish
- Compatible with all foss LED Strips
- 6063 Extruded High Strength Aluminium
- Drop Down Gear Tray & Internal Driver options
- Available with an Opal Polycarbonate Diffuser
- Each Metre includes two End Caps & Mounting Accessories
- LINEAR finish when combined with 60+ LEDs per metre Strips




| Product Code | Description | Diffuser | Length | RRP |
|--------------|------------------------|----------|-----------|---------|
| PRO50-12MO | Black | Opal | 2 metre | £132.00 |
| PRO50-125MO | Black | Opal | 2.5 metre | £165.00 |
| PRO-90D-XL | Corner Coupler | N/A | N/A | £6.00 |
| PRO-180D-XL | Straight Coupler | N/A | N/A | £8.50 |
| ALU-CUT2 | Custom Cut Length | N/A | N/A | £9.20 |
| PRO50-1AC | Extra Accessories Pack | N/A | N/A | £5.00 |



18x18 | Angled Alu

Anodised Aluminium Finish
 6063 Extruded High Strength Aluminium
 Choice of Clear, Opal & Black Polycarbonate Diffusers
 Each Metre includes 2 end caps and Mounting Accessories
 Compatible with all foss LED Strips apart from RGBW in IP65
 LINEAR finish when combined with 196+ LEDs per metre Strips




| Product Code | Finish | Diffuser | Length | RRP |
|--------------|------------------------|----------|---------|--------|
| PRO7-81MC | Aluminium | Clear | 1 metre | £8.00 |
| PRO7-82MC | Aluminium | Clear | 2 metre | £16.00 |
| PRO7-81MO | Aluminium | Opal | 1 metre | £8.00 |
| PRO7-82MO | Aluminium | Opal | 2 metre | £16.00 |
| PRO7-81MB | Aluminium | Black | 1 metre | £10.40 |
| PRO7-82MB | Aluminium | Black | 2 metre | £20.80 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO7-8AC | Extra Accessories Pack | N/A | N/A | £2.00 |



18x18 | Angled White

White RAL 9003 Finish
 6063 Extruded High Strength Aluminium
 Choice of Clear, Opal and Black Polycarbonate Diffusers
 Each Metre includes 2 end caps and Mounting Accessories
 Compatible with all foss LED Strips apart from RGBW in IP65
 LINEAR finish when combined with 196+ LEDs per metre Strips




| Product Code | Finish | Diffuser | Length | RRP |
|--------------|------------------------|----------|---------|--------|
| PRO7-01MC | White | Clear | 1 metre | £10.25 |
| PRO7-02MC | White | Clear | 2 metre | £20.50 |
| PRO7-01MO | White | Opal | 1 metre | £10.25 |
| PRO7-02MO | White | Opal | 2 metre | £20.50 |
| PRO7-01MB | White | Black | 1 metre | £12.65 |
| PRO7-02MB | White | Black | 2 metre | £25.30 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO7-0AC | Extra Accessories Pack | N/A | N/A | £2.00 |



18x18 | Angled Black

Black RAL 9004 Finish
 6063 Extruded High Strength Aluminium
 Choice of Clear, Opal and Black Polycarbonate Diffusers
 Each Metre includes two End Caps & Mounting Accessories
 Compatible with all foss LED Strips apart from RGBW in IP65
 LINEAR finish when combined with 196+ LEDs per metre Strips




| Product Code | Finish | Diffuser | Length | RRP |
|--------------|------------------------|----------|---------|--------|
| PRO7-11MC | Black | Clear | 1 metre | £11.75 |
| PRO7-12MC | Black | Clear | 2 metre | £23.50 |
| PRO7-11MO | Black | Opal | 1 metre | £11.75 |
| PRO7-12MO | Black | Opal | 2 metre | £23.50 |
| PRO7-11MB | Black | Black | 1 metre | £14.15 |
| PRO7-12MB | Black | Black | 2 metre | £28.30 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO7-1AC | Extra Accessories Pack | N/A | N/A | £2.00 |



30x30 | Angled Large Alu

Anodised Aluminium Finish
 Compatible with all foss LED Strips
 6063 Extruded High Strength Aluminium
 Available with an Opal Polycarbonate Diffuser
 Each Metre includes two End Caps & Mounting Accessories
 LINEAR finish when combined with 60+ LEDs per metre Strips




| Product Code | Description | Diffuser | Length | RRP |
|--------------|------------------------|----------|---------|--------|
| PRO8-81MO | Aluminium | Opal | 1 metre | £15.00 |
| PRO8-82MO | Aluminium | Opal | 2 metre | £30.00 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO8-8AC | Extra Accessories Pack | N/A | N/A | £3.00 |



8x9 | Nano Surface Alu

Anodised Aluminium Finish
 6063 Extruded High Strength Aluminium
 Compatible with all foss Nano LED Strips
 Available with an Opal Polycarbonate Diffuser
 Each Metre includes two End Caps & Mounting Accessories
 LINEAR finish when combined with 240+ LEDs per metre Strips




| Product Code | Finish | Diffuser | Length | RRP |
|--------------|------------------------|----------|---------|--------|
| PRON2-81MO | Aluminium | Opal | 1 metre | £7.00 |
| PRON2-82MO | Aluminium | Opal | 2 metre | £14.00 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRON2-8AC | Extra Accessories Pack | N/A | N/A | £2.00 |



8x8 | Nano Angled Alu

Anodised Aluminium Finish
 6063 Extruded High Strength Aluminium
 Compatible with all foss Nano LED Strips
 Available with an Opal Polycarbonate Diffuser
 Each Metre includes two End Caps & Mounting Accessories
 LINEAR finish when combined with 240+ LEDs per metre Strips




| Product Code | Description | Diffuser | Length | RRP |
|--------------|------------------------|----------|---------|--------|
| PRON7-81MO | Aluminium | Opal | 1 metre | £7.00 |
| PRON7-82MO | Aluminium | Opal | 2 metre | £14.00 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRON7-8AC | Extra Accessories Pack | N/A | N/A | £2.00 |



8x8 | Nano Angled SQ Alu

Anodised Aluminium Finish
 6063 Extruded High Strength Aluminium
 Compatible with all foss Nano LED Strips
 Available with an Opal Polycarbonate Diffuser
 Each Metre includes two End Caps & Mounting Accessories
 LINEAR finish when combined with 240+ LEDs per metre Strips




| Product Code | Finish | Diffuser | Length | RRP |
|--------------|------------------------|----------|---------|--------|
| PRON7S-81MO | Aluminium | Opal | 1 metre | £7.00 |
| PRON7S-82MO | Aluminium | Opal | 2 metre | £14.00 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRON7S-8AC | Extra Accessories Pack | N/A | N/A | £2.00 |



11x9 | Nano Recessed Alu

Anodised Aluminium Finish
 6063 Extruded High Strength Aluminium
 Compatible with all foss Nano LED Strips
 Each Metre includes End Cap Accessories
 Available with an Opal Polycarbonate Diffuser
 LINEAR finish when combined with 240+ LEDs per metre Strips





| Product Code | Description | Diffuser | Length | RRP |
|--------------|------------------------|----------|---------|--------|
| PRON2R-81MO | Aluminium | Opal | 1 metre | £7.00 |
| PRON2R-82MO | Aluminium | Opal | 2 metre | £14.00 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRON2R-8AC | Extra Accessories Pack | N/A | N/A | £2.00 |



25x7 | Recessed Alu

Anodised Aluminium Finish
 6063 Extruded High Strength Aluminium
 Each Metre includes End Cap Accessories
 Choice of Clear, Opal and Black Polycarbonate Diffusers
 Compatible with all foss LED Strips apart from RGBW in IP65
 LINEAR finish when combined with 196+ LEDs per metre Strips




| Product Code | Description | Diffuser | Length | RRP |
|--------------|------------------------|----------|---------|--------|
| PRO1R-81 MC | Aluminium | Clear | 1 metre | £7.60 |
| PRO1R-82MC | Aluminium | Clear | 2 metre | £15.20 |
| PRO1R-81 MO | Aluminium | Opal | 1 metre | £7.60 |
| PRO1R-82MO | Aluminium | Opal | 2 metre | £15.20 |
| PRO1R-81 MB | Aluminium | Black | 1 metre | £10.00 |
| PRO1R-82MB | Aluminium | Black | 2 metre | £20.00 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO1R-8AC | Extra Accessories Pack | N/A | N/A | £2.00 |



25x7 | Recessed White

White RAL 9003 Finish
 6063 Extruded High Strength Aluminium
 Each Metre includes End Cap Accessories
 Choice of Clear, Opal and Black Polycarbonate Diffusers
 Compatible with all foss LED Strips apart from RGBW in IP65
 LINEAR finish when combined with 196+ LEDs per metre Strips




| Product Code | Description | Diffuser | Length | RRP |
|--------------|------------------------|----------|---------|--------|
| PRO1R-01 MC | White | Clear | 1 metre | £10.00 |
| PRO1R-02MC | White | Clear | 2 metre | £20.00 |
| PRO1R-01 MO | White | Opal | 1 metre | £10.00 |
| PRO1R-02MO | White | Opal | 2 metre | £20.00 |
| PRO1R-01 MB | White | Black | 1 metre | £12.40 |
| PRO1R-02MB | White | Black | 2 metre | £24.80 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO1R-0AC | Extra Accessories Pack | N/A | N/A | £2.00 |



25x7 | Recessed Black

Black RAL 9004 Finish
 6063 Extruded High Strength Aluminium
 Each Metre includes End Cap Accessories
 Choice of Clear, Opal and Black Polycarbonate Diffusers
 Compatible with all foss LED Strips apart from RGBW in IP65
 LINEAR finish when combined with 196+ LEDs per metre Strips




| Product Code | Description | Diffuser | Length | RRP |
|--------------|------------------------|----------|---------|--------|
| PRO1R-11MC | Black | Clear | 1 metre | £12.00 |
| PRO1R-12MC | Black | Clear | 2 metre | £24.00 |
| PRO1R-11MO | Black | Opal | 1 metre | £12.00 |
| PRO1R-12MO | Black | Opal | 2 metre | £24.00 |
| PRO1R-11MB | Black | Black | 1 metre | £14.40 |
| PRO1R-12MB | Black | Black | 2 metre | £28.80 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO1R-1AC | Extra Accessories Pack | N/A | N/A | £2.00 |



25x14 | Deep Recessed Alu

Anodised Aluminium Finish
 6063 Extruded High Strength Aluminium
 Each Metre includes End Cap Accessories
 Choice of Clear, Opal and Black Polycarbonate Diffusers
 Compatible with all foss LED Strips apart from RGBW in IP65
 LINEAR finish when combined with 120+ LEDs per metre Strips



| Product Code | Description | Diffuser | Length | RRP |
|--------------|------------------------|----------|---------|--------|
| PRO2R-81MC | Aluminium | Clear | 1 metre | £11.00 |
| PRO2R-82MC | Aluminium | Clear | 2 metre | £22.00 |
| PRO2R-81MO | Aluminium | Opal | 1 metre | £11.00 |
| PRO2R-82MO | Aluminium | Opal | 2 metre | £22.00 |
| PRO2R-81MB | Aluminium | Black | 1 metre | £13.40 |
| PRO2R-82MB | Aluminium | Black | 2 metre | £26.80 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO2R-8AC | Extra Accessories Pack | N/A | N/A | £2.00 |



25x14 | Deep Recessed White

White RAL 9003 Finish



6063 Extruded High Strength Aluminium

Each Metre includes End Cap Accessories

Choice of Clear, Opal and Black Polycarbonate Diffusers

Compatible with all foss LED Strips apart from RGBW in IP65

LINEAR finish when combined with 120+ LEDs per metre Strips



| Product Code | Description | Diffuser | Length | RRP |
|--------------|------------------------|----------|---------|--------|
| PRO2R-01 MC | White | Clear | 1 metre | £13.00 |
| PRO2R-02MC | White | Clear | 2 metre | £26.00 |
| PRO2R-01 MO | White | Opal | 1 metre | £13.00 |
| PRO2R-02MO | White | Opal | 2 metre | £26.00 |
| PRO2R-01 MB | White | Black | 1 metre | £15.40 |
| PRO2R-02MB | White | Black | 2 metre | £30.80 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO2R-0AC | Extra Accessories Pack | N/A | N/A | £2.00 |



25x14 | Deep Recessed Black

Black RAL 9004 Finish



6063 Extruded High Strength Aluminium

Each Metre includes End Cap Accessories

Choice of Clear, Opal and Black Polycarbonate Diffusers

Compatible with all foss LED Strips apart from RGBW in IP65

LINEAR finish when combined with 120+ LEDs per metre Strips




| Product Code | Description | Diffuser | Length | RRP |
|--------------|------------------------|----------|---------|--------|
| PRO2R-11 MC | Black | Clear | 1 metre | £14.00 |
| PRO2R-12MC | Black | Clear | 2 metre | £28.00 |
| PRO2R-11 MO | Black | Opal | 1 metre | £14.00 |
| PRO2R-12MO | Black | Opal | 2 metre | £28.00 |
| PRO2R-11 MB | Black | Black | 1 metre | £16.40 |
| PRO2R-12MB | Black | Black | 2 metre | £32.80 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO2R-1AC | Extra Accessories Pack | N/A | N/A | £2.00 |



30x20 | Deep Double Alu

- Anodised Aluminium Finish
- Compatible with all foss LED Strips
- 6063 Extruded High Strength Aluminium
- Each Metre includes End Cap Accessories
- Choice of Clear and Opal Polycarbonate Diffusers
- LINEAR finish when combined with 60+ LEDs per metre Strips




| Product Code | Description | Diffuser | Length | RRP |
|--------------|------------------------|----------|---------|--------|
| PRO3R-81 MC | Aluminium | Clear | 1 metre | £13.00 |
| PRO3R-82MC | Aluminium | Clear | 2 metre | £26.00 |
| PRO3R-81 MO | Aluminium | Opal | 1 metre | £13.00 |
| PRO3R-82MO | Aluminium | Opal | 2 metre | £26.00 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO3R-8AC | Extra Accessories Pack | N/A | N/A | £2.00 |



31x10 | Recessed Double Alu

- Anodised Aluminium Finish
- Compatible with all foss LED Strips
- 6063 Extruded High Strength Aluminium
- Each Metre includes End Cap Accessories
- Choice of Clear and Opal Polycarbonate Diffusers
- LINEAR finish when combined with 196+ LED's per metre Strips




| Product Code | Description | Diffuser | Length | RRP |
|--------------|------------------------|----------|---------|--------|
| PRO5R-81 MC | Aluminium | Clear | 1 metre | £10.70 |
| PRO5R-82MC | Aluminium | Clear | 2 metre | £21.40 |
| PRO5R-81 MO | Aluminium | Opal | 1 metre | £10.70 |
| PRO5R-82MO | Aluminium | Opal | 2 metre | £21.40 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO5R-8AC | Extra Accessories Pack | N/A | N/A | £2.00 |



50x35 | Recessed LINEAR Alu

Anodised Aluminium Finish
 Compatible with all foss LED Strips
 6063 Extruded High Strength Aluminium
 Available with an Opal Polycarbonate Diffuser
 Each Metre includes End Caps & Recessed Spring Brackets.
 LINEAR finish when combined with 60+ LEDs per metre Strips




| Product Code | Description | Diffuser | Length | RRP |
|---------------|--------------------------------|----------|---------|--------|
| PRO35SR-81 MO | Aluminium | Opal | 1 metre | £41.50 |
| PRO35SR-82 MO | Aluminium | Opal | 2 metre | £83.00 |
| PRO-90D | Corner Coupler | N/A | N/A | £5.00 |
| PRO-180D | Straight Coupler | N/A | N/A | £4.00 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO35SR-8AC | Extra Accessories Pack | N/A | N/A | £3.00 |
| PRO-SB | Extra Recessed Spring Brackets | N/A | N/A | £13.00 |



50x35 | Recessed LINEAR White

White RAL 9003 Finish
 Compatible with all foss LED Strips
 6063 Extruded High Strength Aluminium
 Available with an Opal Polycarbonate Diffuser
 Each Metre includes End Caps & Recessed Spring Brackets.
 LINEAR finish when combined with 60+ LEDs per metre Strips



| Product Code | Description | Diffuser | Length | RRP |
|---------------|--------------------------------|----------|---------|--------|
| PRO35SR-01 MO | White | Opal | 1 metre | £49.00 |
| PRO35SR-02 MO | White | Opal | 2 metre | £98.00 |
| PRO-90D | Corner Coupler | N/A | N/A | £5.00 |
| PRO-180D | Straight Coupler | N/A | N/A | £4.00 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO35SR-0AC | Extra Accessories Pack | N/A | N/A | £3.00 |
| PRO-SB | Extra Recessed Spring Brackets | N/A | N/A | £13.00 |



50x35 | Recessed LINEAR Black

Black RAL 9004 Finish


Compatible with all foss LED Strips

6063 Extruded High Strength Aluminium


Available with an Opal Polycarbonate Diffuser

Each Metre includes End Caps & Recessed Spring Brackets.

LINEAR finish when combined with 60+ LEDs per metre Strips



| Product Code | Description | Diffuser | Length | RRP |
|--------------|--------------------------------|----------|---------|--------|
| PRO35SR-11MO | Black | Opal | 1 metre | £49.00 |
| PRO35SR-12MO | Black | Opal | 2 metre | £98.00 |
| PRO-90D | Corner Coupler | N/A | N/A | £5.00 |
| PRO-180D | Straight Coupler | N/A | N/A | £4.00 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO35SR-AC | Extra Accessories Pack | N/A | N/A | £3.00 |
| PRO-SB | Extra Recessed Spring Brackets | N/A | N/A | £13.00 |



65x35 | Recessed LINEAR Alu

Anodised Aluminium Finish


Compatible with all foss LED Strips

6063 Extruded High Strength Aluminium


Available with an Opal Polycarbonate Diffuser

Each Metre includes End Caps & Recessed Spring Brackets.

LINEAR finish when combined with 60+ LEDs per metre Strips




| Product Code | Description | Diffuser | Length | RRP |
|--------------|--------------------------------|----------|---------|--------|
| PRO50SR-82MO | Aluminium | Opal | 2 metre | £94.40 |
| PRO-90D | Corner Coupler | N/A | N/A | £5.00 |
| PRO-180D | Straight Coupler | N/A | N/A | £4.00 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO50SR-8AC | Extra Accessories Pack | N/A | N/A | £3.00 |
| PRO-SB | Extra Recessed Spring Brackets | N/A | N/A | £13.00 |



65x35 | Recessed LINEAR White

White RAL 9003 Finish
 Compatible with all foss LED Strips
 6063 Extruded High Strength Aluminium
 Available with an Opal Polycarbonate Diffuser
 Each Metre includes End Caps & Recessed Spring Brackets.
 LINEAR finish when combined with 60+ LEDs per metre Strips




| Product Code | Description | Diffuser | Length | RRP |
|--------------|--------------------------------|----------|---------|---------|
| PRO50SR-02MO | White | Opal | 2 metre | £106.40 |
| PRO-90D | Corner Coupler | N/A | N/A | £5.00 |
| PRO-180D | Straight Coupler | N/A | N/A | £4.00 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO50SR-OAC | Extra Accessories Pack | N/A | N/A | £3.00 |
| PRO-SB | Extra Recessed Spring Brackets | N/A | N/A | £13.00 |



65x35 | Recessed LINEAR Black

Black RAL 9004 Finish
 Compatible with all foss LED Strips
 6063 Extruded High Strength Aluminium
 Available with an Opal Polycarbonate Diffuser
 Each Metre includes End Caps & Recessed Spring Brackets.
 LINEAR finish when combined with 60+ LEDs per metre Strips




| Product Code | Description | Diffuser | Length | RRP |
|--------------|--------------------------------|----------|---------|---------|
| PRO50SR-12MO | Black | Opal | 2 metre | £106.40 |
| PRO-90D | Corner Coupler | N/A | N/A | £5.00 |
| PRO-180D | Straight Coupler | N/A | N/A | £4.00 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO50SR-1AC | Extra Accessories Pack | N/A | N/A | £3.00 |
| PRO-SB | Extra Recessed Spring Brackets | N/A | N/A | £13.00 |



27x11 | Shallow Walkover Alu

Anodised Aluminium Finish
 6063 Extruded High Strength Aluminium
 Each Metre includes end cap Accessories
 Available with an Opal Polycarbonate Diffuser
 Compatible with all foss LED Strips apart from RGBW in IP65
 LINEAR finish when combined with 196+ LEDs per metre Strips




| Product Code | Description | Diffuser | Length | RRP |
|--------------|------------------------|----------|---------|--------|
| PRO9R-81 MO | Aluminium | Opal | 1 metre | £18.00 |
| PRO9R-82MO | Aluminium | Opal | 2 metre | £36.00 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO9R-8AC | Extra Accessories Pack | N/A | N/A | £2.00 |




22x26 | Deep Walkover Alu

Anodised Aluminium Finish
 6063 Extruded High Strength Aluminium
 Each Metre includes end cap Accessories
 Available with an Opal Polycarbonate Diffuser
 Compatible with all foss LED Strips apart from RGBW in IP65
 LINEAR finish when combined with 120+ LEDs per metre Strips





| Product Code | Description | Diffuser | Length | RRP |
|--------------|------------------------|----------|---------|--------|
| PRO11R-81 MO | Aluminium | Opal | 1 metre | £24.00 |
| PRO11R-82MO | Aluminium | Opal | 2 metre | £48.00 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO11R-8AC | Extra Accessories Pack | N/A | N/A | £2.00 |






52x13 | Plaster In Deep Narrow

Anodised Aluminium Finish
 6063 Extruded High Strength Aluminium
 Each Metre includes End Cap Accessories
 Available with an Opal Polycarbonate Diffuser
 Compatible with all foss LED Single Colour ECO Strips in IP20
 LINEAR finish when combined with 120+ LEDs per metre Strips




| Product Code | Description | Diffuser | Length | RRP |
|--------------|------------------------|----------|---------|--------|
| PRON2P-81 MO | Aluminium | Opal | 1 metre | £15.00 |
| PRON2P-82MO | Aluminium | Opal | 2 metre | £30.00 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRON2P-8AC | Extra Accessories Pack | N/A | N/A | £2.00 |




57x14 | Plaster In Deep

Anodised Aluminium Finish
 6063 Extruded High Strength Aluminium
 Each Metre includes End Cap Accessories
 Choice of Clear, Opal and Black Polycarbonate Diffusers
 Compatible with all foss LED Strips apart from RGBW in IP65.
 LINEAR finish when combined with 120+ LEDs per metre Strips




| Product Code | Description | Diffuser | Length | RRP |
|--------------|------------------------|----------|---------|--------|
| PRO2P-81 MC | Aluminium | Clear | 1 metre | £17.00 |
| PRO2P-82MC | Aluminium | Clear | 2 metre | £34.00 |
| PRO2P-81 MO | Aluminium | Opal | 1 metre | £17.00 |
| PRO2P-82MO | Aluminium | Opal | 2 metre | £34.00 |
| PRO2P-81 MB | Aluminium | Black | 1 metre | £19.40 |
| PRO2P-82MB | Aluminium | Black | 2 metre | £38.80 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO2P-8AC | Extra Accessories Pack | N/A | N/A | £2.00 |




63x20 | Plaster In Deep Double

- Anodised Aluminium Finish
- Compatible with all foss LED Strips
- 6063 Extruded High Strength Aluminium
- Each Metre includes End Cap Accessories
- Choice of Clear and Opal Polycarbonate Diffusers
- LINEAR finish when combined with 60+ LEDs per metre Strips




| Product Code | Description | Diffuser | Length | RRP |
|--------------|------------------------|----------|---------|--------|
| PRO3P-81 MC | Aluminium | Clear | 1 metre | £19.00 |
| PRO3P-82MC | Aluminium | Clear | 2 metre | £38.00 |
| PRO3P-81 MO | Aluminium | Opal | 1 metre | £19.00 |
| PRO3P-82MO | Aluminium | Opal | 2 metre | £38.00 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO3P-8AC | Extra Accessories Pack | N/A | N/A | £2.00 |




60x14 | Plaster In Double

- Anodised Aluminium Finish
- Compatible with all foss LED Strips
- 6063 Extruded High Strength Aluminium
- Each Metre includes End Cap Accessories
- Choice of Clear and Opal Polycarbonate Diffusers
- LINEAR finish when combined with 120+ LEDs per metre Strips




| Product Code | Description | Diffuser | Length | RRP |
|--------------|------------------------|----------|---------|--------|
| PRO5P-81 MC | Aluminium | Clear | 1 metre | £18.00 |
| PRO5P-82MC | Aluminium | Clear | 2 metre | £36.00 |
| PRO5P-81 MO | Aluminium | Opal | 1 metre | £18.00 |
| PRO5P-82MO | Aluminium | Opal | 2 metre | £36.00 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO5P-8AC | Extra Accessories Pack | N/A | N/A | £2.00 |




75x35 | Plaster In LINEAR

Anodised Aluminium Finish
 Compatible with all foss LED Strips
 6063 Extruded High Strength Aluminium
 Each Metre includes End Cap Accessories
 Available with an Opal Polycarbonate Diffuser
 LINEAR finish when combined with 60+ LEDs per metre Strips




| Product Code | Description | Diffuser | Length | RRP |
|--------------|------------------------|----------|---------|--------|
| PRO35P-81MO | Aluminium | Opal | 1 metre | £37.50 |
| PRO35P-82MO | Aluminium | Opal | 2 metre | £75.00 |
| PRO-90D | Corner Coupler | N/A | N/A | £5.00 |
| PRO-180D | Straight Coupler | N/A | N/A | £4.00 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO35P-8AC | Extra Accessories Pack | N/A | N/A | £2.00 |



32x13 | Plaster In Edge

Anodised Aluminium Finish
 6063 Extruded High Strength Aluminium
 Each Metre includes End Cap Accessories
 Available with an Opal Polycarbonate Diffuser
 Compatible with all foss LED Single Colour ECO Strips in IP20
 LINEAR finish when combined with 120+ LEDs per metre Strips




| Product Code | Description | Diffuser | Length | RRP |
|--------------|------------------------|----------|---------|--------|
| PRO13P-81MO | Aluminium | Opal | 1 metre | £16.80 |
| PRO13P-82MO | Aluminium | Opal | 2 metre | £33.60 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO13P-8AC | Extra Accessories Pack | N/A | N/A | £2.00 |





35x35 | Suspended LINEAR Alu

Anodised Aluminium Finish
 Compatible with all foss LED Strips
 6063 Extruded High Strength Aluminium
 Available with an Opal Polycarbonate Diffuser
 LINEAR finish when combined with 60+ LEDs per metre Strips
 Includes End Caps & 2m Adjustable Suspension Kit Accessories




| Product Code | Finish | Diffuser | Length | RRP |
|--------------|------------------------------------|----------|---------|--------|
| PRO35S-81MO | Aluminium | Opal | 1 metre | £39.00 |
| PRO35S-82MO | Aluminium | Opal | 2 metre | £78.00 |
| PRO-90D | Corner Coupler | N/A | N/A | £8.50 |
| PRO-180D | Straight Coupler | N/A | N/A | £6.00 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO35-8AC | Extra Accessories Pack | N/A | N/A | £3.00 |
| 2M-KIT | Extra 2m Adjustable Suspension Kit | N/A | N/A | £15.00 |
| 3M-KIT | Extra 3m Adjustable Suspension Kit | N/A | N/A | £18.00 |



35x35 | Suspended LINEAR White

White RAL 9003 Finish
 Compatible with all foss LED Strips
 6063 Extruded High Strength Aluminium
 Available with an Opal Polycarbonate Diffuser
 LINEAR finish when combined with 60+ LEDs per metre Strips
 Includes End Caps & 2m Adjustable Suspension Kit Accessories




| Product Code | Description | Diffuser | Length | RRP |
|--------------|------------------------------------|----------|---------|--------|
| PRO35S-01MO | White | Opal | 1 metre | £45.50 |
| PRO35S-02MO | White | Opal | 2 metre | £91.00 |
| PRO-90D | Corner Coupler | N/A | N/A | £5.00 |
| PRO-180D | Straight Coupler | N/A | N/A | £4.00 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO35-0AC | Extra Accessories Pack | N/A | N/A | £3.00 |
| 2M-KIT | Extra 2m Adjustable Suspension Kit | N/A | N/A | £15.00 |
| 3M-KIT | Extra 3m Adjustable Suspension Kit | N/A | N/A | £18.00 |



35x35 | Suspended LINEAR Black

Black RAL 9004 Finish
 Compatible with all foss LED Strips
 6063 Extruded High Strength Aluminium
 Available with an Opal Polycarbonate Diffuser
 LINEAR finish when combined with 60+ LEDs per metre Strips
 Includes End Caps & 2m Adjustable Suspension Kit Accessories




| Product Code | Finish | Diffuser | Length | RRP |
|--------------|------------------------------------|----------|---------|--------|
| PRO35S-11MO | Black | Opal | 1 metre | £45.50 |
| PRO35S-12MO | Black | Opal | 2 metre | £91.00 |
| PRO-90D | Corner Coupler | N/A | N/A | £5.00 |
| PRO-180D | Straight Coupler | N/A | N/A | £4.00 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO35-1AC | Extra Accessories Pack | N/A | N/A | £3.00 |
| 2M-KIT | Extra 2m Adjustable Suspension Kit | N/A | N/A | £15.00 |
| 3M-KIT | Extra 3m Adjustable Suspension Kit | N/A | N/A | £18.00 |



50x75 | Suspended LINEAR Alu

Anodised Aluminium Finish
 Compatible with all foss LED Strips
 6063 Extruded High Strength Aluminium
 Available with an Opal Polycarbonate Diffuser
 Drop Down Gear Tray & Internal Driver options
 LINEAR finish when combined with 60+ LEDs per metre Strips
 Includes End Caps & 2m Adjustable Suspension Kit Accessories




| Product Code | Description | Diffuser | Length | RRP |
|--------------|------------------------------------|----------|-----------|---------|
| PRO50S-82MO | Aluminium | Opal | 2 metre | £122.40 |
| PRO50S-825MO | Aluminium | Opal | 2.5 metre | £153.00 |
| PRO-90D-XL | Corner Coupler | N/A | N/A | £8.50 |
| PRO-180D-XL | Straight Coupler | N/A | N/A | £6.00 |
| ALU-CUT2 | Custom Cut Length | N/A | N/A | £9.20 |
| PRO50-8AC | Extra Accessories Pack | N/A | N/A | £5.00 |
| 2M-KIT | Extra 2m Adjustable Suspension Kit | N/A | N/A | £15.00 |
| 3M-KIT | Extra 3m Adjustable Suspension Kit | N/A | N/A | £18.00 |



50x75 | Suspended LINEAR White

White RAL 9003 Finish
 Compatible with all foss LED Strips
 6063 Extruded High Strength Aluminium
 Available with an Opal Polycarbonate Diffuser
 Drop Down Gear Tray & Internal Driver options
 LINEAR finish when combined with 60+ LEDs per metre Strips
 Includes End Caps & 2m Adjustable Suspension Kit Accessories




| Product Code | Description | Diffuser | Length | RRP |
|--------------|------------------------------------|----------|-----------|---------|
| PRO50S-02MO | White | Opal | 2 metre | £142.40 |
| PRO50S-025MO | White | Opal | 2.5 metre | £178.00 |
| PRO-90D-XL | Corner Coupler | N/A | N/A | £8.50 |
| PRO-180D-XL | Straight Coupler | N/A | N/A | £6.00 |
| ALU-CUT2 | Custom Cut Length | N/A | N/A | £9.20 |
| PRO50-0AC | Extra Accessories Pack | N/A | N/A | £5.00 |
| 2M-KIT | Extra 2m Adjustable Suspension Kit | N/A | N/A | £15.00 |
| 3M-KIT | Extra 3m Adjustable Suspension Kit | N/A | N/A | £18.00 |




50x75 | Suspended LINEAR Black

Black RAL 9004 Finish
 Compatible with all foss LED Strips
 6063 Extruded High Strength Aluminium
 Available with an Opal Polycarbonate Diffuser
 Drop Down Gear Tray & Internal Driver options
 LINEAR finish when combined with 60+ LEDs per metre Strips
 Includes End Caps & 2m Adjustable Suspension Kit Accessories




| Product Code | Description | Diffuser | Length | RRP |
|--------------|------------------------------------|----------|-----------|---------|
| PRO50S-12MO | Black | Opal | 2 metre | £142.40 |
| PRO50S-125MO | Black | Opal | 2.5 metre | £178.00 |
| PRO-90D-XL | Corner Coupler | N/A | N/A | £8.50 |
| PRO-180D-XL | Straight Coupler | N/A | N/A | £6.00 |
| ALU-CUT2 | Custom Cut Length | N/A | N/A | £9.20 |
| PRO50-1AC | Extra Accessories Pack | N/A | N/A | £5.00 |
| 2M-KIT | Extra 2m Adjustable Suspension Kit | N/A | N/A | £15.00 |
| 3M-KIT | Extra 3m Adjustable Suspension Kit | N/A | N/A | £18.00 |






49x17 | Wall Up & Down Alu

Anodised Aluminium Finish
 6063 Extruded High Strength Aluminium
 Choice of Clear and Opal Polycarbonate Diffusers
 Each Metre includes End Caps & Mounting Accessories
 Compatible with all foss LED Strips apart from RGBW in IP65.




| Product Code | Finish | Diffuser | Length | RRP |
|--------------|------------------------|----------|---------|--------|
| PRO10-81 MC | Aluminium | Clear | 1 metre | £19.00 |
| PRO10-82MC | Aluminium | Clear | 2 metre | £38.00 |
| PRO10-81 MO | Aluminium | Opal | 1 metre | £19.00 |
| PRO10-82MO | Aluminium | Opal | 2 metre | £38.00 |
| ALU-CUT2 | Custom Cut Length | N/A | N/A | £9.20 |
| PRO10-8AC | Extra Accessories Pack | N/A | N/A | £5.00 |




49x17 | Wall Up & Down White

White RAL 9003 Finish
 6063 Extruded High Strength Aluminium
 Choice of Clear and Opal Polycarbonate Diffusers
 Each Metre includes End Caps & Mounting Accessories
 Compatible with all foss LED Strips apart from RGBW in IP65.




| Product Code | Finish | Diffuser | Length | RRP |
|--------------|------------------------|----------|---------|--------|
| PRO10-01 MC | White | Clear | 1 metre | £23.00 |
| PRO10-02MC | White | Clear | 2 metre | £46.00 |
| PRO10-01 MO | White | Opal | 1 metre | £23.00 |
| PRO10-02MO | White | Opal | 2 metre | £46.00 |
| ALU-CUT2 | Custom Cut Length | N/A | N/A | £9.20 |
| PRO10-0AC | Extra Accessories Pack | N/A | N/A | £5.00 |




49x17 | Wall Up & Down Black

Black RAL 9004 Finish
 6063 Extruded High Strength Aluminium
 Choice of Clear and Opal Polycarbonate Diffusers
 Each Metre includes End Caps & Mounting Accessories
 Compatible with all foss LED Strips apart from RGBW in IP65.




| Product Code | Finish | Diffuser | Length | RRP |
|--------------|------------------------|----------|---------|--------|
| PRO10-11MC | Black | Clear | 1 metre | £23.00 |
| PRO10-12MC | Black | Clear | 2 metre | £46.00 |
| PRO10-11MO | Black | Opal | 1 metre | £23.00 |
| PRO10-12MO | Black | Opal | 2 metre | £46.00 |
| ALU-CUT2 | Custom Cut Length | N/A | N/A | £9.20 |
| PRO10-1AC | Extra Accessories Pack | N/A | N/A | £5.00 |




42x16 | Wall Cove Alu

Anodised Aluminium Finish
 6063 Extruded High Strength Aluminium
 Choice of Clear and Opal Poly Carbonate Diffusers
 Each Metre includes End Caps & Mounting Accessories
 Compatible with all foss LED Strips apart from RGBW in IP65.




| Product Code | Description | Diffuser | Length | RRP |
|--------------|------------------------|----------|---------|--------|
| PRO12-81MC | Aluminium | Clear | 1 metre | £16.80 |
| PRO12-82MC | Aluminium | Clear | 2 metre | £33.60 |
| PRO12-81MO | Aluminium | Opal | 1 metre | £16.80 |
| PRO12-82MO | Aluminium | Opal | 2 metre | £33.60 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO12-8AC | Extra Accessories Pack | N/A | N/A | £5.00 |



42x16 | Wall Cove White

White RAL 9003 Finish
 6063 Extruded High Strength Aluminium
 Choice of Clear and Opal Polycarbonate Diffusers
 Each Metre includes End Caps & Mounting Accessories
 Compatible with all foss LED Strips apart from RGBW in IP65.




| Product Code | Description | Diffuser | Length | RRP |
|--------------|------------------------|----------|---------|--------|
| PRO 12-01 MC | Aluminium | Clear | 1 metre | £20.00 |
| PRO 12-02 MC | Aluminium | Clear | 2 metre | £40.00 |
| PRO 12-01 MO | Aluminium | Opal | 1 metre | £20.00 |
| PRO 12-02 MO | Aluminium | Opal | 2 metre | £40.00 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO 12-0AC | Extra Accessories Pack | N/A | N/A | £5.00 |



42x16 | Wall Cove Black

Black RAL 9004 Finish
 6063 Extruded High Strength Aluminium
 Choice of Clear and Opal Polycarbonate Diffusers
 Each Metre includes End Caps & Mounting Accessories
 Compatible with all foss LED Strips apart from RGBW in IP65.



| Product Code | Description | Diffuser | Length | RRP |
|--------------|------------------------|----------|---------|--------|
| PRO 12-11 MC | Black | Clear | 1 metre | £20.00 |
| PRO 12-12 MC | Black | Clear | 2 metre | £40.00 |
| PRO 12-11 MO | Black | Opal | 1 metre | £20.00 |
| PRO 12-12 MO | Black | Opal | 2 metre | £40.00 |
| ALU-CUT1 | Custom Cut Length | N/A | N/A | £5.25 |
| PRO 12-1AC | Extra Accessories Pack | N/A | N/A | £5.00 |

LED DRIVER | SERIES

At fossLED we offer a vast number of different driver options and protocols to suit a host of different application types.

Our standard non dimmable drivers range from 10 - 600w offering users extra choice in finding the right driver to suit installation parameters; facilitating cost savings and high power capabilities.

Choose from a series of different integrated dimming protocols such as Mains/Triac and DALI dim, as well as housing types including our new special integrated LINEAR drivers for use with drop down gear tray aluminium housings.





NON DIMMABLE 10-60W

10W Non Dimmable.....117
 12W Non Dimmable.....117
 20W Non Dimmable.....117
 30W Non Dimmable.....118
 45W Non Dimmable.....118
 60W Non Dimmable.....118



NON DIMMABLE 100-600W

100W Non Dimmable.....119
 150W Non Dimmable.....119
 200W Non Dimmable.....119
 240W Non Dimmable.....120
 320W Non Dimmable.....120
 600W Non Dimmable.....120



MAINS DIMMABLE

25W Mains Dimmable.....121
 40W Mains Dimmable.....121
 50W Mains Dimmable.....121
 75W Mains Dimmable.....122
 100W Mains Dimmable.....122
 150W Mains Dimmable.....122
 200W Mains Dimmable.....123
 300W Mains Dimmable.....123



DALI DIMMABLE

75W DALI Dimmable.....123
 100W DALI Dimmable.....124
 150W DALI Dimmable.....124
 240W DALI Dimmable.....124



SLIM NON DIMMABLE

SLIM Standard 60W.....125
 SLIM Standard 100W.....125
 SLIM Standard 150W.....125



SLIM MAINS DIMMABLE

SLIM Mains Dimmable 30W.....126
 SLIM Mains Dimmable 60W.....126
 SLIM Mains Dimmable 100W.....126



SLIM DALI DIMMABLE

SLIM DALI 2 Dimmable 30W.....127
 SLIM DALI 2 Dimmable 60W.....127
 SLIM DALI 2 Dimmable 100W.....127
 SLIM DALI 2 Dimmable 150W.....128



10W | 24V Non Dimmable Constant Voltage

| | | |
|------------|---------------------|------------|
| Output | Output Power | 10W |
| | Voltage | 24V |
| | Rated Current | 0.42A |
| Input | Input Voltage Range | 170 - 265V |
| | AC Frequency | 47 - 63 Hz |
| | Power Factor | >0.55 |
| | Efficiency | >85% |
| | AC Current | 0.08A |
| Dimensions | L48mm H24mm Ø56mm | |



Product Code: LEDD-IP1024
RRP: £11.20



12W | 24V Non Dimmable Constant Voltage

| | | |
|------------|---------------------|------------|
| Output | Output Power | 12W |
| | Voltage | 24V |
| | Rated Current | 0.5A |
| Input | Input Voltage Range | 170 - 265V |
| | AC Frequency | 50 - 60 Hz |
| | Power Factor | >0.55 |
| | Efficiency | >81% |
| | AC Current | 0.1A |
| Dimensions | L60mm W30mm H20mm | |



Product Code: LEDD-IP1224
RRP: £11.50



20W | 24V Non Dimmable Constant Voltage

| | | |
|------------|---------------------|------------|
| Output | Output Power | 20W |
| | Voltage | 24V |
| | Rated Current | 0.83A |
| Input | Input Voltage Range | 170 - 265V |
| | AC Frequency | 47 - 63 Hz |
| | Power Factor | >0.55 |
| | Efficiency | >83% |
| | AC Current | 0.18A |
| Dimensions | L148mm W30mm H20mm | |



Product Code: LEDD-IP2024
RRP: £14.50



30W | 24V Non Dimmable Constant Voltage

| | | |
|------------|---------------------|------------|
| Output | Output Power | 30W |
| | Voltage | 24V |
| | Rated Current | 1.25A |
| Input | Input Voltage Range | 170 - 265V |
| | AC Frequency | 47 - 63 Hz |
| | Power Factor | >0.55 |
| | Efficiency | >83% |
| | AC Current | 0.25A |
| Dimensions | L148mm W30mm H20mm | |



Product Code: LEDD-IP3024
RRP: £20.00



45W | 24V Non Dimmable Constant Voltage

| | | |
|------------|---------------------|------------|
| Output | Output Power | 45W |
| | Voltage | 24V |
| | Rated Current | 1.88A |
| Input | Input Voltage Range | 170 - 265V |
| | AC Frequency | 47 - 63 Hz |
| | Power Factor | >0.55 |
| | Efficiency | >83% |
| | AC Current | 0.35A |
| Dimensions | L167mm W30mm H20mm | |



Product Code: LEDD-IP4524
RRP: £33.50



60W | 24V Non Dimmable Constant Voltage

| | | |
|------------|---------------------|-------------|
| Output | Output Power | 60W |
| | Voltage | 24V |
| | Rated Current | 2.5A |
| Input | Input Voltage Range | 90 - 264VAC |
| | AC Frequency | 47 - 63 Hz |
| | Efficiency | >86% |
| | AC Current | 1A/230VAC |
| | Inrush Current | 60A |
| Dimensions | L162mm W42mm H30mm | |



Product Code: LPV-60-24
RRP: £37.50



100W | 24V Non Dimmable Constant Voltage

| | | |
|------------|---------------------|-------------|
| Output | Output Power | 100W |
| | Voltage | 24V |
| | Rated Current | 4.2A |
| Input | Input Voltage Range | 90 - 264VAC |
| | AC Frequency | 47 - 63 Hz |
| | Efficiency | >88% |
| | AC Current | 2.2A/230VAC |
| | Inrush Current | 75A |
| Dimensions | L190mm W52mm H37mm | |



Product Code: LPV-100-24
RRP: £63.50



150W | 24V Non Dimmable Constant Voltage

| | | |
|------------|----------------------|--------------|
| Output | Output Power | 150W |
| | Voltage | 24V |
| | Rated Current | 6.3A |
| Input | Input Voltage Range | 180 - 350VAC |
| | AC Frequency | 47 - 63 Hz |
| | Efficiency | >89% |
| | AC Current | 1.7A/230VAC |
| | Inrush Current | 60A |
| Dimensions | L191mm W63mm H37.5mm | |



Product Code: LPV-150-24
RRP: £79.50



200W | 24V Non Dimmable Constant Voltage

| | | |
|------------|----------------------|--------------|
| Output | Output Power | 200W |
| | Voltage | 24V |
| | Rated Current | 8.4A |
| Input | Input Voltage Range | 100 - 350VAC |
| | AC Frequency | 47 - 63 Hz |
| | Efficiency | >92% |
| | AC Current | 1.2A/230VAC |
| | Inrush Current | 60A |
| Dimensions | L244mm W71mm H37.5mm | |



Product Code: ELG-200-24A-3Y
RRP: £133.00



240W | 24V Non Dimmable Constant Voltage

| | | |
|------------|----------------------|--------------|
| Output | Output Power | 240W |
| | Voltage | 24V |
| | Rated Current | 10A |
| Input | Input Voltage Range | 100 - 350VAC |
| | AC Frequency | 47 - 63 Hz |
| | Efficiency | >92% |
| | AC Current | 1.5A/230VAC |
| | Inrush Current | 60A |
| Dimensions | L244mm W71mm H37.5mm | |

IP67 DC 24V 5 EXT

Product Code: ELG-240-24A-3Y
RRP: £140.80



320W | 24V Non Dimmable Constant Voltage

| | | |
|------------|----------------------|---------------|
| Output | Output Power | 320W |
| | Voltage | 24V |
| | Rated Current | 13.34A |
| Input | Input Voltage Range | 90 - 305VAC |
| | AC Frequency | 47 - 63 Hz |
| | Efficiency | >94% |
| | AC Current | 1.65A/ 230VAC |
| | Inrush Current | 70A |
| Dimensions | L252mm W90mm H43.8mm | |

IP67 DC 24V 7 EXT

Product Code: HLG-320H-24A
RRP: £206.00



600W | 24V Non Dimmable Constant Voltage

| | | |
|------------|------------------------|-------------|
| Output | Output Power | 600W |
| | Voltage | 24V |
| | Rated Current | 25A |
| Input | Input Voltage Range | 90 - 305VAC |
| | AC Frequency | 47 - 63 Hz |
| | Efficiency | >95% |
| | AC Current | 3.3A/230VAC |
| | Inrush Current | 70A |
| Dimensions | L280mm W144mm H48.50mm | |

IP67 DC 24V 7 EXT

Product Code: HLG-600H-24A
RRP: £436.90



25W | 24V Mains Dim Constant Voltage

| | | |
|------------|---------------------|--------------|
| Output | Output Power | 25W |
| | Voltage | 24V |
| | Rated Current | 1.04A |
| Input | Input Voltage Range | 180 - 240VAC |
| | AC Frequency | 47-63Hz |
| | Efficiency | >84% |
| | Capacity | 5 - 100% |
| | AC Current | 0.21A |
| Dimensions | L155mm W54mm H20mm | |



Product Code: DIMD-2524
RRP: £46.00



40W | 24V Mains Dim Constant Voltage

| | | |
|------------|----------------------|--------------|
| Output | Output Power | 40W |
| | Voltage | 24V |
| | Rated Current | 1.6A |
| Input | Input Voltage Range | 200 - 240VAC |
| | AC Frequency | 50-60Hz |
| | Efficiency | >87% |
| | Dimming Capacity | 5 - 100% |
| | AC Current | 0.5A |
| Dimensions | L137mm W81.5mm H31mm | |



Product Code: DIMD-4024
RRP: £55.30



50W | 24V Mains Dim Constant Voltage

| | | |
|------------|---------------------|--------------|
| Output | Output Power | 50W |
| | Voltage | 24VDC |
| | Rated Current | 2.08 |
| Input | Input Voltage Range | 180 - 240VAC |
| | AC Frequency | 47 - 63Hz |
| | Efficiency | >84% |
| | Dimming Capacity | 5 - 100% |
| | AC Current | 0.41A |
| Dimensions | L178mm W61mm H24mm | |



Product Code: DIMD-5024
RRP: £68.00



75W | 24V Mains Dim Constant Voltage

| | | |
|------------|-----------------------|--------------|
| Output | Output Power | 75W |
| | Voltage | 24V |
| | Rated Current | 3.1A |
| Input | Input Voltage Range | 220 - 240VAC |
| | AC Frequency | 50-60 Hz |
| | Efficiency | >86% |
| | Dimming Capacity | 5% - 100% |
| | AC Current | 0.5A |
| Dimensions | L212.50mm W54mm H36mm | |



Product Code: DIMD-7524
RRP: £97.50



100W | 24V Mains Dim Constant Voltage

| | | |
|------------|---------------------|--------------|
| Output | Output Power | 100W |
| | Voltage | 24V |
| | Rated Current | 4.17A |
| Input | Input Voltage Range | 180 - 264VAC |
| | AC Frequency | 47-63Hz |
| | Efficiency | >83% |
| | Dimming Capacity | 5 - 100% |
| | AC Current | 1.05A |
| Dimensions | L230mm W70mm H43mm | |



Product Code: DIMD-IP10024
RRP: £116.50



150W | 24V Mains Dim Constant Voltage

| | | |
|------------|---------------------|--------------|
| Output | Output Power | 150W |
| | Voltage | 24VDC |
| | Rated Current | 6.25A |
| Input | Input Voltage Range | 180 - 264VAC |
| | AC Frequency | 47-63Hz |
| | Efficiency | >86% |
| | Dimming Capacity | 5 - 100% |
| | AC Current | 1.51A |
| Dimensions | L256mm W78mm H47mm | |



Product Code: DIMD-IP15024
RRP: £153.50



200W | 24V Mains Dim Constant Voltage

| | | |
|------------|---------------------|--------------|
| Output | Output Power | 200W |
| | Voltage | 24V |
| | Rated Current | 8.33A |
| Input | Input Voltage Range | 200 - 240VAC |
| | AC Frequency | 47-63Hz |
| | Efficiency | >87% |
| | Dimming Capacity | 5 - 100% |
| | AC Current | 1.99A |
| Dimensions | L256mm W78mm H47mm | |



Product Code: DIMD-IP20024
RRP: £176.50



300W | 24V Mains Dim Constant Voltage

| | | |
|------------|---------------------|--------------|
| Output | Output Power | 300W |
| | Voltage | 24VDC |
| | Rated Current | 12.5A |
| Input | Input Voltage Range | 200 - 240VAC |
| | AC Frequency | 47-63Hz |
| | Efficiency | >89% |
| | Dimming Capacity | 5 - 100% |
| | AC Current | 2.0A |
| Dimensions | L276mm W78mm H47mm | |



Product Code: DIMD-IP30024
RRP: £235.00



75W | 24V DALI Dim Constant Voltage

| | | |
|------------|----------------------|--------------|
| Output | Output Power | 75W |
| | Voltage | 24V |
| | Rated Current | 3.15A |
| Input | Input Voltage Range | 100 - 305VAC |
| | AC Frequency | 47-63Hz |
| | Efficiency | >88% |
| | Dimming Capacity | 5% - 100% |
| | AC Current | 0.45/230VAC |
| Dimensions | L180mm W63mm H35.5mm | |



Product Code: ELG-75-24DA-3Y
RRP: £87.50



100W | 24V DALI Dim Constant Voltage

| | | |
|------------|----------------------|--------------|
| Output | Output Power | 100W |
| | Voltage | 24V |
| | Rated Current | 4.0A |
| Input | Input Voltage Range | 100 - 305VAC |
| | AC Frequency | 47-63Hz |
| | Efficiency | >88% |
| | Dimming Capacity | 5 - 100% |
| | AC Current | 0.6A |
| Dimensions | L199mm W63mm H35.5mm | |



Product Code: ELG-100-24DA-3Y
RRP: £100.90



150W | 24V DALI Dim Constant Voltage

| | | |
|------------|----------------------|--------------|
| Output | Output Power | 150W |
| | Voltage | 24VDC |
| | Rated Current | 5.6A |
| Input | Input Voltage Range | 100 - 305VAC |
| | AC Frequency | 47-63Hz |
| | Efficiency | >89% |
| | Dimming Capacity | 5 - 100% |
| | AC Current | 0.9A |
| Dimensions | L219mm W63mm H35.5mm | |



Product Code: ELG-150-24DA-3Y
RRP: £104.50




240W | 24V DALI Dim Constant Voltage

| | | |
|------------|----------------------|--------------|
| Output | Output Power | 240W |
| | Voltage | 24V |
| | Rated Current | 10A |
| Input | Input Voltage Range | 100 - 305VAC |
| | AC Frequency | 47-63Hz |
| | Efficiency | >92% |
| | Dimming Capacity | 5 - 100% |
| | AC Current | 1.5A |
| Dimensions | L244mm W71mm H37.5mm | |



Product Code: ELG-240-24DA-3Y
RRP: £150.00



60W | 24V SLIM Non Dim Constant Voltage

| | | |
|--------------|---------------------|--------------|
| Output | Output Power | 60W |
| | Voltage | 24V |
| | Rated Current | 2.5A |
| Input | Input Voltage Range | 176 - 264VAC |
| | AC Frequency | 50 - 60Hz |
| | Efficiency | >88% |
| | AC Current | 0.35A |
| Product Code | L300mm W30mm H16mm | |



Product Code: LEDDL-6024
RRP: £45.00



100W | 24V SLIM Non Dim Constant Voltage

| | | |
|------------|---------------------|--------------|
| Output | Output Power | 100W |
| | Voltage | 24VDC |
| | Rated Current | 4.2A |
| Input | Input Voltage Range | 176 - 264VAC |
| | AC Frequency | 50 - 60Hz |
| | Efficiency | >93% |
| | AC Current | 0.55A |
| Dimensions | L350mm W30mm H18mm | |



Product Code: LEDDL-10024
RRP: £60.00



150W | 24V SLIM Non Dim Constant Voltage

| | | |
|------------|---------------------|--------------|
| Output | Output Power | 150W |
| | Voltage | 24V |
| | Rated Current | 6.25A |
| Input | Input Voltage Range | 176 - 264VAC |
| | AC Frequency | 50 - 60Hz |
| | Efficiency | >93% |
| | AC Current | 0.85A |
| Dimensions | L350mm W30mm H18mm | |



Product Code: LEDDL-15024
RRP: £75.00



30W | 24V SLIM Mains Dim Constant Voltage

| | | |
|------------|----------------------|--------------|
| Output | Output Power | 30W |
| | Voltage | 24VDC |
| | Rated Current | 1.25A |
| Input | Input Voltage Range | 200 - 240VAC |
| | AC Frequency | 47 - 63Hz |
| | Efficiency | >79% |
| | Dimming Capacity | 5 - 100% |
| | AC Current | 0.20A |
| Dimensions | L260mm W30mm H18.5mm | |



Product Code: DIMDLT-3024
RRP: £72.00



60W | 24V SLIM Mains Dim Constant Voltage

| | | |
|------------|-----------------------|--------------|
| Output | Output Power | 60W |
| | Voltage | 24VDC |
| | Rated Current | 2.5A |
| Input | Input Voltage Range | 200 - 240VAC |
| | AC Frequency | 47 - 63Hz |
| | Efficiency | >85% |
| | Dimming Capacity | 5 - 100% |
| | AC Current | 0.37A |
| Dimensions | L300mm W30mm H18.50mm | |



Product Code: DIMDLT-6024
RRP: £108.00



100W | 24V SLIM Mains Dim Constant Voltage

| | | |
|--------------|---------------------|--------------|
| Output | Output Power | 100W |
| | Voltage | 24V |
| | Rated Current | 4.17A |
| Input | Input Voltage Range | 200 - 240VAC |
| | AC Frequency | 47 - 63Hz |
| | Efficiency | >88% |
| | Dimming Capacity | 5 - 100% |
| | AC Current | 0.59A |
| Product Code | L330mm W30mm H22mm | |



Product Code: DIMDLT-10024
RRP: £165.00



30W | 24V SLIM DALI 2 Dim Constant Voltage

| | | |
|--------------|---------------------|--------------|
| Output | Output Power | 30W |
| | Voltage | 24V |
| | Rated Current | 1.25A |
| Input | Input Voltage Range | 176 - 264VAC |
| | AC Frequency | 50 - 60Hz |
| | Efficiency | 83% |
| | Dimming Capacity | 5 - 100% |
| | AC Current | 0.18A |
| Product Code | L230mm W30mm H21mm | |



Product Code: DIMDLDA2-3024
RRP: £65.00



60W | 24V SLIM DALI 2 Dim Constant Voltage

| | | |
|------------|---------------------|--------------|
| Output | Output Power | 60W |
| | Voltage | 24VDC |
| | Rated Current | 2.5A |
| Input | Input Voltage Range | 176 - 264VAC |
| | AC Frequency | 50 - 60Hz |
| | Efficiency | >87% |
| | Dimming Capacity | 5 - 100% |
| | AC Current | 0.35A |
| Dimensions | L250mm W30mm H21mm | |



Product Code: DIMDLDA2-6024
RRP: £75.00



100W | 24V SLIM DALI 2 Dim Constant Voltage

| | | |
|------------|---------------------|--------------|
| Output | Output Power | 100W |
| | Voltage | 24V |
| | Rated Current | 4.2A |
| Input | Input Voltage Range | 100 - 305VAC |
| | AC Frequency | 50 - 60Hz |
| | Efficiency | >92% |
| | Dimming Capacity | 5% - 100% |
| | AC Current | 0.55A |
| Dimensions | L360mm W30mm H21mm | |



Product Code: DIMDLDA2-10024
RRP: £110.00

CONTROL GEAR | SERIES

At fossLED we offer a comprehensive range of dimmers, controllers and decoders to help integrate lighting into your chosen environment. Our controller units are available in Single colour dimming, Tuneable White, RGB, RGBW & RGB + CCT Series, which are then offered in hand held remote and Wall mounted editions.

All fossLED controllers and receivers are compatible with one another, integrate any number of controllers to existing fossLED receivers, for IOS & Android integration simply just add our Wifi hub to your existing set up.

For lighting system integration we offer decoders in 0-10v, DALI, DMX and our new TRIAC decoders for mains dimming systems. For further technical information on this range please view our data sheets online or consult a member of our team.





SINGLE COLOUR CONTROLLERS

| | |
|--------------------------------|-----|
| 1 Zone Slider Dimmer..... | 131 |
| 1 Zone Desk Rotary Dimmer..... | 131 |
| 1 Zone Wall Rotary Dimmer..... | 132 |
| 1 Zone Wall Touch Dimmer..... | 132 |
| 4 Zone Button Dimmer..... | 133 |
| 4 Zone Wall Touch Dimmer..... | 133 |



TUNEABLE WHITE CONTROLLERS

| | |
|---------------------------------------|-----|
| 1 Zone Tuneable White Slider..... | 134 |
| 1 Zone Tuneable White Wall Touch..... | 134 |
| 4 Zone Tuneable White Halo..... | 135 |
| 4 Zone Tuneable White Wall Touch..... | 135 |



RGB CONTROLLERS

| | |
|-----------------------------|-----|
| 1 Zone RGB Slider..... | 136 |
| 1 Zone RGB Desk Rotary..... | 136 |




RGBW CONTROLLERS

| | |
|-----------------------------|-----|
| 1 Zone RGBW Halo..... | 137 |
| 4 Zone RGBW Halo..... | 137 |
| 8 Zone RGBW Halo..... | 138 |
| 4 Zone RGBW Wall Touch..... | 138 |



RGB + CCT CONTROLLERS

| | |
|----------------------------------|-----|
| 4 Zone RGB + CCT Halo..... | 139 |
| 4 Zone RGB + CCT Wall Touch..... | 139 |




SMART CONTROL

| | |
|-----------------------|-----|
| WIFI Light Smart..... | 140 |
|-----------------------|-----|



RECEIVERS & DECODERS

| | |
|-------------------------------|-----|
| DMX Decoder..... | 141 |
| DMX Amplifier..... | 141 |
| Power Repeater..... | 141 |
| Mains Dim/ TRIAC Decoder..... | 142 |
| 0-10V Decoder..... | 142 |
| DALI Decoder..... | 142 |



1 | Zone Slider Dimmer

For use with all Single Colour LED Strips and compatible with Foss FLDC1S Receivers

Sensitive brightness adjustment touch slider

Remote distance of up to 30m within Free Range (Without obstacles)

Magnetic wall stand & 3M tape Included

LED light indicator on the controller

Pair with one or multiple receivers

Battery powered (1 x CR2032)



| Product Code | Product Description | Product Dimensions | RRP |
|--------------|----------------------------|--------------------|--------|
| FLCT1S | Single Zone Dimming Slider | L139mm W36mm H11mm | £28.00 |
| FLDC1S | Single Colour RF Receiver | L97mm W33mm H18mm | £23.50 |
| FLDC5Z-WIFI | WIFI RF Receiver | L114mm W38mm H20mm | £60.00 |



1 | Zone Desk Rotary Dimmer

For use with all Single Colour LED Strips and compatible with Foss FLDC1S Receivers

Sensitive brightness adjustment rotary knob


Remote distance of up to 30m within Free Range (Without obstacles)

Pair with one or multiple receivers

Battery powered (1 x CR2032)



| Product Code | Product Description | Product Dimensions | RRP |
|--------------|--------------------------------|--------------------|--------|
| FLCTD1S | Single Zone Desk Rotary Dimmer | L91mm W72mm H57mm | £65.00 |
| FLDC1S | Single Colour RF Receiver | L97mm W33mm H18mm | £23.50 |
| FLDC5Z-WIFI | WIFI RF Receiver | L114mm W38mm H20mm | £60.00 |



1 | Zone Wall Rotary Dimmer

This Rotary combo dimmer works in both RF and DMX; Compatible with DMX512 (FLDC4Y-DMX) and RF (FLDC1S) receivers.

Fits directly into a standard light switch back box

Remote distance of up to 30m within Free Range (Without obstacles)


Brightness adjustment rotary knob

Pair with one or multiple receivers

Input Voltage: 110-240VDC (Mains direct Input)



| Product Code | Product Description | Product Dimensions | RRP |
|--------------|--------------------------------|---------------------|--------|
| FLWPR1S | Single Zone Wall Rotary Dimmer | L86mm W86mm H35mm | £78.50 |
| FLDC1S | Single Colour RF Receiver | L97mm W33mm H18mm | £23.50 |
| FLD4PR | Power Repeater | L175mm W45mm H27mm | £40.00 |
| FLDC4Y-DMX | DMX 4 in 1 Multi Decoder | L170mm W50mm H23mm | £76.00 |
| FLDA-DMX | DMX Signal Amplifier | L110mm W48mm H67 mm | £80.00 |
| FLDC5Z-WIFI | WIFI RF Receiver | L114mm W38mm H20mm | £60.00 |



1 | Zone Wall Touch Dimmer

For use with all Single Colour LED Strips and compatible with Foss FLDC1S Receivers.

Sensitive brightness adjustment touch slider

Fits directly into a standard light switch back box

Remote distance of up to 30m within Free Range (Without obstacles)

Pair with one or multiple receivers

Input Voltage: 12 - 24VDC



| Product Code | Product Description | Product Dimensions | RRP |
|--------------|-----------------------------------|--------------------|--------|
| FLWP1S | Single Zone Touch Dim Wall Slider | L86mm W86mm H35mm | £60.00 |
| FLDC1S | Single Colour RF Receiver | L97mm W33mm H18mm | £23.50 |
| FLDC5Z-WIFI | WIFI RF Receiver | L114mm W38mm H20mm | £60.00 |



4 | Zone Button Dimmer

For use with all Single Colour LED Strips and compatible with Foss FLDC1S Receivers.

Individual Zone push button dimming control.

Remote distance of up to 30m within Free Range (Without obstacles)


Pair each zone with one or multiple receivers

LED light indicator on the controller

Battery powered (1 x CR2032)



| Product Code | Product Description | Product Dimensions | RRP |
|--------------|---------------------------|----------------------|--------|
| FLCT4BS | 4 Zone Button Dimmer | L135mm W40 mm H11 mm | £25.00 |
| FLDC1S | Single Colour RF Receiver | L97mm W33mm H18mm | £23.50 |
| FLDC5Z-WIFI | WIFI RF Receiver | L114mm W38mm H20mm | £60.00 |



4 | Zone Wall Touch Dimmer

This 4 Zone combo touch panel works in both RF and DMX; Compatible with DMX512 (FLDC4Y-DMX) and RF (FLDC1S) receivers.

Individual Zone touch button dimming control

Set and save up to 3 Scene modes

Remote distance of up to 30m within Free Range (Without obstacles)

Pair each zone with one or multiple receivers

Input Voltage: 110-240VDC (Mains direct Input)



| Product Code | Product Description | Product Dimensions | RRP |
|--------------|------------------------------|---------------------|--------|
| FLWP4S | 4 Zone Touch Dim Wall Slider | L86mm W86mm H35mm | £78.50 |
| FLDC1S | Single Colour RF Receiver | L97mm W33mm H18mm | £23.50 |
| FLD4PR | Power Repeater | L175mm W45mm H27mm | £40.00 |
| FLDC4Y-DMX | DMX 4 in 1 Multi Decoder | L170mm W50mm H23mm | £76.00 |
| FLDA-DMX | DMX Signal Amplifier | L110mm W48mm H67 mm | £80.00 |
| FLDC5Z-WIFI | WIFI RF Receiver | L114mm W38mm H20mm | £60.00 |



1 | Zone Tuneable White Slider

For use with all Tuneable White LED Strips and compatible with Foss FLDC4Y Receiver.

Sensitive Brightness and colour temperature touch slider

Remote distance of up to 30m within Free Range (Without obstacles)


LED light indicator on the controller

Pair with one or multiple receivers

Battery powered (1 x CR2032)



| Product Code | Product Description | Product Dimensions | RRP |
|--------------|-----------------------------------|--------------------|--------|
| FLCT1T | Single Zone Tuneable White Slider | L139mm W36mm H11mm | £28.00 |
| FLDC4Y | RF 4 in 1 Receiver | L114mm W38mm H20mm | £29.50 |
| FLDC5Z-WIFI | WIFI RF Receiver | L114mm W38mm H20mm | £60.00 |



1 | Zone Tuneable White Touch

For use with all Tuneable White LED Strips and compatible with Foss FLDC4Y Receiver.

Sensitive Brightness and colour temperature touch slider

Fits directly into a standard light switch back box

Remote distance of up to 30m within Free Range (Without obstacles)

Pair with one or multiple receivers

LED light indicator on the controller

Input Voltage: 12 - 24VDC



| Product Code | Product Description | Product Dimensions | RRP |
|--------------|--|--------------------|--------|
| FLWP1T | Single Zone Tuneable White Wall Slider | L86mm W86mm H35mm | £65.00 |
| FLDC4Y | RF 4 in 1 Receiver | L114mm W38mm H20mm | £29.50 |
| FLDC5Z-WIFI | WIFI RF Receiver | L114mm W38mm H20mm | £60.00 |



4 | Zone Tuneable White Halo

For use with all Tuneable White LED Strips and compatible with Foss FLDC4Y Receiver.

Sensitive Brightness and colour temperature touch wheel

Remote distance of up to 30m within Free Range (Without obstacles)

Pair each zone with one or multiple receivers


Set and save up to 4 Scene modes

LED light indicator on the controller

Battery powered (2 x AAA)



| Product Code | Product Description | Product Dimensions | RRP |
|--------------|-----------------------------------|----------------------|--------|
| FLCT4T | 4 Zone Tuneable White Halo Remote | L135mm W40 mm H11 mm | £35.50 |
| FLDC4Y | RF 4 in 1 Receiver | L114mm W38mm H20mm | £29.50 |
| FLDC5Z-WIFI | WIFI RF Receiver | L114mm W38mm H20mm | £60.00 |



4 | Zone Wall Tuneable White

This 4 Zone combo touch panel works in both RF and DMX; Compatible with DMX512 (FLDC4Y-DMX) and RF (FLDC4Y) receivers.

Sensitive Brightness and colour temperature slider

Remote distance of up to 30m within Free Range (Without obstacles)


Pair each zone with one or multiple receivers

Set and save several Scene modes

Input Voltage: 110-240VDC (Mains direct Input)



| Product Code | Product Description | Product Dimensions | RRP |
|--------------|-----------------------------------|---------------------|--------|
| FLWP4T | 4 Zone Tuneable White Wall Slider | L86mm W86mm H35mm | £78.50 |
| FLDC4Y | RF 4 in 1 Receiver | L114mm W38mm H20mm | £29.50 |
| FLD4PR | Power Repeater | L175mm W45mm H27mm | £40.00 |
| FLDC4Y-DMX | DMX 4 in 1 Multi Decoder | L170mm W50mm H23mm | £76.00 |
| FLDA-DMX | DMX Signal Amplifier | L110mm W48mm H67 mm | £80.00 |
| FLDC5Z-WIFI | WIFI RF Receiver | L114mm W38mm H20mm | £60.00 |



1 | Zone Remote RGB Slider

For use with all RGB LED Strips and compatible with Foss FLDC4Y Receivers.

Sensitive brightness and Colour changing adjustment touch slider.

Remote distance of up to 30m within Free Range (Without obstacles)

LED light indicator on the controller

Pair with one or multiple receivers

Battery powered (1 x CR2032)



| Product Code | Product Description | Product Dimensions | RRP |
|--------------|------------------------|--------------------|--------|
| FLCT1R | Single Zone RGB Slider | L139mm W36mm H11mm | £28.00 |
| FLDC4Y | RF 4 in 1 Receiver | L114mm W38mm H20mm | £29.50 |
| FLDC5Z-WIFI | WIFI RF Receiver | L114mm W38mm H20mm | £60.00 |



1 | Zone Desk Rotary RGB

For use with all RGB LED Strips and compatible with Foss FLDC4Y Receiver.

Sensitive brightness and Colour changing adjustment Knob

Remote distance of up to 30m within Free Range (Without obstacles)

LED light indicator on the controller

Pair each zone with one or multiple receivers

Battery powered (1 x CR2032)



| Product Code | Product Description | Product Dimensions | RRP |
|--------------|----------------------------|--------------------|--------|
| FLCTD1R | 1 Zone RGB Desk Controller | L91mm W72mm H57mm | £65.00 |
| FLDC4Y | RF 4 in 1 Receiver | L114mm W38mm H20mm | £29.50 |
| FLDC5Z-WIFI | WIFI RF Receiver | L114mm W38mm H20mm | £60.00 |



1 | Zone Halo RGBW

For use with all RGB & RGBW LED Strips and compatible with Foss FLDC4Y Receiver.

Sensitive brightness and Colour changing touch wheel

Remote distance of up to 30m within Free Range (Without obstacles)

Pair each zone with one or multiple receivers

Set and save up to 4 Scene modes

LED light indicator on the controller

Battery powered (2 x AAA)



| Product Code | Product Description | Product Dimensions | RRP |
|--------------|-----------------------------|----------------------|--------|
| FLCT1WY | 1 Zone RGB/W RF Halo Remote | L122mm W53mm H17.5mm | £30.00 |
| FLDC4Y | RF 4 in 1 Receiver | L114mm W38mm H20mm | £29.50 |
| FLDC5Z-WIFI | WIFI RF Receiver | L114mm W38mm H20mm | £60.00 |



4 | Zone Halo RGBW

For use with all RGB & RGBW LED Strips and compatible with Foss FLDC4Y Receiver.

Sensitive brightness and Colour changing touch wheel

Remote distance of up to 30m within Free Range (Without obstacles)

Pair each zone with one or multiple receivers

Set and save 2 Scene modes

LED light indicator on the controller

Battery powered (2 x AAA)



| Product Code | Product Description | Product Dimensions | RRP |
|--------------|-----------------------------|-----------------------|--------|
| FLCT4WY | 4 Zone RGB/W RF Halo Remote | L122mm W53 mm H17.5mm | £30.00 |
| FLDC4Y | RF 4 in 1 Receiver | L114mm W38mm H20mm | £29.50 |
| FLDC5Z-WIFI | WIFI RF Receiver | L114mm W38mm H20mm | £60.00 |

8 | Zone Halo RGBW



For use with all RGB & RGBW LED Strips and compatible with Foss FLDC4Y Receiver.

Sensitive brightness and Colour changing touch wheel

Remote distance of up to 30m within Free Range (Without obstacles)

Pair each zone with one or multiple receivers

Set and save 2 Scene modes


LED light indicator on the controller

Battery powered (2 x AAA)



| Product Code | Product Description | Product Dimensions | RRP |
|--------------|------------------------|----------------------|--------|
| FLCT8WY | 8 Zone RGB/W RF Remote | L141mm W50mm H17.5mm | £60.00 |
| FLDC4Y | RF 4 in 1 Receiver | L114mm W38mm H20mm | £29.50 |
| FLDC5Z-WIFI | WIFI RF Receiver | L114mm W38mm H20mm | £60.00 |

4 | Zone Wall Touch RGBW



This 4 Zone RGB/W combo touch panel works in both RF and DMX; Compatible with DMX512 (FLDC4Y-DMX) and RF (FLDC4Y) receivers.

Sensitive brightness and Colour changing adjustment touch slider.

Remote distance of up to 30m within Free Range (Without obstacles)

Set and save several Scene modes

Pair each zone with one or multiple receivers

LED light indicator on the controller

Input Voltage: 110-240VDC (Mains direct Input)



| Product Code | Product Description | Product Dimensions | RRP |
|--------------|--------------------------|--------------------|--------|
| FLWP4Y | 4 Zone RGB/W Wall Slider | L86mm W86mm H35mm | £82.00 |
| FLDC4Y | RF 4 in 1 Receiver | L114mm W38mm H20mm | £29.50 |
| FLD4PR | Power Repeater | L175mm W45mm H27mm | £40.00 |
| FLDC4Y-DMX | DMX 4 in 1 Multi Decoder | L170mm W50mm H23mm | £76.00 |
| FLDA-DMX | DMX Signal Amplifier | L110mm W48mm H67mm | £80.00 |
| FLDC5Z-WIFI | WIFI RF Receiver | L114mm W38mm H20mm | £60.00 |



4 | Zone Halo RGB + CCT

For use with all RGB and Tuneable White LED Strips and compatible with Foss FLDC5Z Receiver.

Sensitive brightness and Colour changing touch wheel

Set and save several Scene modes

Remote distance of up to 30m within Free Range (Without obstacles)


Pair each zone with one or multiple receivers

LED light indicator on the controller

Battery powered (2 x AAA)



| Product Code | Product Description | Product Dimensions | RRP |
|--------------|------------------------------|----------------------|--------|
| FLCT4WZ | 4 Zone RGB + CCT Halo Remote | L141mm W50mm H17.5mm | £40.00 |
| FLDC5Z | RF 5 in 1 Receiver | L114mm W38mm H20mm | £55.00 |
| FLDC5Z-WIFI | WIFI RF Receiver | L114mm W38mm H20mm | £60.00 |



4 | Zone Wall Touch RGB + CCT

For use with all RGB and Tuneable White LED Strips and compatible with Foss FLDC5Z Receiver.

Sensitive brightness and Colour changing adjustment touch slider.

Remote distance of up to 30m within Free Range (Without obstacles)

Pair each zone with one or multiple receivers

LED light indicator on the controller

Input Voltage: 110 - 240VDC (Mains direct Input)



| Product Code | Product Description | Product Dimensions | RRP |
|--------------|------------------------------|--------------------|---------|
| FLWP4Z | 4 Zone RGB + CCT Wall Slider | L86mm W86mm H35mm | £120.00 |
| FLDC5Z | RF 5 in 1 Receiver | L114mm W38mm H20mm | £55.00 |
| FLD4PR | Power Repeater | L170mm W50mm H23mm | £40.00 |
| FLDC5Z-WIFI | WIFI RF Receiver | L114mm W38mm H20mm | £60.00 |

Light Smart | WIFI



Compatible with fossLED WIFI receivers; lighting control from your smart device in conjunction with fossLED Controllers.

Control your lighting from your IOS or Android device

Compatible with Amazon Alexa and Google Assistant

Compatible with all LED Strip types Including single colour Dimming, Tuneable White, RGB, RGBW and RGB + CCT

Control multiple zones, save scenes, create schedules, remotely control your lighting and even match your lighting to music.



| Product Code | Product Description | Product Dimensions | RRP |
|--------------|---------------------|--------------------|--------|
| FLDC5Z-WIFI | WIFI RF Receiver | L114mm W38mm H20mm | £60.00 |



DMX DECODER | 4 IN 1

Features Explanation

Pair with Single Colour, Tuneable, RGB and RGBW DMX512 compatible Controllers. This unit features a Digital numeric display and DMX key selection, 1/2/4 DMX512 channel outputs.

Input Voltage - 12-24VDC

Output - 4 Channel 5A/CH

Dimensions - L170xW50xH23mm



Product Code: FLDC4Y-DMX
RRP: £76.00



DMX AMPLIFIER | Signal Booster

Features Explanation

Extend your DMX Signal; we recommend using an amplifier every 100 metres of signal wire

Input Voltage - 12-36VDC

Output - DMX512/RDM

Dimensions - L110xW48xH67mm



Product Code: FLDA-DMX
RRP: £80.00



POWER REPEATER | 4 IN 1

Features Explanation

Extend your Single Colour, Tuneable White, RGB & RGBW strip runs in series or in parallel

Input Voltage - 12-36VDC

Output - 4x5A (60-180W)

Dimensions - L175xW45xH27mm



Product Code: FLD4PR
RRP: £40.00



MAINS DECODER | 24V Constant Voltage

Features Explanation

Mains Dim your LED Strip using a non dimmable driver, a standard dimmer switch and our mains decoders in both leading and trailing edge

Input Voltage - 12-48VDC

Output - 180W/360W/540W/720W
(12V/24V/36V/48V)

Dimensions - L175xW45xH27mm



Product Code: FLDCMDIM
RRP: £25.00



0 - 10V DECODER | 24V Constant Voltage

Features Explanation

1 channel 0/1-10V input; for use with 0/1 - 10v dimmers and automated lighting systems

Input Voltage - 5-36VDC

Output - 40 - 288W

Dimensions - L97xW33xH18mm



Product Code: FLDCO-10
RRP: £30.00



DALI DECODER | 24V Constant Voltage

Features Explanation

4 channel DALI Address input; for use with DALI dimmers and automated lighting systems

Input Voltage - 12-24VDC

Output - 4 x 5A(60-120W)

Dimensions - L175xW45xH27mm



Product Code: FLDC4Y-DALI
RRP: £83.00

INFINITY CUSTOM | SERIES

fossLED are proud to offer our new fully integrated LED LINEAR lighting luminaires, featuring built-in drivers and LED Modules which are seamlessly interconnected within an aluminium housing. The INFINITY series is assembled in the UK and available as a made to measure LINEAR unit offered in increments of 40mm, ranging from 560 - 2480mm and in a variety of mounting options.

All units are available as standard in an Anodised Aluminium, White or Black powder coated finish, as well as our on demand Custom RAL finishes. All units are offered in a Low or High output LED module setup as well as CRI82+ and CRI92+ colour rendering options, for Tuneable White & RGBWW custom setups please enquire with a member of our team.

Integrate your INFINITY units; we offer a wide range of driver options, as well as our own RF control system technology which integrates with all fossLED wireless Wall panels and remote controls; go even further with foss WIFI systems for IOS & Android device control.





INFINITY SURFACE - Remote Driver
 INFINITY SURFACE 35 - Custom LINEAR.....145-146



INFINITY SURFACE - Internal Driver
 INFINITY SURFACE 50 - Custom Linear.....147-148
 INFINITY SURFACE 75 - Custom Linear.....149-150



INFINITY RECESSED - Remote Driver
 INFINITY Recessed 35 - Custom LINEAR.....151-152
 INFINITY Recessed 50 - Custom LINEAR.....153-154



INFINITY SUSPENDED - Remote Driver
 INFINITY Suspended 35 - Custom LINEAR.....155-156



INFINITY SUSPENDED - Internal Driver
 INFINITY Suspended 50 - Custom LINEAR.....157-158
 INFINITY Suspended 75 - Custom LINEAR.....159-160



INFINITY UP & DOWN - Internal Driver
 INFINITY Up & Down 50 - Custom LINEAR.....161-162
 INFINITY Up & Down 75 - Custom LINEAR.....163-164




INFINITY WALL - Internal Driver
 INFINITY WALL 50 - Custom LINEAR.....165-166
 INFINITY WALL 75 - Custom LINEAR.....167-168




INFINITY SYSTEM
 INFINITE CUSTOM - LINEAR System.....169-170

THE INFINITY 35 SURFACE



The INFINITY 35 - Surface is an integrated LINEAR lighting luminaire; featuring Rigid OSRAM LED Modules which are seamlessly interconnected within an aluminium housing. The INFINITY series is assembled in the UK and available as a made to measure LINEAR unit offered in increments of 40mm, ranging from 560 - 2480mm. Please fill in our code builder to produce your own custom item code and linear unit.

560 - 760mm | Custom Length




| FLIC35 | Finish | Kelvin | CRI82+ / 17 - 23W | Length (mm) |
|--------|--------|---------|-------------------------------|---|
| 8 | Alu | G 2700K | 8 1554 - 2109lm/CRI82+ £98.00 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |
| 0 | White | C 3000K | | |
| 1 | Black | N 4000K | | |
| | | | CRI92+ / 17 - 23W | |
| | | | 9 1361 - 1847lm/CRI92+ £98.00 | |

*Please note: This unit requires a 24V remote driver, please see pages 103 - 114.

*Custom RAL Available

800 - 1000mm | Custom Length




| FLIC35 | Finish | Kelvin | CRI82+ / 24 - 30W | Length (mm) |
|--------|--------|---------|--------------------------------|---|
| 8 | Alu | G 2700K | 8 2220 - 2775lm/CRI82+ £103.00 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |
| 0 | White | C 3000K | | |
| 1 | Black | N 4000K | | |
| | | | CRI92+ / 24 - 30W | |
| | | | 9 1944 - 2430lm/CRI92+ £103.00 | |

*Please note: This unit requires a 24V remote driver, please see pages 103 - 114.

*Custom RAL Available

1040 - 1240mm | Custom Length




| FLIC35 | Finish | Kelvin | CRI82+ / 31 - 37W | Length (mm) |
|--------|--------|---------|--------------------------------|---|
| 8 | Alu | G 2700K | 8 2886 - 3441lm/CRI82+ £140.00 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |
| 0 | White | C 3000K | | |
| 1 | Black | N 4000K | | |
| | | | CRI92+ / 31 - 37W | |
| | | | 9 2527 - 3013lm/CRI92+ £140.00 | |

*Please note: This unit requires a 24V remote driver, please see pages 103 - 114.

*Custom RAL Available

1280 - 1480mm | Custom Length




| | | | | |
|---------------|--------|---------|---|---|
| FLIC35 | Finish | Kelvin | CRI82+ / 38 - 44W | Length (mm) |
| 8 | Alu | G 2700K | 8 3552 - 4107lm / CRI82+ £168.00 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |
| 0 | White | C 3000K | | |
| 1 | Black | N 4000K | 9 CRI92+ / 38 - 44W | |
| | | | 9 3110 - 3596lm / CRI92+ £168.00 | |

*Please note: This unit requires a 24V remote driver, please see pages 103 - 114.

*Custom RAL Available

1520 - 1720mm | Custom Length




| | | | | |
|---------------|--------|---------|---|---|
| FLIC35 | Finish | Kelvin | CRI82+ / 45 - 52W | Length (mm) |
| 8 | Alu | G 2700K | 8 4218 - 4773lm / CRI82+ £219.00 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |
| 0 | White | C 3000K | | |
| 1 | Black | N 4000K | 9 CRI92+ / 45 - 52W | |
| | | | 9 3694 - 4180lm / CRI92+ £219.00 | |

*Please note: This unit requires a 24V remote driver, please see pages 103 - 114.

*Custom RAL Available

1760 - 2000mm | Custom Length




| | | | | |
|---------------|--------|---------|---|---|
| FLIC35 | Finish | Kelvin | CRI82+ / 53 - 60W | Length (mm) |
| 8 | Alu | G 2700K | 8 4884 - 5550lm / CRI82+ £234.00 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |
| 0 | White | C 3000K | | |
| 1 | Black | N 4000K | 9 CRI92+ / 53 - 60W | |
| | | | 9 4277 - 4860lm / CRI92+ £234.00 | |

*Please note: This unit requires a 24V remote driver, please see pages 103 - 114.

*Custom RAL Available

2040 - 2280mm | Custom Length




| | | | | |
|---------------|--------|---------|---|---|
| FLIC35 | Finish | Kelvin | CRI82+ / 61 - 68W | Length (mm) |
| 8 | Alu | G 2700K | 8 5661 - 6237lm / CRI82+ £285.00 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |
| 0 | White | C 3000K | | |
| 1 | Black | N 4000K | 9 CRI92+ / 61 - 68W | |
| | | | 9 4957 - 5540lm / CRI92+ £285.00 | |

*Please note: This unit requires a 24V remote driver, please see pages 103 - 114.

*Custom RAL Available

2320 - 2480mm | Custom Length




| | | | | |
|---------------|--------|---------|---|---|
| FLIC35 | Finish | Kelvin | CRI82+ / 70 - 74W | Length (mm) |
| 8 | Alu | G 2700K | 8 6438 - 6882lm / CRI82+ £299.00 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |
| 0 | White | C 3000K | | |
| 1 | Black | N 4000K | 9 CRI92+ / 61 - 68W | |
| | | | 9 5637 - 6026lm / CRI92+ £299.00 | |

*Please note: This unit requires a 24V remote driver, please see pages 103 - 114.

*Custom RAL Available




THE INFINITY 50 SURFACE



Our INFINITY 50 - Surface is a fully integrated LED LINEAR lighting luminaire; featuring built-in drivers and rigid OSRAM LED Modules which are seamlessly interconnected within an aluminium housing. The fossLED INFINITY series is assembled in the UK and is offered as a completely custom LINEAR unit, offering users a made to measure unit length in increments of 40mm, ranging from 560 - 2480mm. Please fill in our code builder to produce your own custom item code and Linear unit.

560 - 760mm | Custom Length



| | | | |
|---------------|---------------------------------|---------------------------------|--|
| FLIC50 | <input type="checkbox"/> Finish | <input type="checkbox"/> Kelvin | <input type="checkbox"/> CRI82+ / 17 - 23W |
| 8 | Alu | G 2700K | 8 1697 - 2303lm/CRI82+ £199.00 |
| 0 | White | C 3000K | |
| 1 | Black | N 4000K | 9 CRI92+ / 17 - 23W |
| | | | 9 1479 - 2006lm/CRI92+ £199.00 |


| | |
|---------------------------------|--------------------------|
| <input type="checkbox"/> Driver | |
| S | Switched +£0.00 |
| RF | RF Dim +£26.00 |
| R | Triac Dim +£28.50 |
| Z | 0-10v Dim +£28.50 |
| D | DALI Dim +£43.00 |
| T | EM Kit POA |

Length (mm)

■ ■ ■ ■ ■

*Custom RAL Available

800 - 1000mm | Custom Length



| | | | |
|---------------|---------------------------------|---------------------------------|--|
| FLIC50 | <input type="checkbox"/> Finish | <input type="checkbox"/> Kelvin | <input type="checkbox"/> CRI82+ / 24 - 30W |
| 8 | Alu | G 2700K | 8 2424 - 3030lm/CRI82+ £210.00 |
| 0 | White | C 3000K | |
| 1 | Black | N 4000K | 9 CRI92+ / 24 - 30W |
| | | | 9 2112 - 2640lm/CRI92+ £210.00 |


| | |
|---------------------------------|--------------------------|
| <input type="checkbox"/> Driver | |
| S | Switched +£0.00 |
| RF | RF Dim +£26.00 |
| R | Triac Dim +£28.50 |
| Z | 0-10v Dim +£28.50 |
| D | DALI Dim +£43.00 |
| T | EM Kit POA |

Length (mm)

■ ■ ■ ■ ■

*Custom RAL Available

1040 - 1240mm | Custom Length



| | | | |
|---------------|---------------------------------|---------------------------------|--|
| FLIC50 | <input type="checkbox"/> Finish | <input type="checkbox"/> Kelvin | <input type="checkbox"/> CRI82+ / 31 - 37W |
| 8 | Alu | G 2700K | 8 3151 - 3757lm/CRI82+ £260.00 |
| 0 | White | C 3000K | |
| 1 | Black | N 4000K | 9 CRI92+ / 31 - 37W |
| | | | 9 2746 - 3274lm/CRI92+ £260.00 |


| | |
|---------------------------------|--------------------------|
| <input type="checkbox"/> Driver | |
| S | Switched +£0.00 |
| RF | RF Dim +£26.00 |
| R | Triac Dim +£28.50 |
| Z | 0-10v Dim +£28.50 |
| D | DALI Dim +£43.00 |
| T | EM Kit POA |

Length (mm)

■ ■ ■ ■ ■

*Custom RAL Available

1280 - 1480mm | Custom Length




| | | | |
|---------------|---------------------------------|---------------------------------|--|
| FLIC50 | <input type="checkbox"/> Finish | <input type="checkbox"/> Kelvin | <input type="checkbox"/> CRI82+ / 38 - 44W |
| | 8 Alu | G 2700K | 8 3878 - 4484lm/CRI82+ £289.00 |
| | 0 White | C 3000K | CRI92+ / 38 - 44W |
| | 1 Black | N 4000K | 9 3380 - 3907lm/CRI92+ £289.00 |

| | |
|---------------------------------|---------|
| <input type="checkbox"/> Driver | |
| S Switched | +£0.00 |
| RF RF Dim | +£26.00 |
| R Triac Dim | +£28.50 |
| Z 0-10v Dim | +£28.50 |
| D DALI Dim | +£43.00 |
| T EM Kit | POA |

Length (mm)

1520 - 1720mm | Custom Length




| | | | |
|---------------|---------------------------------|---------------------------------|--|
| FLIC50 | <input type="checkbox"/> Finish | <input type="checkbox"/> Kelvin | <input type="checkbox"/> CRI82+ / 45 - 52W |
| | 8 Alu | G 2700K | 8 4605 - 5212lm/CRI82+ £354.00 |
| | 0 White | C 3000K | CRI92+ / 45 - 52W |
| | 1 Black | N 4000K | 9 4013 - 4541lm/CRI92+ £354.00 |

| | |
|---------------------------------|---------|
| <input type="checkbox"/> Driver | |
| S Switched | +£0.00 |
| RF RF Dim | +£26.00 |
| R Triac Dim | +£43.00 |
| Z 0-10v Dim | +£43.00 |
| D DALI Dim | +£57.50 |
| T EM Kit | POA |

Length (mm)

*Custom RAL Available

1760 - 2000mm | Custom Length




| | | | |
|---------------|---------------------------------|---------------------------------|--|
| FLIC50 | <input type="checkbox"/> Finish | <input type="checkbox"/> Kelvin | <input type="checkbox"/> CRI82+ / 53 - 60W |
| | 8 Alu | G 2700K | 8 5333 - 6060lm/CRI82+ £373.00 |
| | 0 White | C 3000K | CRI92+ / 53 - 60W |
| | 1 Black | N 4000K | 9 4646 - 5280lm/CRI92+ £373.00 |

| | |
|---------------------------------|---------|
| <input type="checkbox"/> Driver | |
| S Switched | +£0.00 |
| RF RF Dim | +£26.00 |
| R Triac Dim | +£43.00 |
| Z 0-10v Dim | +£43.00 |
| D DALI Dim | +£57.50 |
| T EM Kit | POA |

Length (mm)

*Custom RAL Available

2040 - 2280mm | Custom Length




| | | | |
|---------------|---------------------------------|---------------------------------|--|
| FLIC50 | <input type="checkbox"/> Finish | <input type="checkbox"/> Kelvin | <input type="checkbox"/> CRI82+ / 61 - 68W |
| | 8 Alu | G 2700K | 8 6181 - 6908lm/CRI82+ £460.00 |
| | 0 White | C 3000K | CRI92+ / 61 - 68W |
| | 1 Black | N 4000K | 9 5386 - 6019lm/CRI92+ £460.00 |

| | |
|---------------------------------|---------|
| <input type="checkbox"/> Driver | |
| S Switched | +£0.00 |
| RF RF Dim | +£26.00 |
| R Triac Dim | +£43.00 |
| Z 0-10v Dim | +£43.00 |
| D DALI Dim | +£57.50 |
| T EM Kit | POA |

Length (mm)

*Custom RAL Available

2320 - 2480mm | Custom Length




| | | | |
|---------------|---------------------------------|---------------------------------|--|
| FLIC50 | <input type="checkbox"/> Finish | <input type="checkbox"/> Kelvin | <input type="checkbox"/> CRI82+ / 70 - 74W |
| | 8 Alu | G 2700K | 8 7030 - 7515lm/CRI82+ £474.00 |
| | 0 White | C 3000K | CRI92+ / 70 - 74W |
| | 1 Black | N 4000K | 9 6125 - 6547lm/CRI92+ £474.00 |

| | |
|---------------------------------|---------|
| <input type="checkbox"/> Driver | |
| S Switched | +£0.00 |
| RF RF Dim | +£26.00 |
| R Triac Dim | +£43.00 |
| Z 0-10v Dim | +£43.00 |
| D DALI Dim | +£57.50 |
| T EM Kit | POA |

Length (mm)


*Custom RAL Available

THE INFINITY 75 SURFACE



Our INFINITY 75 - Surface is a fully integrated LED LINEAR lighting luminaire; featuring built-in drivers and rigid OSRAM LED Modules which are seamlessly interconnected within an aluminium housing. The fossLED INFINITY series is assembled in the UK and is offered as a completely custom LINEAR unit, offering users a made to measure unit length in increments of 40mm, ranging from 560 - 2480mm. Please fill in our code builder to produce your own custom item code and Linear unit.

560 - 760mm | Custom Length




| | | | |
|---------------|---------------|---------------|--|
| FLIC75 | Finish | Kelvin | CRI82+ / 17 - 23W |
| 8 | Alu | G 2700K | 8 1697 - 2303lm/CRI82+ £255.00 |
| 0 | White | C 3000K | |
| 1 | Black | N 4000K | 9 CRI92+ / 17 - 23W 1479 - 2006lm/CRI92+ £255.00 |

| | |
|---------------|---------|
| Driver | |
| S Switched | +£0.00 |
| RF RF Dim | +£26.00 |
| R Triac Dim | +£28.50 |
| Z 0-10v Dim | +£28.50 |
| D DALI Dim | +£43.00 |
| T EM Kit | POA |

Length (mm)

*Custom RAL Available

800 - 1000mm | Custom Length




| | | | |
|---------------|---------------|---------------|--|
| FLIC75 | Finish | Kelvin | CRI82+ / 24 - 30W |
| 8 | Alu | G 2700K | 8 2424 - 3030lm/CRI82+ £269.00 |
| 0 | White | C 3000K | |
| 1 | Black | N 4000K | 9 CRI92+ / 24 - 30W 2112 - 2640lm/CRI92+ £269.00 |

| | |
|---------------|---------|
| Driver | |
| S Switched | +£0.00 |
| RF RF Dim | +£26.00 |
| R Triac Dim | +£28.50 |
| Z 0-10v Dim | +£28.50 |
| D DALI Dim | +£43.00 |
| T EM Kit | POA |

Length (mm)

*Custom RAL Available

1040 - 1240mm | Custom Length




| | | | |
|---------------|---------------|---------------|--|
| FLIC75 | Finish | Kelvin | CRI82+ / 31 - 37W |
| 8 | Alu | G 2700K | 8 3151 - 3757lm/CRI82+ £397.00 |
| 0 | White | C 3000K | |
| 1 | Black | N 4000K | 9 CRI92+ / 31 - 37W 2746 - 3274lm/CRI92+ £397.00 |

| | |
|---------------|---------|
| Driver | |
| S Switched | +£0.00 |
| RF RF Dim | +£26.00 |
| R Triac Dim | +£28.50 |
| Z 0-10v Dim | +£28.50 |
| D DALI Dim | +£43.00 |
| T EM Kit | POA |

Length (mm)

*Custom RAL Available

1280 - 1480mm | Custom Length



| | | | |
|---------------|---------------------------------|---------------------------------|--|
| FLIC75 | <input type="checkbox"/> Finish | <input type="checkbox"/> Kelvin | <input type="checkbox"/> CRI82+ / 38 - 44W |
| 8 | Alu | G 2700K | 8 3878 - 4484lm/CRI82+ £425.00 |
| 0 | White | C 3000K | <input type="checkbox"/> CRI92+ / 38 - 44W |
| 1 | Black | N 4000K | 9 3380 - 3907lm/CRI92+ £425.00 |


| | |
|---------------------------------|---------|
| <input type="checkbox"/> Driver | |
| S Switched | +£0.00 |
| RF RF Dim | +£26.00 |
| R Triac Dim | +£28.50 |
| Z 0-10v Dim | +£28.50 |
| D DALI Dim | +£43.00 |
| T EM Kit | POA |

Length (mm)

■ ■ ■ ■ ■

*Custom RAL Available

1520 - 1720mm | Custom Length



| | | | |
|---------------|---------------------------------|---------------------------------|--|
| FLIC75 | <input type="checkbox"/> Finish | <input type="checkbox"/> Kelvin | <input type="checkbox"/> CRI82+ / 45 - 52W |
| 8 | Alu | G 2700K | 8 4605 - 5212lm/CRI82+ £540.00 |
| 0 | White | C 3000K | <input type="checkbox"/> CRI92+ / 45 - 52W |
| 1 | Black | N 4000K | 9 4013 - 4541lm/CRI92+ £540.00 |


| | |
|---------------------------------|---------|
| <input type="checkbox"/> Driver | |
| S Switched | +£0.00 |
| RF RF Dim | +£26.00 |
| R Triac Dim | +£43.00 |
| Z 0-10v Dim | +£43.00 |
| D DALI Dim | +£57.50 |
| T EM Kit | POA |

Length (mm)

■ ■ ■ ■ ■

*Custom RAL Available

1760 - 2000mm | Custom Length



| | | | |
|---------------|---------------------------------|---------------------------------|--|
| FLIC75 | <input type="checkbox"/> Finish | <input type="checkbox"/> Kelvin | <input type="checkbox"/> CRI82+ / 53 - 60W |
| 8 | Alu | G 2700K | 8 5333 - 6060lm/CRI82+ £580.00 |
| 0 | White | C 3000K | <input type="checkbox"/> CRI92+ / 53 - 60W |
| 1 | Black | N 4000K | 9 4646 - 5280lm/CRI92+ £580.00 |


| | |
|---------------------------------|---------|
| <input type="checkbox"/> Driver | |
| S Switched | +£0.00 |
| RF RF Dim | +£26.00 |
| R Triac Dim | +£43.00 |
| Z 0-10v Dim | +£43.00 |
| D DALI Dim | +£57.50 |
| T EM Kit | POA |

Length (mm)

■ ■ ■ ■ ■

*Custom RAL Available

2040 - 2280mm | Custom Length



| | | | |
|---------------|---------------------------------|---------------------------------|--|
| FLIC75 | <input type="checkbox"/> Finish | <input type="checkbox"/> Kelvin | <input type="checkbox"/> CRI82+ / 61 - 68W |
| 8 | Alu | G 2700K | 8 6181 - 6908lm/CRI82+ £695.00 |
| 0 | White | C 3000K | <input type="checkbox"/> CRI92+ / 61 - 68W |
| 1 | Black | N 4000K | 9 5386 - 6019lm/CRI92+ £695.00 |


| | |
|---------------------------------|---------|
| <input type="checkbox"/> Driver | |
| S Switched | +£0.00 |
| RF RF Dim | +£26.00 |
| R Triac Dim | +£43.00 |
| Z 0-10v Dim | +£43.00 |
| D DALI Dim | +£57.50 |
| T EM Kit | POA |

Length (mm)

■ ■ ■ ■ ■

*Custom RAL Available

2320 - 2480mm | Custom Length



| | | | |
|---------------|---------------------------------|---------------------------------|--|
| FLIC75 | <input type="checkbox"/> Finish | <input type="checkbox"/> Kelvin | <input type="checkbox"/> CRI82+ / 70 - 74W |
| 8 | Alu | G 2700K | 8 7030 - 7515lm/CRI82+ £710.00 |
| 0 | White | C 3000K | <input type="checkbox"/> CRI92+ / 70 - 74W |
| 1 | Black | N 4000K | 9 6125 - 6547lm/CRI92+ £710.00 |


| | |
|---------------------------------|---------|
| <input type="checkbox"/> Driver | |
| S Switched | +£0.00 |
| RF RF Dim | +£26.00 |
| R Triac Dim | +£43.00 |
| Z 0-10v Dim | +£43.00 |
| D DALI Dim | +£57.50 |
| T EM Kit | POA |

Length (mm)

■ ■ ■ ■ ■


*Custom RAL Available

THE INFINITY 35 RECESSED



The INFINITY 35 - Recessed is an integrated LINEAR lighting luminaire; featuring Rigid OSRAM LED Modules which are seamlessly interconnected within an aluminium housing. The INFINITY series is assembled in the UK and available as a made to measure LINEAR unit offered in increments of 40mm, ranging from 560 - 2480mm. Please fill in our code builder to produce your own custom item code and Linear unit.

560 - 760mm | Custom Length




| | | | | |
|-----------------|--------|---------|---------------------------------------|--------------------------|
| FLIC35SR | Finish | Kelvin | CRI82+ / 17 - 23W | Length (mm) |
| 8 | Alu | G 2700K | 8 1554 - 2109lm/CRI82+ £107.00 | <input type="checkbox"/> |
| 0 | White | C 3000K | | <input type="checkbox"/> |
| 1 | Black | N 4000K | | <input type="checkbox"/> |
| | | | CRI92+ / 17 - 23W | |
| | | | 9 1361 - 1847lm/CRI92+ £107.00 | <input type="checkbox"/> |

*Please note: This unit requires a 24V remote driver, please see pages 103 - 114.

*Custom RAL Available

800 - 1000mm | Custom Length




| | | | | |
|-----------------|--------|---------|---------------------------------------|--------------------------|
| FLIC35SR | Finish | Kelvin | CRI82+ / 24 - 30W | Length (mm) |
| 8 | Alu | G 2700K | 8 2220 - 2775lm/CRI82+ £112.00 | <input type="checkbox"/> |
| 0 | White | C 3000K | | <input type="checkbox"/> |
| 1 | Black | N 4000K | | <input type="checkbox"/> |
| | | | CRI92+ / 24 - 30W | |
| | | | 9 1944 - 2430lm/CRI92+ £112.00 | <input type="checkbox"/> |

*Please note: This unit requires a 24V remote driver, please see pages 103 - 114.

*Custom RAL Available

1040 - 1240mm | Custom Length




| | | | | |
|-----------------|--------|---------|---------------------------------------|--------------------------|
| FLIC35SR | Finish | Kelvin | CRI82+ / 31 - 37W | Length (mm) |
| 8 | Alu | G 2700K | 8 2886 - 3441lm/CRI82+ £154.00 | <input type="checkbox"/> |
| 0 | White | C 3000K | | <input type="checkbox"/> |
| 1 | Black | N 4000K | | <input type="checkbox"/> |
| | | | CRI92+ / 31 - 37W | |
| | | | 9 2527 - 3013lm/CRI92+ £154.00 | <input type="checkbox"/> |

*Please note: This unit requires a 24V remote driver, please see pages 103 - 114.

*Custom RAL Available

1280 - 1480mm | Custom Length




| FLIC35SR | Finish | Kelvin | CRI82+ / 38 - 44W | Length (mm) |
|----------|--------|---------|--------------------------------|---|
| 8 | Alu | G 2700K | 8 3552 - 4107lm/CRI82+ £182.00 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |
| 0 | White | C 3000K | | |
| 1 | Black | N 4000K | | |
| | | | CRI92+ / 38 - 44W | |
| | | | 9 3110 - 3596lm/CRI92+ £182.00 | |

*Please note: This unit requires a 24V remote driver, please see pages 103 - 114.

*Custom RAL Available

1520 - 1720mm | Custom Length




| FLIC35SR | Finish | Kelvin | CRI82+ / 45 - 52W | Length (mm) |
|----------|--------|---------|--------------------------------|---|
| 8 | Alu | G 2700K | 8 4218 - 4773lm/CRI82+ £239.00 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |
| 0 | White | C 3000K | | |
| 1 | Black | N 4000K | | |
| | | | CRI92+ / 45 - 52W | |
| | | | 9 3694 - 4180lm/CRI92+ £239.00 | |

*Please note: This unit requires a 24V remote driver, please see pages 103 - 114.

*Custom RAL Available

1760 - 2000mm | Custom Length




| FLIC35SR | Finish | Kelvin | CRI82+ / 53 - 60W | Length (mm) |
|----------|--------|---------|--------------------------------|---|
| 8 | Alu | G 2700K | 8 4884 - 5550lm/CRI82+ £253.00 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |
| 0 | White | C 3000K | | |
| 1 | Black | N 4000K | | |
| | | | CRI92+ / 53 - 60W | |
| | | | 9 4277 - 4860lm/CRI92+ £253.00 | |

*Please note: This unit requires a 24V remote driver, please see pages 103 - 114.

*Custom RAL Available

2040 - 2280mm | Custom Length




| FLIC35SR | Finish | Kelvin | CRI82+ / 61 - 68W | Length (mm) |
|----------|--------|---------|--------------------------------|---|
| 8 | Alu | G 2700K | 8 5661 - 6237lm/CRI82+ £309.00 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |
| 0 | White | C 3000K | | |
| 1 | Black | N 4000K | | |
| | | | CRI92+ / 61 - 68W | |
| | | | 9 4957 - 5540lm/CRI92+ £309.00 | |

*Please note: This unit requires a 24V remote driver, please see pages 103 - 114.

*Custom RAL Available

2320 - 2480mm | Custom Length




| FLIC35SR | Finish | Kelvin | CRI82+ / 70 - 74W | Length (mm) |
|----------|--------|---------|--------------------------------|---|
| 8 | Alu | G 2700K | 8 6438 - 6882lm/CRI82+ £324.00 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |
| 0 | White | C 3000K | | |
| 1 | Black | N 4000K | | |
| | | | CRI92+ / 61 - 68W | |
| | | | 9 5637 - 6026lm/CRI92+ £324.00 | |

*Please note: This unit requires a 24V remote driver, please see pages 103 - 114.


*Custom RAL Available

THE INFINITY 50 RECESSED



The INFINITY 50 - Recessed is an integrated LINEAR lighting luminaire; featuring Rigid OSRAM LED Modules which are seamlessly interconnected within an aluminium housing. The INFINITY series is assembled in the UK and available as a made to measure LINEAR unit offered in increments of 40mm, ranging from 560 - 2480mm. Please fill in our code builder to produce your own custom item code and Linear unit.

560 - 760mm | Custom Length




| | | | | |
|-----------------|--------|---------|--------------------------------|-------------|
| FLIC50SR | Finish | Kelvin | CRI82+ / 17 - 23W | Length (mm) |
| 8 | Alu | G 2700K | 8 1697 - 2303lm/CRI82+ £115.00 | |
| 0 | White | C 3000K | | |
| 1 | Black | N 4000K | 9 CRI92+ / 17 - 23W | |
| | | | 9 1479 - 2006lm/CRI92+ £115.00 | |

*Please note: This unit requires a 24V remote driver, please see pages 103 - 114.

*Custom RAL Available

800 - 1000mm | Custom Length




| | | | | |
|-----------------|--------|---------|--------------------------------|-------------|
| FLIC50SR | Finish | Kelvin | CRI82+ / 24 - 30W | Length (mm) |
| 8 | Alu | G 2700K | 8 2424 - 3030lm/CRI82+ £121.00 | |
| 0 | White | C 3000K | | |
| 1 | Black | N 4000K | 9 CRI92+ / 24 - 30W | |
| | | | 9 2112 - 2640lm/CRI92+ £121.00 | |

*Please note: This unit requires a 24V remote driver, please see pages 103 - 114.

*Custom RAL Available

1040 - 1240mm | Custom Length




| | | | | |
|-----------------|--------|---------|--------------------------------|-------------|
| FLIC50SR | Finish | Kelvin | CRI82+ / 31 - 37W | Length (mm) |
| 8 | Alu | G 2700K | 8 3151 - 3757lm/CRI82+ £166.00 | |
| 0 | White | C 3000K | | |
| 1 | Black | N 4000K | 9 CRI92+ / 31 - 37W | |
| | | | 9 2746 - 3274lm/CRI92+ £166.00 | |

*Please note: This unit requires a 24V remote driver, please see pages 103 - 114.

*Custom RAL Available

1280 - 1480mm | Custom Length




| FLIC50SR | Finish | Kelvin | CRI82+ / 38 - 44W | Length (mm) |
|----------|--------|---------|--------------------------------|---|
| 8 | Alu | G 2700K | 8 3879 - 4485lm/CRI82+ £195.00 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |
| 0 | White | C 3000K | | |
| 1 | Black | N 4000K | | |
| | | | CRI92+ / 38 - 44W | |
| | | | 9 3380 - 3907lm/CRI92+ £195.00 | |

*Please note: This unit requires a 24V remote driver, please see pages 103 - 114.

*Custom RAL Available

1520 - 1720mm | Custom Length




| FLIC50SR | Finish | Kelvin | CRI82+ / 45 - 52W | Length (mm) |
|----------|--------|---------|--------------------------------|---|
| 8 | Alu | G 2700K | 8 4606 - 5212lm/CRI82+ £256.00 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |
| 0 | White | C 3000K | | |
| 1 | Black | N 4000K | | |
| | | | CRI92+ / 45 - 52W | |
| | | | 9 4013 - 4541lm/CRI92+ £256.00 | |

*Please note: This unit requires a 24V remote driver, please see pages 103 - 114.

*Custom RAL Available

1760 - 2000mm | Custom Length




| FLIC50SR | Finish | Kelvin | CRI82+ / 53 - 60W | Length (mm) |
|----------|--------|---------|--------------------------------|---|
| 8 | Alu | G 2700K | 8 5333 - 6060lm/CRI82+ £270.00 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |
| 0 | White | C 3000K | | |
| 1 | Black | N 4000K | | |
| | | | CRI92+ / 53 - 60W | |
| | | | 9 4647 - 5280lm/CRI92+ £270.00 | |

*Please note: This unit requires a 24V remote driver, please see pages 103 - 114.

*Custom RAL Available

2040 - 2280mm | Custom Length




| FLIC50SR | Finish | Kelvin | CRI82+ / 61 - 68W | Length (mm) |
|----------|--------|---------|--------------------------------|---|
| 8 | Alu | G 2700K | 8 6181 - 6908lm/CRI82+ £330.00 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |
| 0 | White | C 3000K | | |
| 1 | Black | N 4000K | | |
| | | | CRI92+ / 61 - 68W | |
| | | | 9 5386 - 6020lm/CRI92+ £330.00 | |

*Please note: This unit requires a 24V remote driver, please see pages 103 - 114.

*Custom RAL Available

2320 - 2480mm | Custom Length




| FLIC50SR | Finish | Kelvin | CRI82+ / 70 - 74W | Length (mm) |
|----------|--------|---------|--------------------------------|---|
| 8 | Alu | G 2700K | 8 7030 - 7515lm/CRI82+ £345.00 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |
| 0 | White | C 3000K | | |
| 1 | Black | N 4000K | | |
| | | | CRI92+ / 61 - 68W | |
| | | | 9 6125 - 6548lm/CRI92+ £345.00 | |

*Please note: This unit requires a 24V remote driver, please see pages 103 - 114.

*Custom RAL Available




THE INFINITY 35 SUSPENDED



The INFINITY 35 - Suspended is an integrated LINEAR lighting luminaire; featuring Rigid OSRAM LED Modules which are seamlessly interconnected within an aluminium housing. The INFINITY series is assembled in the UK and available as a made to measure LINEAR unit offered in increments of 40mm, ranging from 560 - 2480mm. Please fill in our code builder to produce your own custom item code and Linear unit.

560 - 760mm | Custom Length




| | | | | |
|----------------|--------|---------|--|--------------------------|
| FLIC35S | Finish | Kelvin | CRI82+ / 17 - 23W | Length (mm) |
| 8 | Alu | G 2700K | 8 1554 - 2109lm/CRI82+ £147.00 | <input type="checkbox"/> |
| 0 | White | C 3000K | | <input type="checkbox"/> |
| 1 | Black | N 4000K | 9 CRI92+ / 17 - 23W 1361 - 1847lm/CRI92+ £147.00 | <input type="checkbox"/> |

*Please note: This unit requires a 24V remote driver, please see pages 103 - 114.

*Custom RAL Available

800 - 1000mm | Custom Length




| | | | | |
|----------------|--------|---------|--|--------------------------|
| FLIC35S | Finish | Kelvin | CRI82+ / 24 - 30W | Length (mm) |
| 8 | Alu | G 2700K | 8 2220 - 2775lm/CRI82+ £154.00 | <input type="checkbox"/> |
| 0 | White | C 3000K | | <input type="checkbox"/> |
| 1 | Black | N 4000K | 9 CRI92+ / 24 - 30W 1944 - 2430lm/CRI92+ £154.00 | <input type="checkbox"/> |

*Please note: This unit requires a 24V remote driver, please see pages 103 - 114.

*Custom RAL Available

1040 - 1240mm | Custom Length




| | | | | |
|----------------|--------|---------|--|--------------------------|
| FLIC35S | Finish | Kelvin | CRI82+ / 31 - 37W | Length (mm) |
| 8 | Alu | G 2700K | 8 2886 - 3441lm/CRI82+ £191.00 | <input type="checkbox"/> |
| 0 | White | C 3000K | | <input type="checkbox"/> |
| 1 | Black | N 4000K | 9 CRI92+ / 31 - 37W 2527 - 3013lm/CRI92+ £191.00 | <input type="checkbox"/> |

*Please note: This unit requires a 24V remote driver, please see pages 103 - 114.

*Custom RAL Available

1280 - 1480mm | Custom Length




| | | | | |
|----------------|--------|---------|---------------------------------------|---|
| FLIC35S | Finish | Kelvin | CRI82+ / 38 - 44W | Length (mm) |
| 8 | Alu | G 2700K | 8 3552 - 4107lm/CRI82+ £220.00 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |
| 0 | White | C 3000K | | |
| 1 | Black | N 4000K | | |
| | | | CRI92+ / 38 - 44W | |
| | | | 9 3110 - 3596lm/CRI92+ £220.00 | |

*Please note: This unit requires a 24V remote driver, please see pages 103 - 114.

*Custom RAL Available

1520 - 1720mm | Custom Length




| | | | | |
|----------------|--------|---------|---------------------------------------|---|
| FLIC35S | Finish | Kelvin | CRI82+ / 45 - 52W | Length (mm) |
| 8 | Alu | G 2700K | 8 4218 - 4773lm/CRI82+ £270.00 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |
| 0 | White | C 3000K | | |
| 1 | Black | N 4000K | | |
| | | | CRI92+ / 45 - 52W | |
| | | | 9 3694 - 4180lm/CRI92+ £270.00 | |

*Please note: This unit requires a 24V remote driver, please see pages 103 - 114.

*Custom RAL Available

1760 - 2000mm | Custom Length




| | | | | |
|----------------|--------|---------|---------------------------------------|---|
| FLIC35S | Finish | Kelvin | CRI82+ / 53 - 60W | Length (mm) |
| 8 | Alu | G 2700K | 8 4884 - 5550lm/CRI82+ £285.00 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |
| 0 | White | C 3000K | | |
| 1 | Black | N 4000K | | |
| | | | CRI92+ / 53 - 60W | |
| | | | 9 4277 - 4860lm/CRI92+ £285.00 | |

*Please note: This unit requires a 24V remote driver, please see pages 103 - 114.

*Custom RAL Available

2040 - 2280mm | Custom Length




| | | | | |
|----------------|--------|---------|---------------------------------------|---|
| FLIC35S | Finish | Kelvin | CRI82+ / 61 - 68W | Length (mm) |
| 8 | Alu | G 2700K | 8 5661 - 6237lm/CRI82+ £336.00 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |
| 0 | White | C 3000K | | |
| 1 | Black | N 4000K | | |
| | | | CRI92+ / 61 - 68W | |
| | | | 9 4957 - 5540lm/CRI92+ £336.00 | |

*Please note: This unit requires a 24V remote driver, please see pages 103 - 114.

*Custom RAL Available

2320 - 2480mm | Custom Length




| | | | | |
|----------------|--------|---------|---------------------------------------|---|
| FLIC35S | Finish | Kelvin | CRI82+ / 70 - 74W | Length (mm) |
| 8 | Alu | G 2700K | 8 6438 - 6882lm/CRI82+ £350.00 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |
| 0 | White | C 3000K | | |
| 1 | Black | N 4000K | | |
| | | | CRI92+ / 61 - 68W | |
| | | | 9 5637 - 6026lm/CRI92+ £350.00 | |

*Please note: This unit requires a 24V remote driver, please see pages 103 - 114.

*Custom RAL Available




THE INFINITY 50 SUSPENDED



The INFINITY 50 - Suspended is a fully integrated LINEAR lighting luminaire; featuring built-in drivers and Rigid OSRAM LED Modules which are seamlessly interconnected within an aluminium housing. The INFINITY series is assembled in the UK and available as a made to measure LINEAR unit offered in increments of 40mm, ranging from 560 - 2480mm. Please fill in our code builder to produce your own custom item code and Linear unit.


560 - 760mm | Custom Length



| | | | | |
|----------------|---------------|---------------|---------------------------------------|----------------------------|
| FLIC50S | Finish | Kelvin | CRI82+ / 17 - 23W | Driver |
| 8 | Alu | G 2700K | 8 1697 - 2303lm/CRI82+ £248.00 | S Switched +£0.00 |
| 0 | White | C 3000K | | RF RF Dim +£26.00 |
| 1 | Black | N 4000K | 9 CRI92+ / 17 - 23W | R Triac Dim +£28.50 |
| | | | 9 1479 - 2006lm/CRI92+ £248.00 | Z 0-10v Dim +£28.50 |
| | | | | D DALI Dim +£43.00 |
| | | | | T EM Kit POA |
| | | | | Length (mm) |
| | | | | ■ ■ ■ ■ ■ |

*Custom RAL Available


800 - 1000mm | Custom Length



| | | | | |
|----------------|---------------|---------------|---------------------------------------|----------------------------|
| FLIC50S | Finish | Kelvin | CRI82+ / 24 - 30W | Driver |
| 8 | Alu | G 2700K | 8 2424 - 3030lm/CRI82+ £260.00 | S Switched +£0.00 |
| 0 | White | C 3000K | | RF RF Dim +£26.00 |
| 1 | Black | N 4000K | 9 CRI92+ / 24 - 30W | R Triac Dim +£28.50 |
| | | | 9 2112 - 2640lm/CRI92+ £260.00 | Z 0-10v Dim +£28.50 |
| | | | | D DALI Dim +£43.00 |
| | | | | T EM Kit POA |
| | | | | Length (mm) |
| | | | | ■ ■ ■ ■ ■ |

*Custom RAL Available


1040 - 1240mm | Custom Length



| | | | | |
|----------------|---------------|---------------|---------------------------------------|----------------------------|
| FLIC50S | Finish | Kelvin | CRI82+ / 31 - 37W | Driver |
| 8 | Alu | G 2700K | 8 3151 - 3757lm/CRI82+ £312.00 | S Switched +£0.00 |
| 0 | White | C 3000K | | RF RF Dim +£26.00 |
| 1 | Black | N 4000K | 9 CRI92+ / 31 - 37W | R Triac Dim +£28.50 |
| | | | 9 2746 - 3274lm/CRI92+ £312.00 | Z 0-10v Dim +£28.50 |
| | | | | D DALI Dim +£43.00 |
| | | | | T EM Kit POA |
| | | | | Length (mm) |
| | | | | ■ ■ ■ ■ ■ |

*Custom RAL Available

1280 - 1480mm | Custom Length




| | | | |
|----------------|--------|---------|---------------------------------------|
| FLIC50S | Finish | Kelvin | CRI82+ / 38 - 44W |
| 8 | Alu | G 2700K | 8 3878 - 4484lm/CRI82+ £340.00 |
| 0 | White | C 3000K | |
| 1 | Black | N 4000K | CRI92+ / 38 - 44W |
| | | | 9 3380 - 3907lm/CRI92+ £340.00 |

| | |
|--------|-------------------|
| Driver | |
| S | Switched +£0.00 |
| RF | RF Dim +£26.00 |
| R | Triac Dim +£28.50 |
| Z | 0-10v Dim +£28.50 |
| D | DALI Dim +£43.00 |
| T | EM Kit POA |

Length (mm)

*Custom RAL Available

1520 - 1720mm | Custom Length




| | | | |
|----------------|--------|---------|---------------------------------------|
| FLIC50S | Finish | Kelvin | CRI82+ / 45 - 52W |
| 8 | Alu | G 2700K | 8 4605 - 5212lm/CRI82+ £406.00 |
| 0 | White | C 3000K | |
| 1 | Black | N 4000K | CRI92+ / 45 - 52W |
| | | | 9 4013 - 4541lm/CRI92+ £406.00 |

| | |
|--------|-------------------|
| Driver | |
| S | Switched +£0.00 |
| RF | RF Dim +£26.00 |
| R | Triac Dim +£43.00 |
| Z | 0-10v Dim +£43.00 |
| D | DALI Dim +£57.50 |
| T | EM Kit POA |

Length (mm)

*Custom RAL Available

1760 - 2000mm | Custom Length




| | | | |
|----------------|--------|---------|---------------------------------------|
| FLIC50S | Finish | Kelvin | CRI82+ / 53 - 60W |
| 8 | Alu | G 2700K | 8 5333 - 6060lm/CRI82+ £424.00 |
| 0 | White | C 3000K | |
| 1 | Black | N 4000K | CRI92+ / 53 - 60W |
| | | | 9 4646 - 5280lm/CRI92+ £424.00 |

| | |
|--------|-------------------|
| Driver | |
| S | Switched +£0.00 |
| RF | RF Dim +£26.00 |
| R | Triac Dim +£43.00 |
| Z | 0-10v Dim +£43.00 |
| D | DALI Dim +£57.50 |
| T | EM Kit POA |

Length (mm)

*Custom RAL Available

2040 - 2280mm | Custom Length




| | | | |
|----------------|--------|---------|---------------------------------------|
| FLIC50S | Finish | Kelvin | CRI82+ / 61 - 68W |
| 8 | Alu | G 2700K | 8 6181 - 6908lm/CRI82+ £510.00 |
| 0 | White | C 3000K | |
| 1 | Black | N 4000K | CRI92+ / 61 - 68W |
| | | | 9 5386 - 6019lm/CRI92+ £510.00 |

| | |
|--------|-------------------|
| Driver | |
| S | Switched +£0.00 |
| RF | RF Dim +£26.00 |
| R | Triac Dim +£43.00 |
| Z | 0-10v Dim +£43.00 |
| D | DALI Dim +£57.50 |
| T | EM Kit POA |

Length (mm)

*Custom RAL Available

2320 - 2480mm | Custom Length



| | | | |
|----------------|--------|---------|---------------------------------------|
| FLIC50S | Finish | Kelvin | CRI82+ / 70 - 74W |
| 8 | Alu | G 2700K | 8 7030 - 7515lm/CRI82+ £525.00 |
| 0 | White | C 3000K | |
| 1 | Black | N 4000K | CRI92+ / 70 - 74W |
| | | | 9 6125 - 6547lm/CRI92+ £525.00 |


| | |
|--------|-------------------|
| Driver | |
| S | Switched +£0.00 |
| RF | RF Dim +£26.00 |
| R | Triac Dim +£43.00 |
| Z | 0-10v Dim +£43.00 |
| D | DALI Dim +£57.50 |
| T | EM Kit POA |

Length (mm)

*Custom RAL Available




THE INFINITY 75 SUSPENDED



The INFINITY 75 - Suspended is a fully integrated LINEAR lighting luminaire; featuring built-in drivers and Rigid OSRAM LED Modules which are seamlessly interconnected within an aluminium housing. The INFINITY series is assembled in the UK and available as a made to measure LINEAR unit offered in increments of 40mm, ranging from 560 - 2480mm. Please fill in our code builder to produce your own custom item code and Linear unit.

560 - 760mm | Custom Length



| | | | |
|----------------|---------------|---------------|---------------------------------------|
| FLIC75S | Finish | Kelvin | CRI82+ / 17 - 23W |
| 8 | Alu | G 2700K | 8 1697 - 2303lm/CRI82+ £307.00 |
| 0 | White | C 3000K | CRI92+ / 17 - 23W |
| 1 | Black | N 4000K | 9 1479 - 2006lm/CRI92+ £307.00 |


| | |
|---------------|---------|
| Driver | |
| S Switched | +£0.00 |
| RF RF Dim | +£26.00 |
| R Triac Dim | +£28.50 |
| Z 0-10v Dim | +£28.50 |
| D DALI Dim | +£43.00 |
| T EM Kit | POA |

Length (mm)

*Please note: This unit utilizes a remote driver

*Custom RAL Available

800 - 1000mm | Custom Length




| | | | |
|---------------|---------------|---------------|---------------------------------------|
| FLIC75 | Finish | Kelvin | CRI82+ / 24 - 30W |
| 8 | Alu | G 2700K | 8 2424 - 3030lm/CRI82+ £320.00 |
| 0 | White | C 3000K | CRI92+ / 24 - 30W |
| 1 | Black | N 4000K | 9 2112 - 2640lm/CRI92+ £320.00 |

| | |
|---------------|---------|
| Driver | |
| S Switched | +£0.00 |
| RF RF Dim | +£26.00 |
| R Triac Dim | +£28.50 |
| Z 0-10v Dim | +£28.50 |
| D DALI Dim | +£43.00 |
| T EM Kit | POA |

Length (mm)

*Custom RAL Available

1040 - 1240mm | Custom Length




| | | | |
|----------------|---------------|---------------|---------------------------------------|
| FLIC75S | Finish | Kelvin | CRI82+ / 31 - 37W |
| 8 | Alu | G 2700K | 8 3151 - 3757lm/CRI82+ £448.00 |
| 0 | White | C 3000K | CRI92+ / 31 - 37W |
| 1 | Black | N 4000K | 9 2746 - 3274lm/CRI92+ £448.00 |

| | |
|---------------|---------|
| Driver | |
| S Switched | +£0.00 |
| RF RF Dim | +£26.00 |
| R Triac Dim | +£28.50 |
| Z 0-10v Dim | +£28.50 |
| D DALI Dim | +£43.00 |
| T EM Kit | POA |

Length (mm)

*Custom RAL Available

1280 - 1480mm | Custom Length



| | | | |
|----------------|---------------------------------|---------------------------------|--|
| FLIC75S | <input type="checkbox"/> Finish | <input type="checkbox"/> Kelvin | <input type="checkbox"/> CRI82+ / 38 - 44W |
| 8 | Alu | G 2700K | 8 3878 - 4484lm/CRI82+ £477.00 |
| 0 | White | C 3000K | |
| 1 | Black | N 4000K | 9 CRI92+ / 38 - 44W |
| | | | 9 3380 - 3907lm/CRI92+ £477.00 |


| | |
|---------------------------------|-------------------|
| <input type="checkbox"/> Driver | |
| S | Switched +£0.00 |
| RF | RF Dim +£26.00 |
| R | Triac Dim +£28.50 |
| Z | 0-10v Dim +£28.50 |
| D | DALI Dim +£43.00 |
| T | EM Kit POA |

Length (mm)

■ ■ ■ ■ ■

*Custom RAL Available

1520 - 1720mm | Custom Length



| | | | |
|----------------|---------------------------------|---------------------------------|--|
| FLIC75S | <input type="checkbox"/> Finish | <input type="checkbox"/> Kelvin | <input type="checkbox"/> CRI82+ / 45 - 52W |
| 8 | Alu | G 2700K | 8 4605 - 5212lm/CRI82+ £592.00 |
| 0 | White | C 3000K | |
| 1 | Black | N 4000K | 9 CRI92+ / 45 - 52W |
| | | | 9 4013 - 4541lm/CRI92+ £592.00 |


| | |
|---------------------------------|-------------------|
| <input type="checkbox"/> Driver | |
| S | Switched +£0.00 |
| RF | RF Dim +£26.00 |
| R | Triac Dim +£43.00 |
| Z | 0-10v Dim +£43.00 |
| D | DALI Dim +£57.50 |
| T | EM Kit POA |

Length (mm)

■ ■ ■ ■ ■

*Custom RAL Available

1760 - 2000mm | Custom Length



| | | | |
|----------------|---------------------------------|---------------------------------|--|
| FLIC75S | <input type="checkbox"/> Finish | <input type="checkbox"/> Kelvin | <input type="checkbox"/> CRI82+ / 53 - 60W |
| 8 | Alu | G 2700K | 8 5333 - 6060lm/CRI82+ £632.00 |
| 0 | White | C 3000K | |
| 1 | Black | N 4000K | 9 CRI92+ / 53 - 60W |
| | | | 9 4646 - 5280lm/CRI92+ £632.00 |


| | |
|---------------------------------|-------------------|
| <input type="checkbox"/> Driver | |
| S | Switched +£0.00 |
| RF | RF Dim +£26.00 |
| R | Triac Dim +£43.00 |
| Z | 0-10v Dim +£43.00 |
| D | DALI Dim +£57.50 |
| T | EM Kit POA |

Length (mm)

■ ■ ■ ■ ■

*Custom RAL Available

2040 - 2280mm | Custom Length



| | | | |
|----------------|---------------------------------|---------------------------------|--|
| FLIC75S | <input type="checkbox"/> Finish | <input type="checkbox"/> Kelvin | <input type="checkbox"/> CRI82+ / 61 - 68W |
| 8 | Alu | G 2700K | 8 6181 - 6908lm/CRI82+ £747.00 |
| 0 | White | C 3000K | |
| 1 | Black | N 4000K | 9 CRI92+ / 61 - 68W |
| | | | 9 5386 - 6019lm/CRI92+ £747.00 |


| | |
|---------------------------------|-------------------|
| <input type="checkbox"/> Driver | |
| S | Switched +£0.00 |
| RF | RF Dim +£26.00 |
| R | Triac Dim +£43.00 |
| Z | 0-10v Dim +£43.00 |
| D | DALI Dim +£57.50 |
| T | EM Kit POA |

Length (mm)

■ ■ ■ ■ ■

*Custom RAL Available

2320 - 2480mm | Custom Length



| | | | |
|----------------|---------------------------------|---------------------------------|--|
| FLIC75S | <input type="checkbox"/> Finish | <input type="checkbox"/> Kelvin | <input type="checkbox"/> CRI82+ / 70 - 74W |
| 8 | Alu | G 2700K | 8 7030 - 7515lm/CRI82+ £762.00 |
| 0 | White | C 3000K | |
| 1 | Black | N 4000K | 9 CRI92+ / 70 - 74W |
| | | | 9 6125 - 6547lm/CRI92+ £762.00 |

| | |
|---------------------------------|-------------------|
| <input type="checkbox"/> Driver | |
| S | Switched +£0.00 |
| RF | RF Dim +£26.00 |
| R | Triac Dim +£43.00 |
| Z | 0-10v Dim +£43.00 |
| D | DALI Dim +£57.50 |
| T | EM Kit POA |


Length (mm)

■ ■ ■ ■ ■

*Custom RAL Available




THE INFINITY 50 UP & DOWN



The INFINITY 50 - Up & Down is a fully integrated LINEAR lighting luminaire; featuring built-in drivers and Rigid OSRAM LED Modules which are seamlessly interconnected within an aluminium housing. The INFINITY series is assembled in the UK and available as a made to measure LINEAR unit offered in increments of 40mm, ranging from 560 - 2480mm. Please fill in our code builder to produce your own custom item code and Linear unit.

560 - 760mm | Custom Length




| | | | |
|-----------------|---------------|---------------|----------------------------------|
| FLIC50UD | Finish | Kelvin | CRI82+ / 24 - 31W |
| 8 | Alu | G 2700K | 8 1697 - 2303lm / CRI82+ £316.00 |
| 0 | White | C 3000K | 462 - 563lm - Uplight |
| 1 | Black | N 4000K | CRI92+ / 24 - 31W |
| | | | 9 1479 - 2006lm / CRI92+ £316.00 |
| | | | 462 - 563lm - Uplight |

| | |
|---------------|---------|
| Driver | |
| S Switched | +£0.00 |
| RF RF Dim | +£26.00 |
| R Triac Dim | +£28.50 |
| Z 0-10v Dim | +£28.50 |
| D DALI Dim | +£43.00 |
| T EM Kit | POA |

Length (mm)

*Custom RAL Available

800 - 1000mm | Custom Length




| | | | |
|-----------------|---------------|---------------|----------------------------------|
| FLIC50UD | Finish | Kelvin | CRI82+ / 33 - 42W |
| 8 | Alu | G 2700K | 8 2424 - 3030lm / CRI82+ £333.00 |
| 0 | White | C 3000K | 603 - 804lm - Uplight |
| 1 | Black | N 4000K | CRI92+ / 33 - 42W |
| | | | 9 2112 - 2640lm / CRI92+ £333.00 |
| | | | 603 - 804lm - Uplight |

| | |
|---------------|---------|
| Driver | |
| S Switched | +£0.00 |
| RF RF Dim | +£26.00 |
| R Triac Dim | +£28.50 |
| Z 0-10v Dim | +£28.50 |
| D DALI Dim | +£43.00 |
| T EM Kit | POA |

Length (mm)

*Custom RAL Available

1040 - 1240mm | Custom Length




| | | | |
|-----------------|---------------|---------------|----------------------------------|
| FLIC50UD | Finish | Kelvin | CRI82+ / 44 - 53W |
| 8 | Alu | G 2700K | 8 3151 - 3757lm / CRI82+ £380.00 |
| 0 | White | C 3000K | 844 - 1045lm - Uplight |
| 1 | Black | N 4000K | CRI92+ / 44 - 53W |
| | | | 9 2746 - 3274lm / CRI92+ £380.00 |
| | | | 844 - 1045lm - Uplight |

| | |
|---------------|---------|
| Driver | |
| S Switched | +£0.00 |
| RF RF Dim | +£26.00 |
| R Triac Dim | +£43.00 |
| Z 0-10v Dim | +£43.00 |
| D DALI Dim | +£57.50 |
| T EM Kit | POA |

Length (mm)

*Custom RAL Available

1280 - 1480mm | Custom Length




| | | | |
|-----------------|---------------|---------------|----------------------------------|
| FLIC50UD | Finish | Kelvin | CRI82+ / 55 - 63W |
| 8 | Alu | G 2700K | 8 3878 - 4484lm / CRI82+ £430.00 |
| 0 | White | C 3000K | 1085 - 1286lm - Uplight |
| 1 | Black | N 4000K | 9 CRI92+ / 55 - 63W |
| | | | 3380 - 3907lm / CRI92+ £430.00 |
| | | | 1085 - 1286lm - Uplight |

| | | |
|---------------|-------------------|---------|
| Driver | S Switched | +£0.00 |
| RF | RF Dim | +£26.00 |
| R | Triac Dim | +£43.00 |
| Z | 0-10v Dim | +£43.00 |
| D | DALI Dim | +£57.50 |
| T | EM Kit | POA |

Length (mm)

*Custom RAL Available

1520 - 1720mm | Custom Length




| | | | |
|-----------------|---------------|---------------|----------------------------------|
| FLIC50UD | Finish | Kelvin | CRI82+ / 65 - 74W |
| 8 | Alu | G 2700K | 8 4605 - 5212lm / CRI82+ £533.00 |
| 0 | White | C 3000K | 1327 - 1528lm - Uplight |
| 1 | Black | N 4000K | 9 CRI92+ / 65 - 74W |
| | | | 4013 - 4541lm / CRI92+ £533.00 |
| | | | 1327 - 1528lm - Uplight |

| | | |
|---------------|-------------------|---------|
| Driver | S Switched | +£0.00 |
| RF | RF Dim | +£26.00 |
| R | Triac Dim | +£43.00 |
| Z | 0-10v Dim | +£43.00 |
| D | DALI Dim | +£57.50 |
| T | EM Kit | POA |

Length (mm)

*Custom RAL Available

1760 - 2000mm | Custom Length




| | | | |
|-----------------|---------------|---------------|----------------------------------|
| FLIC50UD | Finish | Kelvin | CRI82+ / 76 - 86W |
| 8 | Alu | G 2700K | 8 5333 - 6060lm / CRI82+ £546.00 |
| 0 | White | C 3000K | 1568 - 1809lm - Uplight |
| 1 | Black | N 4000K | 9 CRI92+ / 76 - 86W |
| | | | 4646 - 5280lm / CRI92+ £546.00 |
| | | | 1568 - 1809lm - Uplight |

| | | |
|---------------|-------------------|---------|
| Driver | S Switched | +£0.00 |
| RF | RF Dim | +£26.00 |
| R | Triac Dim | +£71.50 |
| Z | 0-10v Dim | +£71.50 |
| D | DALI Dim | +£86.00 |
| T | EM Kit | POA |

Length (mm)

*Custom RAL Available

2040 - 2280mm | Custom Length




| | | | |
|-----------------|---------------|---------------|----------------------------------|
| FLIC50UD | Finish | Kelvin | CRI82+ / 89 - 100W |
| 8 | Alu | G 2700K | 8 6181 - 6908lm / CRI82+ £640.00 |
| 0 | White | C 3000K | 1850 - 2090lm - Uplight |
| 1 | Black | N 4000K | 9 CRI92+ / 89 - 100W |
| | | | 5386 - 6019lm / CRI92+ £640.00 |
| | | | 1850 - 2090lm - Uplight |

| | | |
|---------------|-------------------|---------|
| Driver | S Switched | +£0.00 |
| RF | RF Dim | +£26.00 |
| R | Triac Dim | +£71.50 |
| Z | 0-10v Dim | +£71.50 |
| D | DALI Dim | +£86.00 |
| T | EM Kit | POA |

Length (mm)

*Custom RAL Available

2320 - 2480mm | Custom Length



| | | | |
|-----------------|---------------|---------------|----------------------------------|
| FLIC50UD | Finish | Kelvin | CRI82+ / 101 - 109W |
| 8 | Alu | G 2700K | 8 7030 - 7515lm / CRI82+ £655.00 |
| 0 | White | C 3000K | 2130 - 2292lm - Uplight |
| 1 | Black | N 4000K | 9 CRI92+ / 101 - 109W |
| | | | 6125 - 6547lm / CRI92+ £655.00 |
| | | | 2130 - 2292lm - Uplight |


| | | |
|---------------|-------------------|---------|
| Driver | S Switched | +£0.00 |
| RF | RF Dim | +£26.00 |
| R | Triac Dim | +£71.50 |
| Z | 0-10v Dim | +£71.50 |
| D | DALI Dim | +£86.00 |
| T | EM Kit | POA |

Length (mm)

*Custom RAL Available




THE INFINITY 75 UP & DOWN



The INFINITY 75 - Up & Down is a fully integrated LINEAR lighting luminaire; featuring built-in drivers and Rigid OSRAM LED Modules which are seamlessly interconnected within an aluminium housing. The INFINITY series is assembled in the UK and available as a made to measure LINEAR unit offered in increments of 40mm, ranging from 560 - 2480mm. Please fill in our code builder to produce your own custom item code and Linear unit.

560 - 760mm | Custom Length




| | | | |
|-----------------|---------------|---------------|---------------------------------------|
| FLIC75UD | Finish | Kelvin | CRI82+ / 24 - 31W |
| 8 | Alu | G 2700K | 8 1697 - 2303lm/CRI82+ £379.00 |
| 0 | White | C 3000K | 462 - 563lm - Uplight |
| 1 | Black | N 4000K | CRI92+ / 24 - 31W |
| | | | 9 1479 - 2006lm/CRI92+ £379.00 |
| | | | 462 - 563lm - Uplight |

| | |
|---------------|---------|
| Driver | |
| S Switched | +£0.00 |
| RF RF Dim | +£26.00 |
| R Triac Dim | +£28.50 |
| Z 0-10v Dim | +£28.50 |
| D DALI Dim | +£43.00 |
| T EM Kit | POA |

Length (mm)

*Custom RAL Available

800 - 1000mm | Custom Length




| | | | |
|-----------------|---------------|---------------|---------------------------------------|
| FLIC75UD | Finish | Kelvin | CRI82+ / 33 - 42W |
| 8 | Alu | G 2700K | 8 2424 - 3030lm/CRI82+ £398.00 |
| 0 | White | C 3000K | 603 - 804lm - Uplight |
| 1 | Black | N 4000K | CRI92+ / 33 - 42W |
| | | | 9 2112 - 2640lm/CRI92+ £398.00 |
| | | | 603 - 804lm - Uplight |

| | |
|---------------|---------|
| Driver | |
| S Switched | +£0.00 |
| RF RF Dim | +£26.00 |
| R Triac Dim | +£28.50 |
| Z 0-10v Dim | +£28.50 |
| D DALI Dim | +£43.00 |
| T EM Kit | POA |

Length (mm)

*Custom RAL Available

1040 - 1240mm | Custom Length




| | | | |
|-----------------|---------------|---------------|---------------------------------------|
| FLIC75UD | Finish | Kelvin | CRI82+ / 44 - 53W |
| 8 | Alu | G 2700K | 8 3151 - 3757lm/CRI82+ £527.00 |
| 0 | White | C 3000K | 844 - 1045lm - Uplight |
| 1 | Black | N 4000K | CRI92+ / 44 - 53W |
| | | | 9 2746 - 3274lm/CRI92+ £527.00 |
| | | | 844 - 1045lm - Uplight |

| | |
|---------------|---------|
| Driver | |
| S Switched | +£0.00 |
| RF RF Dim | +£26.00 |
| R Triac Dim | +£43.00 |
| Z 0-10v Dim | +£43.00 |
| D DALI Dim | +£57.50 |
| T EM Kit | POA |

Length (mm)

*Custom RAL Available

1280 - 1480mm | Custom Length




| | | | |
|-----------------|---------------|---------------|----------------------------------|
| FLIC75UD | Finish | Kelvin | CRI82+ / 55 - 63W |
| 8 | Alu | G 2700K | 8 3878 - 4484lm / CRI82+ £592.00 |
| 0 | White | C 3000K | 1085 - 1286lm - Uplight |
| 1 | Black | N 4000K | CRI92+ / 55 - 63W |
| | | | 9 3380 - 3907lm / CRI92+ £592.00 |
| | | | 1085 - 1286lm - Uplight |

| | | |
|---------------|-------------------|---------|
| Driver | S Switched | +£0.00 |
| RF | RF Dim | +£26.00 |
| R | Triac Dim | +£43.00 |
| Z | 0-10v Dim | +£43.00 |
| D | DALI Dim | +£57.50 |
| T | EM Kit | POA |

Length (mm)

*Custom RAL Available

1520 - 1720mm | Custom Length




| | | | |
|-----------------|---------------|---------------|----------------------------------|
| FLIC75UD | Finish | Kelvin | CRI82+ / 65 - 74W |
| 8 | Alu | G 2700K | 8 4605 - 5212lm / CRI82+ £707.00 |
| 0 | White | C 3000K | 1327 - 1528lm - Uplight |
| 1 | Black | N 4000K | CRI92+ / 65 - 74W |
| | | | 9 4013 - 4541lm / CRI92+ £707.00 |
| | | | 1327 - 1528lm - Uplight |

| | | |
|---------------|-------------------|---------|
| Driver | S Switched | +£0.00 |
| RF | RF Dim | +£26.00 |
| R | Triac Dim | +£43.00 |
| Z | 0-10v Dim | +£43.00 |
| D | DALI Dim | +£57.50 |
| T | EM Kit | POA |

Length (mm)

*Custom RAL Available

1760 - 2000mm | Custom Length




| | | | |
|-----------------|---------------|---------------|----------------------------------|
| FLIC75UD | Finish | Kelvin | CRI82+ / 76 - 86W |
| 8 | Alu | G 2700K | 8 5333 - 6060lm / CRI82+ £732.00 |
| 0 | White | C 3000K | 1568 - 1809lm - Uplight |
| 1 | Black | N 4000K | CRI92+ / 76 - 86W |
| | | | 9 4646 - 5280lm / CRI92+ £732.00 |
| | | | 1568 - 1809lm - Uplight |

| | | |
|---------------|-------------------|---------|
| Driver | S Switched | +£0.00 |
| RF | RF Dim | +£26.00 |
| R | Triac Dim | +£71.50 |
| Z | 0-10v Dim | +£71.50 |
| D | DALI Dim | +£86.00 |
| T | EM Kit | POA |

Length (mm)

*Custom RAL Available

2040 - 2280mm | Custom Length




| | | | |
|-----------------|---------------|---------------|----------------------------------|
| FLIC75UD | Finish | Kelvin | CRI82+ / 89 - 100W |
| 8 | Alu | G 2700K | 8 6181 - 6908lm / CRI82+ £865.00 |
| 0 | White | C 3000K | 1850 - 2090lm - Uplight |
| 1 | Black | N 4000K | CRI92+ / 89 - 100W |
| | | | 9 5386 - 6019lm / CRI92+ £865.00 |
| | | | 1850 - 2090lm - Uplight |

| | | |
|---------------|-------------------|---------|
| Driver | S Switched | +£0.00 |
| RF | RF Dim | +£26.00 |
| R | Triac Dim | +£71.50 |
| Z | 0-10v Dim | +£71.50 |
| D | DALI Dim | +£86.00 |
| T | EM Kit | POA |

Length (mm)

*Custom RAL Available

2320 - 2480mm | Custom Length




| | | | |
|-----------------|---------------|---------------|----------------------------------|
| FLIC75UD | Finish | Kelvin | CRI82+ / 101 - 109W |
| 8 | Alu | G 2700K | 8 7030 - 7515lm / CRI82+ £890.00 |
| 0 | White | C 3000K | 2130 - 2292lm - Uplight |
| 1 | Black | N 4000K | CRI92+ / 101 - 109W |
| | | | 9 6125 - 6547lm / CRI92+ £890.00 |
| | | | 2130 - 2292lm - Uplight |


| | | |
|---------------|-------------------|---------|
| Driver | S Switched | +£0.00 |
| RF | RF Dim | +£26.00 |
| R | Triac Dim | +£71.50 |
| Z | 0-10v Dim | +£71.50 |
| D | DALI Dim | +£86.00 |
| T | EM Kit | POA |

Length (mm)

*Custom RAL Available




THE INFINITY 50 WALL



The INFINITY 50 - Wall is a fully integrated LINEAR lighting luminaire; featuring built-in drivers and Rigid OSRAM LED Modules which are seamlessly interconnected within an aluminium housing. The INFINITY series is assembled in the UK and available as a made to measure LINEAR unit offered in increments of 40mm, ranging from 560 - 2480mm. Please fill in our code builder to produce your own custom item code and Linear unit.

560 - 760mm | Custom Length




| | | | |
|----------------|---------------------------------|---------------------------------|--|
| FLIC50W | <input type="checkbox"/> Finish | <input type="checkbox"/> Kelvin | <input type="checkbox"/> CRI82+ / 17 - 23W |
| 8 | Alu | G 2700K | 8 1697 - 2303lm/CRI82+ £239.00 |
| 0 | White | C 3000K | <input type="checkbox"/> CRI92+ / 17 - 23W |
| 1 | Black | N 4000K | 9 1479 - 2006lm/CRI92+ £239.00 |

| | |
|---------------------------------|---------|
| <input type="checkbox"/> Driver | |
| S Switched | +£0.00 |
| RF RF Dim | +£26.00 |
| R Triac Dim | +£28.50 |
| Z 0-10v Dim | +£28.50 |
| D DALI Dim | +£43.00 |
| T EM Kit | POA |

Length (mm)

*Custom RAL Available

800 - 1000mm | Custom Length




| | | | |
|----------------|---------------------------------|---------------------------------|--|
| FLIC50W | <input type="checkbox"/> Finish | <input type="checkbox"/> Kelvin | <input type="checkbox"/> CRI82+ / 24 - 30W |
| 8 | Alu | G 2700K | 8 2424 - 3030lm/CRI82+ £250.00 |
| 0 | White | C 3000K | <input type="checkbox"/> CRI92+ / 24 - 30W |
| 1 | Black | N 4000K | 9 2112 - 2640lm/CRI92+ £250.00 |

| | |
|---------------------------------|---------|
| <input type="checkbox"/> Driver | |
| S Switched | +£0.00 |
| RF RF Dim | +£26.00 |
| R Triac Dim | +£28.50 |
| Z 0-10v Dim | +£28.50 |
| D DALI Dim | +£43.00 |
| T EM Kit | POA |

Length (mm)

*Custom RAL Available

1040 - 1240mm | Custom Length



| | | | |
|----------------|---------------------------------|---------------------------------|--|
| FLIC50W | <input type="checkbox"/> Finish | <input type="checkbox"/> Kelvin | <input type="checkbox"/> CRI82+ / 31 - 37W |
| 8 | Alu | G 2700K | 8 3151 - 3757lm/CRI82+ £300.00 |
| 0 | White | C 3000K | <input type="checkbox"/> CRI92+ / 31 - 37W |
| 1 | Black | N 4000K | 9 2746 - 3274lm/CRI92+ £300.00 |


| | |
|---------------------------------|---------|
| <input type="checkbox"/> Driver | |
| S Switched | +£0.00 |
| RF RF Dim | +£26.00 |
| R Triac Dim | +£28.50 |
| Z 0-10v Dim | +£28.50 |
| D DALI Dim | +£43.00 |
| T EM Kit | POA |

Length (mm)

*Custom RAL Available



1280 - 1480mm | Custom Length




| | | | |
|----------------|---------|---------|---------------------------------------|
| FLIC50W | Finish | Kelvin | CRI82+ / 38 - 44W |
| | 8 Alu | G 2700K | 8 3878 - 4484lm/CRI82+ £329.00 |
| | 0 White | C 3000K | CRI92+ / 38 - 44W |
| | 1 Black | N 4000K | 9 3380 - 3907lm/CRI92+ £329.00 |

| | |
|-------------|---------|
| Driver | |
| S Switched | +£0.00 |
| RF RF Dim | +£26.00 |
| R Triac Dim | +£28.50 |
| Z 0-10v Dim | +£28.50 |
| D DALI Dim | +£43.00 |
| T EM Kit | POA |

Length (mm)

*Custom RAL Available

1520 - 1720mm | Custom Length




| | | | |
|----------------|---------|---------|---------------------------------------|
| FLIC50W | Finish | Kelvin | CRI82+ / 45 - 52W |
| | 8 Alu | G 2700K | 8 4605 - 5212lm/CRI82+ £394.00 |
| | 0 White | C 3000K | CRI92+ / 45 - 52W |
| | 1 Black | N 4000K | 9 4013 - 4541lm/CRI92+ £394.00 |

| | |
|-------------|---------|
| Driver | |
| S Switched | +£0.00 |
| RF RF Dim | +£26.00 |
| R Triac Dim | +£43.00 |
| Z 0-10v Dim | +£43.00 |
| D DALI Dim | +£57.50 |
| T EM Kit | POA |

Length (mm)

*Custom RAL Available

1760 - 2000mm | Custom Length




| | | | |
|----------------|---------|---------|---------------------------------------|
| FLIC50W | Finish | Kelvin | CRI82+ / 53 - 60W |
| | 8 Alu | G 2700K | 8 5333 - 6060lm/CRI82+ £413.00 |
| | 0 White | C 3000K | CRI92+ / 53 - 60W |
| | 1 Black | N 4000K | 9 4646 - 5280lm/CRI92+ £413.00 |

| | |
|-------------|---------|
| Driver | |
| S Switched | +£0.00 |
| RF RF Dim | +£26.00 |
| R Triac Dim | +£43.00 |
| Z 0-10v Dim | +£43.00 |
| D DALI Dim | +£57.50 |
| T EM Kit | POA |

Length (mm)

*Custom RAL Available

2040 - 2280mm | Custom Length




| | | | |
|----------------|---------|---------|---------------------------------------|
| FLIC50W | Finish | Kelvin | CRI82+ / 61 - 68W |
| | 8 Alu | G 2700K | 8 6181 - 6908lm/CRI82+ £500.00 |
| | 0 White | C 3000K | CRI92+ / 61 - 68W |
| | 1 Black | N 4000K | 9 5386 - 6019lm/CRI92+ £500.00 |

| | |
|-------------|---------|
| Driver | |
| S Switched | +£0.00 |
| RF RF Dim | +£26.00 |
| R Triac Dim | +£43.00 |
| Z 0-10v Dim | +£43.00 |
| D DALI Dim | +£57.50 |
| T EM Kit | POA |

Length (mm)

*Custom RAL Available

2320 - 2480mm | Custom Length



| | | | |
|----------------|---------|---------|---------------------------------------|
| FLIC50W | Finish | Kelvin | CRI82+ / 70 - 74W |
| | 8 Alu | G 2700K | 8 7030 - 7515lm/CRI82+ £514.00 |
| | 0 White | C 3000K | CRI92+ / 70 - 74W |
| | 1 Black | N 4000K | 9 6125 - 6547lm/CRI92+ £514.00 |


| | |
|-------------|---------|
| Driver | |
| S Switched | +£0.00 |
| RF RF Dim | +£26.00 |
| R Triac Dim | +£43.00 |
| Z 0-10v Dim | +£43.00 |
| D DALI Dim | +£57.50 |
| T EM Kit | POA |

Length (mm)

*Custom RAL Available




THE INFINITY 75 WALL



The INFINITY 75 - Wall is a fully integrated LINEAR lighting luminaire; featuring built-in drivers and Rigid OSRAM LED Modules which are seamlessly interconnected within an aluminium housing. The INFINITY series is assembled in the UK and available as a made to measure LINEAR unit offered in increments of 40mm, ranging from 560 - 2480mm. Please fill in our code builder to produce your own custom item code and Linear unit.

560 - 760mm | Custom Length



| | | | |
|----------------|---------------------------------|---------------------------------|--|
| FLIC75W | <input type="checkbox"/> Finish | <input type="checkbox"/> Kelvin | <input type="checkbox"/> CRI82+ / 17 - 23W |
| 8 | Alu | G 2700K | 8 1697 - 2303lm/CRI82+ £295.00 |
| 0 | White | C 3000K | <input type="checkbox"/> CRI92+ / 17 - 23W |
| 1 | Black | N 4000K | 9 1479 - 2006lm/CRI92+ £295.00 |


| | |
|---------------------------------|---------|
| <input type="checkbox"/> Driver | |
| S Switched | +£0.00 |
| RF RF Dim | +£26.00 |
| R Triac Dim | +£28.50 |
| Z 0-10v Dim | +£28.50 |
| D DALI Dim | +£43.00 |
| T EM Kit | POA |

Length (mm)

■ ■ ■ ■ ■

*Custom RAL Available

800 - 1000mm | Custom Length



| | | | |
|----------------|---------------------------------|---------------------------------|--|
| FLIC75W | <input type="checkbox"/> Finish | <input type="checkbox"/> Kelvin | <input type="checkbox"/> CRI82+ / 24 - 30W |
| 8 | Alu | G 2700K | 8 2424 - 3030lm/CRI82+ £299.00 |
| 0 | White | C 3000K | <input type="checkbox"/> CRI92+ / 24 - 30W |
| 1 | Black | N 4000K | 9 2112 - 2640lm/CRI92+ £299.00 |


| | |
|---------------------------------|---------|
| <input type="checkbox"/> Driver | |
| S Switched | +£0.00 |
| RF RF Dim | +£26.00 |
| R Triac Dim | +£28.50 |
| Z 0-10v Dim | +£28.50 |
| D DALI Dim | +£43.00 |
| T EM Kit | POA |

Length (mm)

■ ■ ■ ■ ■

*Custom RAL Available

1040 - 1240mm | Custom Length




| | | | |
|----------------|---------------------------------|---------------------------------|--|
| FLIC75W | <input type="checkbox"/> Finish | <input type="checkbox"/> Kelvin | <input type="checkbox"/> CRI82+ / 31 - 37W |
| 8 | Alu | G 2700K | 8 3151 - 3757lm/CRI82+ £408.00 |
| 0 | White | C 3000K | <input type="checkbox"/> CRI92+ / 31 - 37W |
| 1 | Black | N 4000K | 9 2746 - 3274lm/CRI92+ £408.00 |

| | |
|---------------------------------|---------|
| <input type="checkbox"/> Driver | |
| S Switched | +£0.00 |
| RF RF Dim | +£26.00 |
| R Triac Dim | +£28.50 |
| Z 0-10v Dim | +£28.50 |
| D DALI Dim | +£43.00 |
| T EM Kit | POA |


Length (mm)

■ ■ ■ ■ ■

*Custom RAL Available



1280 - 1480mm | Custom Length




| | | | |
|----------------|---------------|---------------|---------------------------------------|
| FLIC75W | Finish | Kelvin | CRI82+ / 38 - 44W |
| 8 | Alu | G 2700K | 8 3878 - 4484lm/CRI82+ £465.00 |
| 0 | White | C 3000K | CRI92+ / 38 - 44W |
| 1 | Black | N 4000K | 9 3380 - 3907lm/CRI92+ £465.00 |

| | |
|---------------|---------|
| Driver | |
| S Switched | +£0.00 |
| RF RF Dim | +£26.00 |
| R Triac Dim | +£28.50 |
| Z 0-10v Dim | +£28.50 |
| D DALI Dim | +£43.00 |
| T EM Kit | POA |

Length (mm)

*Custom RAL Available

1520 - 1720mm | Custom Length




| | | | |
|----------------|---------------|---------------|---------------------------------------|
| FLIC75W | Finish | Kelvin | CRI82+ / 45 - 52W |
| 8 | Alu | G 2700K | 8 4605 - 5212lm/CRI82+ £580.00 |
| 0 | White | C 3000K | CRI92+ / 45 - 52W |
| 1 | Black | N 4000K | 9 4013 - 4541lm/CRI92+ £580.00 |

| | |
|---------------|---------|
| Driver | |
| S Switched | +£0.00 |
| RF RF Dim | +£26.00 |
| R Triac Dim | +£43.00 |
| Z 0-10v Dim | +£43.00 |
| D DALI Dim | +£57.50 |
| T EM Kit | POA |

Length (mm)

*Custom RAL Available

1760 - 2000mm | Custom Length




| | | | |
|----------------|---------------|---------------|---------------------------------------|
| FLIC75W | Finish | Kelvin | CRI82+ / 53 - 60W |
| 8 | Alu | G 2700K | 8 5333 - 6060lm/CRI82+ £620.00 |
| 0 | White | C 3000K | CRI92+ / 53 - 60W |
| 1 | Black | N 4000K | 9 4646 - 5280lm/CRI92+ £620.00 |

| | |
|---------------|---------|
| Driver | |
| S Switched | +£0.00 |
| RF RF Dim | +£26.00 |
| R Triac Dim | +£43.00 |
| Z 0-10v Dim | +£43.00 |
| D DALI Dim | +£57.50 |
| T EM Kit | POA |

Length (mm)

*Custom RAL Available

2040 - 2280mm | Custom Length




| | | | |
|----------------|---------------|---------------|---------------------------------------|
| FLIC75W | Finish | Kelvin | CRI82+ / 61 - 68W |
| 8 | Alu | G 2700K | 8 6181 - 6908lm/CRI82+ £735.00 |
| 0 | White | C 3000K | CRI92+ / 61 - 68W |
| 1 | Black | N 4000K | 9 5386 - 6019lm/CRI92+ £735.00 |

| | |
|---------------|---------|
| Driver | |
| S Switched | +£0.00 |
| RF RF Dim | +£26.00 |
| R Triac Dim | +£43.00 |
| Z 0-10v Dim | +£43.00 |
| D DALI Dim | +£57.50 |
| T EM Kit | POA |

Length (mm)

*Custom RAL Available

2320 - 2480mm | Custom Length



| | | | |
|----------------|---------------|---------------|---------------------------------------|
| FLIC75W | Finish | Kelvin | CRI82+ / 70 - 74W |
| 8 | Alu | G 2700K | 8 7030 - 7515lm/CRI82+ £750.00 |
| 0 | White | C 3000K | CRI92+ / 70 - 74W |
| 1 | Black | N 4000K | 9 6125 - 6547lm/CRI92+ £750.00 |

| | |
|---------------|---------|
| Driver | |
| S Switched | +£0.00 |
| RF RF Dim | +£26.00 |
| R Triac Dim | +£43.00 |
| Z 0-10v Dim | +£43.00 |
| D DALI Dim | +£57.50 |
| T EM Kit | POA |

Length (mm)


*Custom RAL Available

THE INFINITY SYSTEM

Modular Linear Systems


1

INFINITE LENGTHS
& SHAPES



2

SURFACE, RECESSED
SUSPENDED & WALL OPTIONS



There are 7 ways of designing and creating your INFINITY SYSTEM. (L Shape, L Wall to Ceiling, Linear, Rectangle, S Shape, U Shape, and Z Shape). Build individual shapes or connect shapes together and create your own INFINITE LINEAR Lighting System.

Select from 4 individual mounting methods (Suspended, Surface mounted, Wall and Recessed) or mix and match throughout your design.

3

INBUILT LED MODULES & DRIVERS

LM OUTPUT

CRI82+ 3030 lm/m
CRI92+ 2640 lm/m

DIMMING

STANDARD
MAINS DIM
1-10V
DALI

CUSTOM
RAL

Choose from several product variations including lumens per metre (Low/ High output, CRI82+/CRI92+, Colour Temperature, dimming protocol and colour finish).

For further information about our Custom LINEAR Systems or to discuss a design, please call us on 0203 198 1908.





the linear edition

Minimum Order Value

Our UK carriage paid order is £150.00 nett. Excluding VAT.
Orders below this sum will be subject to a carriage charge of £15.00.

Deliveries

We aim to deliver stocked Linear Edition product orders to UK customers on a next working day basis on orders placed before 2pm, whilst made to measure LED Strip and Linear products we will endeavour to dispatch within 3 - 4 days.

Assembled in the UK - Made to Order

At fossLED we offer a number of just-in-time made to order services on our LED Strip, Linear LED Flex and Linear lighting products; please ensure all measurements and specifications ordered with us are checked as all custom products are non returnable.

Warranty Terms

All fossLED branded products come as standard with a 3 year warranty and eligible for a 5 Year extended manufacturers warranty on application; please email info@fossled.co.uk to apply.

Retention of Title

All goods remain the property of fossLED until full payment is received for goods supplied.

Terms & Conditions

fossLEDs General Terms & Conditions can be found online at www.fossled.co.uk/terms. These apply to all products or services purchased from fossLED.

